

RQ- 2018-04-30-05 6-5-18 **Log-in Checklist**

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: 05/01/2018 / 09:55

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		*Intact?		Tracking # (fill out only if waybill copy is damaged)
			Present?		Yes	No	
<u>BLUE</u>	<u>2.8C</u>	<u>12</u>		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No ✓ Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes X No _____ **Containers intact? Yes X No _____

**Sufficient Sample Volume: Yes X No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u>—</u>	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 05/01/2018 NCRs (Y/N)? —

Event ID: English, Turkey, Poley, Mustang NCR # _____

SW-DIST-2018-05-01-01 (SMP)

Date Received: 01-MAY-2018 09:55

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Dup & Blank

Customer: WQAP

Project ID: SMP

Requester: Judy Ashton

Field Report Prepared By:

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>4/30/18</u> Time <u>905</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID:  G2SW0051_DUP	Location: Turkey Creek @ SR 60	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>7.8</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN ID:  G2SW0051		Temp (C) <u>21.9</u>	pH <u>7.8</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>825</u>
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>4/30/18</u> Time <u>910</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID/WIN:  BLANK	Site Name: Field Blank_04302018	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By: <u>Ben Paswater</u>	Date/Time: <u>4/30/18</u>	Shipping Method: <u>FedEx</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>ABJ</u>	Date/Time: <u>05-01-18/9:53</u>
--------------------------------------	---------------------------	-------------------------------	-------------------------------------	-------------------------	---------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EC					
Group: A	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI					
	W-E8321-MS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					

RQ-2018-04-30-05

Log-in Checklist

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: 05/01/2018 / 09:55

Cooler ID	Cooler Temperature*	No. Sample Containers In Cooler	Evidence Tape		*Intact?		Tracking # (fill out only if waybill copy is damaged)
			Present?		Yes	No	
<u>Red</u>	<u>2.4C</u>	<u>10</u>		<u>/</u>			
<u>Red</u>	<u>2.9C</u>	<u>10</u>		<u>/</u>			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date 5-1-18

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes X No _____ **Containers intact? Yes X No _____

**Sufficient Sample Volume: Yes X No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u>/</u>	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 05/01/2018 NCRs (Y/N)? _____

Event ID: English, Turkey, Poley, Mustang NCR # _____

SU-DIST-2018-05-01 (SMP)

Date Received: 01-MAY-2018 09:55

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	RDC_08_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Request Number: RQ-2018-04-30-05

English, Turkey, Poley, Mustang

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: SW-DIST

Project ID: SMP

Requester: Benjamin Paswater

Collected By: BP

Field Report Prepared By: BP

Sampling Agency: S.W.ROC

Page 1 of 1

last revised Jan 25, 2018

Location	Field ID/WIN	G2SW0026	Barcode		Field ID/WIN	G2SW0050	Barcode		Field ID/WIN	G2SW0006	Barcode		Field ID/WIN	G2SW0048	Barcode				
Field	WIN	Latitude	Site Name: Mustang Ranch Crk @ Hopewell	dd dms	Field	WIN	Latitude	Site Name: Mustang Ranch Crk @ CR 39	dd dms	Field	WIN	Latitude	Field	WIN	Latitude	Site Name: English Creek @ Old Mulberry Rd	dd dms		
☐ Comp Grab ☒ Collection (comp begin or grab)			Date	Time	☐ Comp Grab ☒ Collection (comp begin or grab)			Date	Time	☐ Comp Grab ☒ Collection (comp begin or grab)			Date	Time	☐ Comp Grab ☒ Collection (comp begin or grab)			Date	Time
Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen		Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen		Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen		Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen	
Temp (C)			pH	Sample Depth	Temp (C)			pH	Sample Depth	Temp (C)			pH	Sample Depth	Temp (C)			pH	Sample Depth
Salinity (ppt)			Comments		Salinity (ppt)			Comments		Salinity (ppt)			Comments		Salinity (ppt)			Comments	
☐ dd ☐ dms					☐ dd ☐ dms					☐ dd ☐ dms					☐ dd ☐ dms				
Composite end			Date		Composite end			Date		Composite end			Date		Composite end			Date	
mg/L			Total Res. Chlorine		mg/L			Total Res. Chlorine		mg/L			Total Res. Chlorine		mg/L			Total Res. Chlorine	
☒ % sat			☐ % sat		☒ % sat			☐ % sat		☒ % sat			☐ % sat		☒ % sat			☐ % sat	
ft			Sp. Conductance		ft			Sp. Conductance		ft			Sp. Conductance		ft			Sp. Conductance	
☐ m			☐ m		☐ m			☐ m		☐ m			☐ m		☐ m			☐ m	
Bottle Group(s)			Time		Bottle Group(s)			Time		Bottle Group(s)			Time		Bottle Group(s)			Time	
A/B			256		B			223		B			382		B			381	

Relinquished By: <u>Benjamin Paswater</u>	Date/Time: <u>4/30/18 4pm</u>	Shipping Method: <u>FedEx</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>BP</u>	Date/Time: <u>5/5/18 9:55</u>
---	-------------------------------	-------------------------------	-------------------------------------	------------------------	-------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8
	PCR-FILTER						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8 → 40 AEL
	SWD-AEL-EC						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8
	W-E8321-DI						
	W-E8321-MS						

Field Report Prepared By:

Sampling Agency:

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
					05-01-18 08:55

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab
	W-PO4-F					
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	PCR-FILTER					
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	SWD-AEL-EC					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	W-E8321-DI					
	W-E8321-MS					



☐ Gainesville: 4865 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2249 • Fax 352.395.6639
☐ Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.6050 • Fax 904.363.6054
☐ Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 904.219.6274 • Fax 904.219.6276
☒ Tampa: 6610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.6616 • Fax 813.630.4327

Client Name: FDEP SW Dist		Project Name: SMP					
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E					
Phone: 813-470-5770		Project Address:					
Contact: Judy Ashton 813-470-5772		Special Instructions:					
Sampled By:		RQ-2018-04-30-05					
Turn Around Time: ☒ STANDARD ☐ RUSH							
Page: 2 of 2							
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE	MATRIX	NO. COUNT	ANALYSIS REQUIRED	LABORATORY I.D. #
Field IDWIN G2SW0051			4/30/16	900 SW	1		
Site Name: Turkey Creek @ SR60							
Field IDWIN G2SW0025			1030	"	1		
Site Name: Turkey Creek @ Sydney Rd							
Field IDWIN G2SW0049			1425	"	1		
Site Name: Poley Creek @ SR 60							
Field IDWIN G2SW0014			1430	"	1		
Site Name: Poley Creek @ Shepard Rd							
G2SW0051 Def			905	"	1		

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge	Preservation Code: I = ice H=HCP S = H2SO4 N = (HNO3) T = (Sodium Thiosulfate)
Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank	Where required, pH checked ☐ Temperature when received (in degrees Celsius)
DCN AD-051 Form last revised 04/20/2015	J 9A G LT-1 LT-2 T 10A A 3A M 3A S 1V

FOR DRINKING WATER USE

PWS ID: _____



GT Environmental Laboratories, Inc.

Galvestonville: 4905 SW 41st Blvd • Galvestonville, FL 32808 • 352.377.2349 • Fax 352.393.6839
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.353.9350 • Fax 904.353.9354
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9810 Princess Palm Ave. • Tampa, FL 33619 • 813.630.6616 • Fax 813.630.4327

Client Name: FDEP SW Dist		Project Name: SMP					
Address: 13051 N. Telecom Pkwy, Temple Terrace FL 33637		P.O. Number: AF315E					
Phone: 813-470-5770		Project Address:					
Contact: Judy Ashton 813-470-5772		Special Instructions:					
Turn Around Time: ☒ STANDARD ☐ RUSH		RQ-2018-04-30-05					
Page: 1 of 2		☐ ADAPT ☐ EQUIS ☐ Other					
SAMPLE ID	SAMPLE DESCRIPTION	DATE	TIME	MATRIX	NO. COUNT	ANALYSIS REQUIRED	LABORATORY I.D. #
Field IDWIN	G2SW0026	4/30/18	1130	SW	1	✓	E. COLL
Site Name: Mustang Ranch Crk @ Hopewell							
Field IDWIN	G2SW0050	4/30/18	1105	"	1	✓	
Site Name: Mustang Ranch Crk @ CR 39							
Field IDWIN	G2SW0006	4/30/18	1310	"	1	✓	
Site Name: English Creek above SR 60							
Field IDWIN	G2SW0048	4/30/18	1345	"	1	✓	
Site Name: English Creek @ Old Mulberry Rd							

Matrix Code: WW = wastewater SW = surface water GW = ground water OW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: 1 = ice H=(HC) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)
Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked
DCN AD-051 Form last revised 04/20/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J 9A G LT-1 LT-2 T: 10A A 3A M: 3A S: IV
Revised by Date Time Received by Date Time
1 4/30/18 15:00 4/30/18 15:00
FOR DRINKING WATER USE
PWS ID:

Date of Request: 23-JAN-2018
 Created By: PASWATER_B On: 23-JAN-2018
 Modified By: SWANSON_C On: 06-APR-2018
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: English, Turkey, Poley, Mustang

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0928
 Attn: Ben Paswater

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0928
 Attn: Ben Paswater

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-APR-2018
 Biology Request Reviewed By: SWANSON_C On: 06-APR-2018
 Sampling Kit Required: YES Ship on: 20-APR-2018
 Sampling Kit Shipped: YES On: 18-APR-2018
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 30-APR-2018
 Received By: SHAIK_A On: 01-MAY-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Data Log: NO
 Authorization Log: NO

Comments: English, Turkey, Poley, Mustang

A - 2 chls/chem
 B - 8 micro, M/T

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 385.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 385.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 8 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 8	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type:	Number of Bottles: 8	Preserved With: ICE

Bottle Group B (Water) With 8 Samples:

Bottle Type:	Number of Bottles: 8	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: BG-500ML	Number of Bottles: 8	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID:TLHA (613) 832-7600
JUDY AUSTON
FL DEP SOUTHWEST DISTRICT
13061 NORTH TELECOM PARKWAY
TEMPLE TERRACE, FL 33637
UNITED STATES US


SHIP DATE: 13APR18
ACTWT: 10.00 LB FROM
CNO: 0446870/CNF23111

TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 246-6077
R21



FedEx
TRK# 4385 5028 2822
0721

TUE - 01 MAY 10:30A
PRIORITY OVERNIGHT

36 TLHA
32399
FL-US
TLH



FTD 501691 3A/PUB RCTA 546C2/7628/RCDA

13APR18/13094

ORIGIN ID:TLHA (407) 697-4160
MICHAEL LINER
3319 INQUIRE BLVD STE 232
ORLANDO, FL 32803
UNITED STATES US

SHIP DATE: 18APR18
ACTWT: 10.00 LB FROM
CNO: 0446870/CNF23111

TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 246-6077
R21



FedEx
TRK# 4385 5028 3873
0721

TUE - 01 MAY 10:30A
PRIORITY OVERNIGHT

36 TLHA
32399
FL-US
TLH



FTD 603766 3A/PUB ORLA 546C2/7628/RCDA

13APR18/13094