



Advanced Environmental Laboratories, Inc  
9610 Princess Palm Ave Tampa, FL 33619  
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580  
Phone: (813)630-9616  
Fax: (813)630-4327

June 25, 2018

Francis Moore  
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A  
Rm 216 MS 6515  
2600 Blair Stone Rd.  
Tallahassee, FL 32399

RE: Workorder: T1809879 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Monday, June 11, 2018. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Heidi Parker'.

Heidi Parker - Project Manager  
HParker@AELLab.com

Enclosures

Report ID: 561142 - 879893

Page 1 of 7

#### CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## SAMPLE SUMMARY

Workorder: T1809879 SMP

| Lab ID      | Sample ID | Matrix | Date Collected  | Date Received   |
|-------------|-----------|--------|-----------------|-----------------|
| T1809879001 | G1SW0088  | Water  | 6/11/2018 09:38 | 6/11/2018 13:07 |
| T1809879002 | G1SW0087  | Water  | 6/11/2018 10:55 | 6/11/2018 13:07 |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## ANALYTICAL RESULTS

Workorder: T1809879 SMP

Lab ID: **T1809879001**

Date Received: 06/11/18 13:07 Matrix: Water

Sample ID: **G1SW0088**

Date Collected: 06/11/18 09:38

Sample Description:

Location:

| Parameters               | Results | Qual                              | Units    | DF | Adjusted<br>PQL | Adjusted<br>MDL | Analyzed        | Lab |
|--------------------------|---------|-----------------------------------|----------|----|-----------------|-----------------|-----------------|-----|
| Microbiology             |         |                                   |          |    |                 |                 |                 |     |
| Analysis Desc:           |         | Analytical Method: SM 9230 C (MF) |          |    |                 |                 |                 |     |
| Enterococcus,9230C,Water |         |                                   |          |    |                 |                 |                 |     |
| Enterococcus             | 350     | 1                                 | #/100 mL | 10 | 10              | 10              | 6/11/2018 13:45 | T   |

Lab ID: **T1809879002**

Date Received: 06/11/18 13:07 Matrix: Water

Sample ID: **G1SW0087**

Date Collected: 06/11/18 10:55

Sample Description:

Location:

| Parameters                                 | Results | Qual                              | Units    | DF | Adjusted<br>PQL | Adjusted<br>MDL | Analyzed        | Lab |
|--------------------------------------------|---------|-----------------------------------|----------|----|-----------------|-----------------|-----------------|-----|
| Microbiology                               |         |                                   |          |    |                 |                 |                 |     |
| Analysis Desc:<br>Enterococcus,9230C,Water |         | Analytical Method: SM 9230 C (MF) |          |    |                 |                 |                 |     |
| Enterococcus                               | 12      | 1,B                               | #/100 mL | 4  | 4               | 4               | 6/11/2018 13:45 | T   |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## ANALYTICAL RESULTS QUALIFIERS

Workorder: T1809879 SMP

---

### PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Incubator- 6/11/18 13:45 - 6/12/18 12:00
- B Results based upon colony counts outside the acceptable range.

### LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## QUALITY CONTROL DATA

Workorder: T1809879 SMP

---

|                         |                          |                  |                |
|-------------------------|--------------------------|------------------|----------------|
| QC Batch:               | MICt/1831                | Analysis Method: | SM 9230 C (MF) |
| QC Batch Method:        | SM 9230 C (MF)           | Prepared:        |                |
| Associated Lab Samples: | T1809879001, T1809879002 |                  |                |

---

METHOD BLANK: 2748474

| Parameter                    | Units    | Blank<br>Result | Reporting<br>Limit Qualifiers |
|------------------------------|----------|-----------------|-------------------------------|
| Microbiology<br>Enterococcus | #/100 mL | 1               | 1 U                           |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1809879 SMP

| Lab ID      | Sample ID | Prep Method | Prep Batch | Analysis Method | Analysis Batch |
|-------------|-----------|-------------|------------|-----------------|----------------|
| T1809879001 | G1SW0088  |             |            | SM 9230 C (MF)  | MICt/1831      |
| T1809879002 | G1SW0087  |             |            | SM 9230 C (MF)  | MICt/1831      |

### CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



7809479

|                                                                                              |                    |                                                                                              |               |                          |                   |                   |
|----------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------|---------------|--------------------------|-------------------|-------------------|
| Client Name: FDEP SW Dist.                                                                   |                    | Project Name: SMP                                                                            |               | BOTTLE<br>SIZE &<br>TYPE | Analysis Required | LABORATORY I.D. # |
| Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637                                      |                    | P.O. Number: AF315E                                                                          |               |                          |                   |                   |
| Phone: 813-470-5770                                                                          |                    | Project Address:                                                                             |               |                          |                   |                   |
| Contact: Judy Ashton 813-470-5772                                                            |                    | Special Instructions:                                                                        |               |                          |                   |                   |
| Sampled By:                                                                                  |                    | RQ-2018-06-04-24                                                                             |               |                          |                   |                   |
| Turn Around Time: <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> RUSH |                    | <input type="checkbox"/> ADaPT <input type="checkbox"/> EQulS <input type="checkbox"/> Other |               |                          |                   |                   |
| Page: of                                                                                     |                    |                                                                                              |               |                          |                   |                   |
| SAMPLE ID                                                                                    | SAMPLE DESCRIPTION | Grab Comp                                                                                    | SAMPLING DATE | TIME                     | MATRIX            | NO. COUNT         |
| Field ID/WIN                                                                                 | G1SW0088           |                                                                                              | 6/11/18       | 0938                     |                   |                   |
| Site Name: Double Branch @ State st.                                                         |                    |                                                                                              |               |                          |                   |                   |
|                                                                                              |                    |                                                                                              |               |                          |                   |                   |
|                                                                                              |                    |                                                                                              |               |                          |                   |                   |
| Field ID/WIN                                                                                 | G1SW0087           |                                                                                              | 6/11/18       | 1055                     |                   |                   |
| Site Name: Woods Creek @ Slow Speed Sign                                                     |                    |                                                                                              |               |                          |                   |                   |
|                                                                                              |                    |                                                                                              |               |                          |                   |                   |
|                                                                                              |                    |                                                                                              |               |                          |                   |                   |
|                                                                                              |                    |                                                                                              |               |                          |                   |                   |

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received 4.5 (in degrees celcius)

CON: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

|                  |         |      |              |         |      |
|------------------|---------|------|--------------|---------|------|
| Relinquished by: | Date    | Time | Received by: | Date    | Time |
| H. Sprinkle      | 6/11/18 | 1307 | [Signature]  | 6/11/18 | 1308 |

FOR DRINKING WATER USE:

PWS ID: \_\_\_\_\_