

Log-in Checklist

RQ-2018-10-22-02

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: **10-25-2018 / 10:20**

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
0.7C			7		X			
1.6C			7		X			
2.3C			8		X			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐ Date 10-25-18

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☐ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☒ No ☐ Init: **ABS**

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: **ABS**

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init: **ABS**

Coolers Unpacked/Checked by: **ABS** Date: **10-25-2018** NCRs (Y/N)? ☐

Event ID: Wares, Wares, Mill, Gap, & Nonsense NCR # ☐
SW-DIST-2018-10-25-01 (SMP)

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	2305 15 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	7226 EXP:20/20/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Wares, Wares, Mill, Gap, & Nonsense

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: B Paswater, J Ashton, S Meyer

Sampling Agency: FDEP SW ROC

Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2)	
Field ID/WIN	G2SW0030	☒ Grab	Date 10/24/2018	Time 12:00	Central	Date	Time		
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)			
Site Name: Gap Creek @ 45th St		Temp (C) 24.5	pH 7.61	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 690			
☐ dms		☐ dd	Salinity (ppt) 0.34	Comments: E Coli dropped @ AEL					A
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end			
Field ID/WIN	G2SW0031	☒ Grab	Date 10/24/2018	Time 11:17	Central	Date	Time		
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)			
Site Name: Wares Crk @ 36th Ave		Temp (C) 24.1	pH 7.85	Sample Depth 0.2	☐ ft	Sp. Conductance (umho/cm) 738		A, D	
☐ dms		☐ dd	Salinity (ppt) 0.36	Comments: E Coli dropped @ AEL / ALL AL ID COLLECTED					
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end			
Field ID/WIN	G2SW0029	☒ Grab	Date 10/24/2018	Time 10:20	Central	Date	Time		
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)		B	
Site Name: Wares Crk @ 9th Ave		Temp (C) 27.4	pH 7.24	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 35240			
☐ dms		☐ dd	Salinity (ppt) 22.13	Comments: ENTERO DROPPED UNTIL AEL					
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end			
Field ID/WIN	G2SW0040	☒ Grab	Date 10/24/2018	Time 13:40	Central	Date	Time	B/C	
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)			
Site Name: Mill Creek @ Upper manatee Rvr Rd		Temp (C) 26.7	pH 7.27	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 5850			
☐ dms		☐ dd	Salinity (ppt) 3.19	Comments: * GROUP C (MINUS E. COLI) ENTERO DROPPED UNTIL AEL					

Relinquished By: Sarah Meyer	Date/Time: 10/24/2018 1700	Shipping Method: FedEx	Number of Coolers Shipped: 3	Received By:	Date/Time:
------------------------------	----------------------------	------------------------	------------------------------	--------------	------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	SWD-AEL-EC						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY TURBIDITY W-F W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	SWD-AEL-EN						
Group: B	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3 W-NO2NO3						

3 or 4

Group: B	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-S-A-TP					
W-TKN					
W-TOC					
Group: B	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	2
W-PO4-F					
Group: C	Bottle Type: QPCR-P-500ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
PCR-FILTER					
Group: C	Bottle Type: P-120ML-WC-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
SWD-AEL-EC					
Group: C	Bottle Type: BG-500ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
W-E8321-DI					
W-E8321-MS					

ALGAL ID

1 TUBE and ICE

SAMPLES

1

Request Number: RQ-2018-10-22-02

Wares, Wares, Mill, Gap, & Nonsense

Florida Department of Environmental Protection

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: B Paswater, J Ashton, S Meyer

Sampling Agency: FDEP SW ROC

Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2) C	
Field ID/WIN		☒ Grab	Date 10/24/2018 Time 1310		☒ Central	Date _____ Time _____			
G2SW0015		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)			
		Temp (C) 23.3		pH 7.71	☐ % sat	Sample Depth 0.3			
Site Name: Nonsense @ Tara Preserve		Salinity (ppt) 0.39		Comments		Sp. Conductance (umho/cm) 796			
☐ dd ☐ dms		☐ dd ☐ dms							
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2) C	
Field ID/WIN		☒ Grab	Date 10/24/2018 Time 1250		☒ Central	Date _____ Time _____			
G2SW0041		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)			
		Temp (C) 23.5		pH 7.44	☐ % sat	Sample Depth 0.3			
Site Name: Nonsense Cr @ Lingerlodge Rd		Salinity (ppt) 0.38		Comments		Sp. Conductance (umho/cm) 777			
☐ dd ☐ dms		☐ dd ☐ dms							
Location		☐ Comp	Collection (comp begin or grab)		☐ Eastern	Composite end		Bottle Group(s)	
Field ID		☐ Grab	Date _____ Time _____		☐ Central	Date _____ Time _____			
WIN/STORET #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine (mg/L)			
Latitude		Temp (C)		pH	☐ % sat	Sample Depth			
Longitude		Salinity (ppt)		Comments		Sp. Conductance (umho/cm)			
☐ dd ☐ dms		☐ dd ☐ dms							
Location		☐ Comp	Collection (comp begin or grab)		☐ Eastern	Composite end		Bottle Group(s)	
Field ID		☐ Grab	Date _____ Time _____		☐ Central	Date _____ Time _____			
WIN/STORET #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine (mg/L)			
Latitude		Temp (C)		pH	☐ % sat	Sample Depth			
Longitude		Salinity (ppt)		Comments		Sp. Conductance (umho/cm)			
☐ dd ☐ dms		☐ dd ☐ dms							

Relinquished By: Sarah Meyer	Date/Time 1700 10/24/2018	Shipping Method FedEx	Number of Coolers Shipped: 3	Received By:	Date/Time
------------------------------	------------------------------	--------------------------	---------------------------------	--------------	-----------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EC					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-F					
	W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EN					
Group: B	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					



Advanced
Environmental Laboratories, Inc.

Gainesville: 4965 SW 41st Blvd • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
Jacksonville: 6681 Southpoint Pkwy • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9610 Pinesse Palm Ave • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name:		FDEP SW Dist.		Project Name:		SMP		BOTTLE SIZE & TYPE		LABORATORY I.D. #	
Address: 13061 N. Telecom Pkwy, Temple Terrace FL 33637		P.O. Number: B370AE		Project Address:							
Phone: 813-470-5770											
Contact: Judy Ashton 813-470-5772											
Sampled By:											
Turn Around Time: ☒ STANDARD ☐ RUSH											
Page: 1 of 2											
SAMPLE ID		SAMPLE DESCRIPTION		Grab Comp		SAMPLING DATE		TIME		MATRIX	
Field IDWIN		G2SW0030				10/24/18		12:00		SW	
Site Name: Gap Creek @ 45th St											
Field IDWIN		G2SW0031				8/13/18		11:11		SW	
Site Name: Wares Crk @ 36th Ave											
Field IDWIN		G2SW0029				8/13/18		10:20		SW	
Site Name: Wares Crk @ 9th Ave											
Field IDWIN		G2SW0040				10/24/18		13:40		SW	
Site Name: Mill Creek @ Upper manatee Rvr Rd											
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge											
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank											
DCN: AD-051 Form last revised 04/30/2015											
Relinquished by: Sarah Meyer		Date: 10/24/18		Time: 1443		Received by:		Date: 10/24/18		Time: 1443	
Device used for measuring Temp by unique Identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V											
PWS ID:											
FOR DRINKING WATER USE:											



☐	Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

[illegible]

Date of Request: 11-JUL-2018
 Created By: PASWATER_B On: 11-JUL-2018
 Modified By: SWANSON_C On: 02-OCT-2018
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: Wares, Wares, Mill, Gap, & Nonsense

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 01-OCT-2018
 Biology Request Reviewed By: SWANSON_C On: 02-OCT-2018
 Sampling Kit Required: YES Ship on: 17-OCT-2018
 Sampling Kit Shipped: YES On: 17-OCT-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 22-OCT-2018
 Received By: SHAIK_A On: 25-OCT-2018

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Wares, Wares, Mill, Gap, & Nonsense

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-120ML-WC-THI	Number of Bottles: 3	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L		Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: BP-1L		Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: P-120ML-WC-THI		Number of Bottles: 2	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD	
Bottle Type: P-500ML		Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	

Bottle Group C (Water) With 3 Samples:

Bottle Type: QPCR-P-500ML		Number of Bottles: 3	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type: P-120ML-WC-THI		Number of Bottles: 3	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa	
Bottle Type: BG-500ML		Number of Bottles: 3	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: ...
BEN PASWATER
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY
TEMPLE TERRACE, FL 336370926
UNITED STATES US

V7U-5772

SHIP DATE: 28SEP18
ACTWGT: 12.00 LB MAN
CAD: 0446970/CAFE3210

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 245-8077

INUI
PQ:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



J101111004200107

FedEx
TRK#
0221 4385 5034 1424

THU - 25 OCT AA
STANDARD OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 981491 240C718 MCFA 553C1/88FB/8C8A

ORIGIN ID: TLHA (813) 470-5951
MATTHEW BEARDEN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

SHIP DATE: 15OCT18
ACTWGT: 30.00 LB MAN
CAD: 0446970/CAFE3211

TEMPLE TERRACE, FL 336370926
UNITED STATES US

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 245-8077

INUI
PQ:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



J101111006050107

FedEx
TRK#
0221 4385 5034 5279

THU - 25 OCT 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 981491 240C718 MCFA 553C1/88FB/8C8A

J-6951
11 ELECOM PKWY
TEMPLE TERRACE, FL 336370926
UNITED STATES US

SHIP DATE: 27SEP88
ACTVST: 15-0000
CAD: 0446570/CAFE3210

ES1C1/78C/104C

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077
THU
PDI

REF

DEPT

RMA: 111111

FedEx
Express



RTTID100420014

THU - 25 OCT 10:30A
PRIORITY OVERNIGHT

FedEx

TRK# 4385 5034 0840

36 TLHA

32399
FL-US
TLH



FID 981491 24OCT10 MCA 553C1/0878/0C8A