

Log-in Checklist

RQ- 2018-11-12-11

Login Station ID: #3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 11/16/2018 :10:25

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
1.9C			5		X			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No If yes, is it intact? Yes No

**Caps on tight? Yes No **Containers intact? Yes No

**Sufficient Sample Volume: Yes No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No Init: ABS

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No NA Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 11/16/2018 NCRs (Y/N)?

Event ID: 1443 E
SW-DIST-2018-11-16-03 (SMP) NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP:06/01/2020
Chlorine Test Strips Lot #	7226 EXP:2020/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

1443 E

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Matthew Bearden

Field Report Prepared By:

M. BEARDEN

Project ID: SMP

Collected By:

H. Sprinkle Im. Bearden

Sampling Agency:

SW ROC

Location	Field ID/WIN G2SW0020	Matrix (type, e.g., Salt, Fresh, etc.) Salt	Diss. Oxygen 60.4%	Total Res. Chlorine 4.88	Bottle Group(s) (See pg 2) A
Site Name: Hills R. @ Lowry Park	Temp (C) 25.4	pH 7.48	Sample Depth 0.3	Sp. Conductance (umho/cm) 5231	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 2.81	Comments		
Location	Field ID	Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	Total Res. Chlorine	Bottle Group(s)
WIN/STORET #	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Field ID	Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	Total Res. Chlorine	Bottle Group(s)
WIN/STORET #	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Field ID	Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	Total Res. Chlorine	Bottle Group(s)
WIN/STORET #	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: M. BEARDEN	Date/Time 11/15/18 1400	Shipping Method FED EX	Number of Coolers Shipped: 1	Received By: AB	Date/Time 11-15-18
---------------------------------------	-----------------------------------	----------------------------------	--	---------------------------	------------------------------

1025

Group: A	Bottle Type: P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY					
TURBIDITY					
W-F					
W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W					
Group: A	Bottle Type: QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
PCR-FILTER					
Group: A	Bottle Type: P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F					

Date of Request: 06-SEP-2018
 Created By: BEARDEN_M On: 06-SEP-2018
 Modified By: SWANSON_C On: 23-OCT-2018
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: 1443 E

Send Coolers To:

Phone: 813-470-5951
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 22-OCT-2018
 Biology Request Reviewed By: SWANSON_C On: 23-OCT-2018
 Sampling Kit Required: YES Ship on: 05-NOV-2018
 Sampling Kit Shipped: YES On: 07-NOV-2018
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 13-NOV-2018
 Received By: SHAIK_A On: 16-NOV-2018

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Cooler Packing Worksheet for Request: RQ-2018-11-12-11

1443 E

Ship Cooler On: 11/5/2018

Customer/Project: SW-DIST/SMP

Assigned To: KLUG_K

Requester: Matthew Bearden

Priority: 3

813-470-5951
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Matthew Bearden

Comments:

No preservatives needed.

Requested Analyses:

Bottle Group: A**# of Sites: 1**

Container ID: P-1L

Qty: 1

Preservation: ICE

Lot # 00072522

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-F

W-TSS

DescriptionAlkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 1

Preservation: ICE

Lot # 1738147

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: QPCR-P-500ML

Qty: 1

Preservation: ICE

Lot # 00071457

Description: 500ml Sterile Nalgene

Affix PCR Instruction Label to container

Analysis

PCR-FILTER

Description

Preparation of Samples by Filtration and held for qPCR Analysis

Container ID: P-500ML

Qty: 1 Preservation: ICE And H2SO4

Lot # 00071230

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Description

Ammonia in aqueous matrices as mg N/L
Nitrite/Nitrate in aqueous matrices as mg N/L
Total Phosphorus in aqueous matrices as mg P/L
Total Kjeldahl Nitrogen in aqueous matrices
Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: FILTER-ICE

Lot # 00066737

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: K/K

Number of Coolers: 1

Date: 11-7-18

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☐ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2018-11-12-11

ORIGIN ID: TLHA (813) 470-5951
FEDERAL BEARDEN
FL DEP. SOUTHWEST DISTRICT
13051 N TELECOM PKWY
UNITED STATES US

SHIP DATE: 28SEP18
ACT1661: 15:00 LB HAN
CRD: 0446870/CHE33210

TO JOHN WATTS


FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077
INV1 REF1

REF1

RMA: 01111111



J10111004200101

TRK# 4385 5034 1516


RETURNS MON-FRI
PRIORITY OVERNIGHT

FedEx
TRK# 4385 5034 1516

FRI - 16 NOV 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FTD 6211412 15NOV18 MCTA 553C1/36C/ACCA

551C1/778C/104C