

Chemical Analysis Report

SO-DIST-2019-03-19-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **2019 SMP : P Riv**
Request ID: **RQ-2019-03-18-27**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Gary Snorek

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 05-APR-2019 10:54

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Alligator N@JonesLoopRd

Collection Date/Time: 03/18/2019 09:40

Field ID: G2SD0032

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2071174	EPA 180.1 Rev. 2.0	Turbidity	6.6		NTU	P360703	
	EPA 300.0 Rev. 2.1	Chloride	57		mg Cl/L	P361110	
		Sulfate	61		mg SO4/L	P361112	
	SM 2120 B	Color (true)	24		PCU	P360746	
	SM 2320 B-97	Total Alkalinity	232		mg CaCO3/L	P361243	
	SM 2540 C-97	TDS	400		mg/L	P361037	
	SM 2540 D-97	TSS	2	I	mg/L	P361029	
	SM 4500 F-C-97	Fluoride	0.24		mg F/L	P361247	
2071176	EPA 350.1 Rev. 2.0	Ammonia-N	0.027		mg N/L	P361178	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.46		mg N/L	P360912	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.11		mg N/L	P360961	
	EPA 365.1 Rev. 2.0	Total-P	0.021		mg P/L	P361118	
	SM 5310 B-00	Organic Carbon	7.1		mg C/L	P361059	
2071178	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	I	mg P/L	P360707	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Peace River Estuary

Collection Date/Time: 03/18/2019 10:15

Field ID: G3SD0148

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2071180	EPA 180.1 Rev. 2.0	Turbidity	9.0		NTU	P360703	
	EPA 300.0	Bromide	6.7		mg Br/L	P361107	
	SM 2320 B-97	Total Alkalinity	75		mg CaCO3/L	P361241	
	SM 2540 D-97	TSS	19	A	mg/L	P361030	
	SM 4500 F-C-97	Fluoride	0.59		mg F/L	P361245	
2071181	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P361177	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P361143	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.038		mg N/L	P360852	
	EPA 365.1 Rev. 2.0	Total-P	0.59		mg P/L	P361122	
	SM 5310 B-00	Organic Carbon	15		mg C/L	P361059	
2071182	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.36		mg P/L	P360708	

Sample Location: PeaceRiverAboveHorseCrk

Collection Date/Time: 03/18/2019 12:50

Field ID: G3SD0147

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2071175	EPA 180.1 Rev. 2.0	Turbidity	10		NTU	P360703	
	EPA 300.0 Rev. 2.1	Chloride	30		mg Cl/L	P361110	
		Sulfate	60		mg SO4/L	P361112	
		Color (true)	96		PCU	P360746	
	SM 2320 B-97	Total Alkalinity	78		mg CaCO3/L	P361243	
	SM 2540 C-97	TDS	226		mg/L	P361037	
	SM 2540 D-97	TSS	17		mg/L	P361029	
	SM 4500 F-C-97	Fluoride	0.59		mg F/L	P361247	
2071177	EPA 350.1 Rev. 2.0	Ammonia-N	0.009		mg N/L	P361178	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.98		mg N/L	P360912	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.58		mg N/L	P360962	
	EPA 365.1 Rev. 2.0	Total-P	0.84		mg P/L	P361118	
	SM 5310 B-00	Organic Carbon	15		mg C/L	P361059	
2071179	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.57		mg P/L	P360707	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P360703

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0
Batch ID: P361107

Component	Result	Code	Units
Bromide	0.013	U	mg Br/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361110

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361112

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361177

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361178

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P360912

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P361143

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360852

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360961

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360962

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361118

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361122

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360707

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360708

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P360746

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P361241

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-97
Batch ID: P361243

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 C-97
Batch ID: P361037

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P361029

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P361030

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P361245

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P361247

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P361059

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0
Batch ID: P361107

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	105		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361110

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361112

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361177

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361178

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P360912

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.1		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P361143

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360852

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360961

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	99.5		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360962

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361118

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361122

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360707

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.6		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360708

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P360746

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	104		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P361241

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	98 - 107

Reference Method: SM 2320 B-97
Batch ID: P361243

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	105		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P361245

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	100		P	91 - 105

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P361247

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P361059

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0
Batch ID: P361107

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071359	Bromide	99.6	98.8	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361110

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071122	Chloride	96.2		P	90 - 110
2071200	Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361112

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071122	Sulfate	97.0		P	90 - 110
2071200	Sulfate	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361177

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071011	Ammonia-N	104	106	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361178

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071129	Ammonia-N	105	105	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P360912

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071129	Kjeldahl Nitrogen	92.2	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P361143

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2072128	Kjeldahl Nitrogen	97.0	96.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360852

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071006	NO2NO3-N	99.0	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360961

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071114	NO2NO3-N	100	100	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360962

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071202	NO2NO3-N	97.1	98.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361118

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071176	Total-P	99.3	97.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361122

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071010	Total-P	98.6	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360707

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071133	O-Phosphate-P	95.6	96.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360708

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071182	O-Phosphate-P	97.3	97.8	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P361245

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071243	Fluoride	98.9	96.8	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P361247

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071227	Fluoride	97.3	97.3	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P361059

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2071128	Organic Carbon	101	100	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P360703

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071122	Turbidity	3.86	Sample	P	0 - 20

Reference Method: EPA 300.0
Batch ID: P361107

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071359	Bromide	0.614	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361110

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071122	Chloride	0.00704	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P361112

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071122	Sulfate	1.14	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361177

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071011	Ammonia-N	1.35	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P361178

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071129	Ammonia-N	0.206	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P360912

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071129	Kjeldahl Nitrogen	8.12	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P361143

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2072128	Kjeldahl Nitrogen	0.425	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360852

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071006	NO2NO3-N	1.79	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360961

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071114	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P360962

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071202	NO2NO3-N	0.766	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361118

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071176	Total-P	1.68	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P361122

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071010	Total-P	4.24	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360707

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071133	O-Phosphate-P	0.873	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P360708

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071182	O-Phosphate-P	0.374	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P360746

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071123	Color (true)	5.09	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
 Batch ID: P361241

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071243	Total Alkalinity	1.11	Sample	P	0 - 1.6

Reference Method: SM 2320 B-97
 Batch ID: P361243

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071227	Total Alkalinity	0.471	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
 Batch ID: P361037

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071125	TDS	4.49	Sample	P	0 - 10

Reference Method: SM 2540 D-97
 Batch ID: P361030

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071180	TSS	6.19	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P361245

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071243	Fluoride	1.37	Spike	P	0 - 3.5

Reference Method: SM 4500 F-C-97
 Batch ID: P361247

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071227	Fluoride	0.0	Spike	P	0 - 3.5

Reference Method: SM 5310 B-00
 Batch ID: P361059

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2071128	Organic Carbon	0.846	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A90071

Included Lab Sample IDs: 2071174, 2071175

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	101	P/P	90 - 110
Chloride	101	102	P/P	90 - 110
Sulfate	101	102	P/P	90 - 110
Sulfate	102	102	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A90100

Included Lab Sample IDs: 2071174, 2071175, 2071180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A90101

Included Lab Sample IDs: 2071178, 2071179, 2071182

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.7	98.2	P/P	90 - 110
O-Phosphate-P	99.4	98.7	P/P	90 - 110
O-Phosphate-P	99.8	99.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A90160

Included Lab Sample IDs: 2071181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.0	99.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A90215

Included Lab Sample IDs: 2071176, 2071177

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.0	99.5	P/P	90 - 110
NO2NO3-N	99.5	99.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A90235

Included Lab Sample IDs: 2071176, 2071177

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	93.8	100	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A90238

Included Lab Sample IDs: 2071176, 2071177, 2071181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.2	93.8	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0

Run ID: A90252

Included Lab Sample IDs: 2071180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	101	104	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A90288

Included Lab Sample IDs: 2071176, 2071177, 2071181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	103	104	P/P	90 - 110
Ammonia-N	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A90290

Included Lab Sample IDs: 2071177, 2071181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	100	P/P	90 - 110
Total-P	102	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A90298

Included Lab Sample IDs: 2071181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	102	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A90303

Included Lab Sample IDs: 2071176

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A90311

Included Lab Sample IDs: 2071174, 2071175, 2071180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	102	P/P	90 - 110
Total Alkalinity	104	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A90311

Included Lab Sample IDs: 2071174, 2071175, 2071180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	101	P/P	90 - 110
Fluoride	102	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 180.1 Rev. 2.0	Turbidity				3.86	
EPA 300.0	Bromide	105	99.6	98.8		0.614
EPA 300.0 Rev. 2.1	Chloride	101	96.2	102	0.0070	
	Sulfate	101	97.0	103	1.14	
EPA 350.1 Rev. 2.0	Ammonia-N	103	104	106		1.35
	Ammonia-N	101	105	105		0.206
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.1	92.2	104		8.12
	Kjeldahl Nitrogen	104	97.0	96.4		0.425
EPA 353.2 Rev. 2.0	NO2NO3-N	102	99.0	101		1.79
	NO2NO3-N	99.5	100	100		0.0
	NO2NO3-N	99.0	97.1	98.1		0.766
EPA 365.1 Rev. 2.0	Total-P	101	99.3	97.6		1.68
	Total-P	101	98.6	103		4.24
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.6	95.6	96.7		0.873
	O-Phosphate-P	102	97.3	97.8		0.374
SM 2120 B	Color (true)	104			5.09	
SM 2320 B-97	Total Alkalinity	102			1.11	
	Total Alkalinity	105			0.471	
SM 2540 C-97	TDS				4.49	
SM 2540 D-97	TSS				6.19	
SM 4500 F-C-97	Fluoride	100	98.9	96.8		1.37
	Fluoride	101	97.3	97.3		0.0
SM 5310 B-00	Organic Carbon	97.6	101	100		0.846

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2071174, 2071175, 2071180
EPA 300.0 / E31780	Bromide in aqueous matrices	2071180
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2071174, 2071175
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2071174, 2071175
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2071176, 2071177, 2071181
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2071176, 2071177, 2071181
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2071176, 2071177, 2071181
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2071176, 2071177, 2071181
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2071178, 2071179, 2071182
SM 2120 B / E31780	True Color measured at 450 nm	2071174, 2071175
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	2071174, 2071175, 2071180
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2071174, 2071175
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2071174, 2071175, 2071180
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2071174, 2071175, 2071180
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2071176, 2071177, 2071181

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/19/2019			03/19/2019 15:54	Adrian Shelby	2071174, 2071175, 2071180
EPA 300.0	03/19/2019			03/22/2019 22:08	Lipi Saha	2071180
EPA 300.0 Rev. 2.1	03/19/2019			03/24/2019 01:00	Lipi Saha	2071174
	03/19/2019			03/24/2019 01:36	Lipi Saha	2071175
EPA 350.1 Rev. 2.0	03/19/2019			03/27/2019 11:02	Ping Hua	2071181
	03/19/2019			03/27/2019 11:34	Ping Hua	2071176
	03/19/2019			03/27/2019 11:35	Ping Hua	2071177
EPA 351.2 Rev. 2.0	03/19/2019	03/22/2019 12:00	Adrian Shelby	03/26/2019 12:28	Joseph Suarez	2071176
	03/19/2019	03/22/2019 12:00	Adrian Shelby	03/26/2019 12:30	Joseph Suarez	2071177
	03/19/2019	03/27/2019 14:00	Jhamieka S. Greenwood	03/28/2019 10:26	Joseph Suarez	2071181
EPA 353.2 Rev. 2.0	03/19/2019			03/21/2019 13:40	Lauren Lees	2071181
	03/19/2019			03/22/2019 10:38	Beverly Y. Sanders	2071176
	03/19/2019			03/22/2019 10:45	Beverly Y. Sanders	2071177
EPA 365.1 Rev. 2.0	03/19/2019	03/27/2019 12:00	Adrian Shelby	03/28/2019 10:32	Rosalyn Ballman	2071177
	03/19/2019	03/27/2019 12:00	Adrian Shelby	03/28/2019 11:50	Rosalyn Ballman	2071181
	03/19/2019	03/27/2019 12:00	Adrian Shelby	03/28/2019 14:44	Rosalyn Ballman	2071176
EPA 365.1 Rev. 2.0 dissolved	03/19/2019			03/19/2019 15:25	Julia Storbeck	2071182
	03/19/2019			03/19/2019 15:36	Julia Storbeck	2071179
	03/19/2019			03/19/2019 15:53	Julia Storbeck	2071178
SM 2120 B	03/19/2019			03/19/2019 15:57	Mariam Hanna	2071174
	03/19/2019			03/19/2019 15:58	Mariam Hanna	2071175
SM 2320 B-97	03/19/2019			03/28/2019 04:40	Dale L. Simmons	2071180
	03/19/2019			03/28/2019 14:05	Dale L. Simmons	2071174
	03/19/2019			03/28/2019 14:18	Dale L. Simmons	2071175
SM 2540 C-97	03/19/2019			03/20/2019 15:26	Yijie Li	2071174, 2071175
SM 2540 D-97	03/19/2019			03/20/2019 15:26	Yijie Li	2071174, 2071175, 2071180
SM 4500 F-C-97	03/19/2019			03/28/2019 04:40	Dale L. Simmons	2071180
	03/19/2019			03/28/2019 14:05	Dale L. Simmons	2071174
	03/19/2019			03/28/2019 14:18	Dale L. Simmons	2071175
SM 5310 B-00	03/19/2019			03/25/2019 09:55	Julia Storbeck	2071176
	03/19/2019			03/25/2019 10:09	Julia Storbeck	2071177
	03/19/2019			03/25/2019 10:22	Julia Storbeck	2071181