


BENCHMARK EA SOUTH



ANALYTICAL TEST REPORT

THESE RESULTS MEET NELAC STANDARDS

NELAC Certification # E85086

Submission Number : S 19060479

Florida Dept Of Env Protection
2600 Blair Stone Rd
Tallahassee, FL 32399

Project Name : RQ-2019-06-10-37
Date Received : 06/18/2019
Time Received : 1322

Submission: S 19060479

Sample Number: 001 **Sample Description:** G3SD0011 Hawthorne Creek
Sample Date: 06/18/2019 **Sample Method:** Grab
Sample Time: 0945

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date Time	Analysis Date Time	Analyst
E- COLI BY IDEXX QUANTITRAY	294	#/100ML	10	10	SM9223B	06/18/2019 14:38	06/19/2019 15:21	MM

Submission: S 19060479

Sample Number: 002 **Sample Description:** G3SD0096 Hog Bay
Sample Date: 06/18/2019 **Sample Method:** Grab
Sample Time: 1015


Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date Time	Analysis Date Time	Analyst
E- COLI BY IDEXX QUANTITRAY	855	#/100ML	10	10	SM9223B	06/18/2019 14:38	06/19/2019 15:21	MM

Submission: S 19060479

Sample Number: 003 **Sample Description:** G3SD0095 Myrtle Slough Pine Isl
Sample Date: 06/18/2019 **Sample Method:** Grab
Sample Time: 1110

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date Time	Analysis Date Time	Analyst
E- COLI BY IDEXX QUANTITRAY	5172	#/100ML	10	10	SM9223B	06/18/2019 14:38	06/19/2019 15:21	MM

BENCHMARK EA SOUTH



ANALYTICAL TEST REPORT

THESE RESULTS MEET NELAC STANDARDS

NELAC Certification # E85086

Submission: S 19060479

Sample Number: 004

Sample Date: 06/18/2019

Sample Time: 1150

Sample Description: G3SD0097 Myrtle Slough @ SR 31

Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date Time	Analysis Date Time	Analyst
E- COLI BY IDEXX QUANTITRAY	52	#/100ML	10	10	SM9223B	06/18/2019 14:38	06/19/2019 15:21	MM

Submission: S 19060479

Sample Number: 005

Sample Date: 06/18/2019

Sample Time: 1155

Sample Description: G3SD0097_DUP Myrtle @ SR 31

Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date Time	Analysis Date Time	Analyst
E- COLI BY IDEXX QUANTITRAY	75	#/100ML	10	10	SM9223B	06/18/2019 14:38	06/19/2019 15:21	MM

Melinda Merchant

06/25/2019

Dale D. Dixon / Laboratory Director

Date

Melinda Merchant / Laboratory Manager

DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.

B = Results based upon colony counts outside the ideal range.

H = Value based on field kit determination. Results may not be accurate.

I = Reported value is between the laboratory MDL and the PQL.

J0 = All Quanti-Tray wells were positive. Result may be higher than reported.

J1 = Est. value surrogate recovery limits exceeded.

J2 = Est. value. No quality control criteria exists for component.

J3 = Est. value quality control criteria for precision or accuracy not met.

J4 = Est. value. Sample matrix interference suspected.

J5 = Est. value. Data questionable due to improper lab or field protocols

K = Off-scale low. Value is known to be < the value reported.

L = Off-scale high. Value is known to be > the value reported

N = Presumptive evidence of presence of material.

Q = Sample held beyond accepted hold time (15 minutes for pH).

T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.

U = Analyte analyzed but not detected at the value indicated.

V = Analyte detected in sample and method blank.

Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.

Z = Too many colonies were present (TNTC); the numeric value represents the filtration volume.

? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the Presence or absence of the analyte cannot be determined from the data.

! = Data deviate from historically established concentration ranges.

* = Not reported due to interference.

NOTES:

PQL = 4xMDL. Except for Micro PQL=MDL

X = Value exceed MCL.

1 dilution (10 mL) on each sample and 1 dilution (100 mL) on each blank.

For questions and comments regarding these results, please contact Melinda Merchant at (941) 625-3137

These results relate only to the samples included in this report.

1001 Corporate Ave, Suite 102 North Port, FL 34289 Phone: (941) 625-3137 Fax: (941) 240-3071

Benchmark EnviroAnalytical, Inc.

1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP

**Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399**

Phone: (850) 245-8085**Email: dep-overflowmicro@dep.state.fl.us****Bill to: Frances Moore****P.O. #: Lab B16970****Project Name: RQ-2019-06-10-37****Project Run/Location:****Laboratory Submission #:**

519040479

Page 3 of 3

Station ID	Surface Water Sample Matrix ² (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray)			Laboratory Sample #	
E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL						
G3SD0011 HAWTHORNE CREEK	F / M / Grab	E.coli	/	Entero / F.coli	06/18/2019 ; 0945	1
G3SD0096 HUG BAY	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time: 06/18/2019 ; 1015	2
G3SD0095 MYRTLE SLOUGH PINE IS.	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time: 06/18/2019 ; 1110	3
G3SD0097 MYRTLE SLOUGH @ SR31	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time: 06/18/2019 ; 1150	4
G3SD0097-DUP MYRTLE @ SR31 duplicate	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time: 06/18/2019 ; 1155	5
	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time:	
	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time:	
	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time:	
	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time:	
	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time:	
	F / M / Grab	E.coli	/	Entero / F.coli	Date & Time:	

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).

⁴ Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

INSTRUCTIONS:

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.


2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

pH < 2 : 0 BEAS Temperature: 4.3°C

1	Collector: 	Date: 06/18/19	Time:	Received By:	Date:	Time:
2	Relinquished by: 	Date: 06/18/19	Time: 1322	Received By: 	Date: 6/18/19	Time: 1322
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: