

# Log-in Checklist

RQ- 2019-02-11-32

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 02/14/2019 / 10:25

| Cooler Temperature* | * All Samples in Cooler Preserved with |          | Number of Sample Containers in Cooler | Evidence Tape |    |          |    | Tracking # (fill out only if waybill copy is damaged) |
|---------------------|----------------------------------------|----------|---------------------------------------|---------------|----|----------|----|-------------------------------------------------------|
|                     |                                        |          |                                       | Present?      |    | *Intact? |    |                                                       |
|                     | HNO <sub>3</sub>                       | Formalin |                                       | Yes           | No | Yes      | No |                                                       |
| 3.4C                |                                        |          | 21                                    |               | X  |          |    |                                                       |
| 2.6C                |                                        |          | 19                                    |               | X  |          |    |                                                       |
|                     |                                        |          |                                       |               |    |          |    |                                                       |
|                     |                                        |          |                                       |               |    |          |    |                                                       |
|                     |                                        |          |                                       |               |    |          |    |                                                       |
|                     |                                        |          |                                       |               |    |          |    |                                                       |

\* HNO<sub>3</sub> and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

**\*\*Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

\*\*Chain of Custody/ Field Sheet(s) Included? Yes X No       

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes        No        Date 2-14-19

## CONTAINER CHECK

\*\*Evidence Tape on Bottles? Yes        No X If yes, is it intact? Yes        No       

\*\*Caps on tight? Yes X No        \*\*Containers intact? Yes        No       

\*\*Sufficient Sample Volume: Yes X No       

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes        No        Init: ABS

| Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required. |     |               |            |     |    |
|------------------------------------------------------------------------------------------------------|-----|---------------|------------|-----|----|
| Analysis                                                                                             | Yes | No            | Analysis   | Yes | No |
| W-1,4 DIOX                                                                                           |     |               | W-PC-AA-SF |     |    |
| W-E8321-DI, -MS, -21                                                                                 |     | <u>      </u> | W-NP-AA-SF |     |    |
| W-BNA (-625, -R)                                                                                     |     |               | W-PDQUAT   |     |    |
| W-CARB-AA (-CAB-AA-R)                                                                                |     |               | W-PCL-SQ-R |     |    |
| W-U2060-MS                                                                                           |     |               | W-TR-TQ    |     |    |
| W-PCB-R                                                                                              |     |               | W-CT-CI-R  |     |    |
| W-PAH (-R)                                                                                           |     |               | W-PSNP-TQ  |     |    |
| W-PFAS-MS                                                                                            |     |               |            |     |    |

## PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

\*\*Acid Preserved Samples: pH ≤ 2.0? Yes X No        NA        Init: ABS

\*\*W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes        No        NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 02/14/2019 NCRs (Y/N)?       

Event ID: Run 11 NCR #         
SW-DIST-2019-02-14-01 (SMP)

## Log-in Checklist

### Samples with Incorrect pH Preservation or presence of Chlorine

| Field ID | Bottle Test ID(s) | pH / Cl | Action Taken |
|----------|-------------------|---------|--------------|
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |

### Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

| Cooler ID | Field ID | Bottle Test ID(s) |
|-----------|----------|-------------------|
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |

### Bottles Not Intact

| Field ID | Bottle Test ID(s) | Loose Cap | Damaged Cap |    | Damaged Container |    | Evidence Tape Not Intact |
|----------|-------------------|-----------|-------------|----|-------------------|----|--------------------------|
|          |                   |           | CK          | BR | CK                | BR |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |

### Samples with Insufficient Volume for Analyses

| Field ID | Bottle Test ID(s) | Action Taken |
|----------|-------------------|--------------|
|          |                   |              |
|          |                   |              |
|          |                   |              |

### Additional Comments:

|                            |                       |
|----------------------------|-----------------------|
| Infrared Thermometer ID:   | REC_03_2018           |
| pH Paper 0.0 – 3.0 Lot #   |                       |
| pH Paper 0 – 13 Lot #      | 215517 EXP:06/01/2020 |
| Chlorine Test Strips Lot # | 7226 EXP:2020/07      |

### ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes \_\_\_\_\_ No  X

Date and time placed in freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection? Yes \_\_\_\_\_ If No \_\_\_\_\_

no, were samples shipped on dry ice? Yes \_\_\_\_\_ No \_\_\_\_\_

### FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes \_\_\_\_\_ No \_\_\_\_\_

Date and time samples preserved: \_\_\_\_\_

Run 11

## Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: B Paswater &amp; S Meyer

Sampling Agency: FDEP SW ROC

|                                                             |  |                                          |                                 |                                          |                                             |                               |  |                                        |
|-------------------------------------------------------------|--|------------------------------------------|---------------------------------|------------------------------------------|---------------------------------------------|-------------------------------|--|----------------------------------------|
| Location                                                    |  | <input type="checkbox"/> Comp            | Collection (comp begin or grab) |                                          | <input checked="" type="checkbox"/> Eastern | Composite end                 |  | Bottle Group(s)<br>(See pg 2)<br><br>A |
| Field ID/WIN<br>G2SW0031                                    |  | <input checked="" type="checkbox"/> Grab | Date 02/13/2019 Time 1130       |                                          | <input checked="" type="checkbox"/> Central | Date _____ Time _____         |  |                                        |
| Matrix (type, e.g., Salt, Fresh, etc)                       |  | Diss. Oxygen                             |                                 | <input checked="" type="checkbox"/> mg/L |                                             | Total Res. Chlorine (mg/L)    |  |                                        |
| Temp (C) 20.31                                              |  | pH 6.81                                  |                                 | <input type="checkbox"/> ft              |                                             | Sp. Conductance (umho/cm) 533 |  |                                        |
| Site Name: Wares Crk @ 36th Ave                             |  | Salinity (ppt) 0.26                      |                                 | Comments: E. COLI DROPPED OFF 2 AEL      |                                             |                               |  |                                        |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  |                                          |                                 |                                          |                                             |                               |  |                                        |
| Location                                                    |  | <input type="checkbox"/> Comp            | Collection (comp begin or grab) |                                          | <input checked="" type="checkbox"/> Eastern | Composite end                 |  | Bottle Group(s)<br><br>A               |
| Field ID: G2SW0031_DUP                                      |  | <input checked="" type="checkbox"/> Grab | Date 02/13/2019 Time 1135       |                                          | <input checked="" type="checkbox"/> Central | Date _____ Time _____         |  |                                        |
| Location: Wares Creek @ 36th Ave                            |  | Matrix (type, e.g., Salt, Fresh, etc)    |                                 | <input type="checkbox"/> mg/L            |                                             | Total Res. Chlorine (mg/L)    |  |                                        |
| WIN ID: G2SW0031                                            |  | Temp (C)                                 |                                 | pH                                       |                                             | <input type="checkbox"/> ft   |  |                                        |
| Latitude                                                    |  | Salinity (ppt)                           |                                 | Comments: E. COLI DROPPED OFF 2 AEL      |                                             |                               |  |                                        |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  |                                          |                                 |                                          |                                             |                               |  |                                        |
| Location                                                    |  | <input type="checkbox"/> Comp            | Collection (comp begin or grab) |                                          | <input checked="" type="checkbox"/> Eastern | Composite end                 |  | Bottle Group(s)<br><br>A               |
| Field ID/WIN<br>BLANK                                       |  | <input checked="" type="checkbox"/> Grab | Date 02/13/2019 Time 1120       |                                          | <input checked="" type="checkbox"/> Central | Date _____ Time _____         |  |                                        |
| Matrix (type, e.g., Salt, Fresh, etc)                       |  | Diss. Oxygen                             |                                 | <input type="checkbox"/> mg/L            |                                             | Total Res. Chlorine (mg/L)    |  |                                        |
| Temp (C)                                                    |  | pH                                       |                                 | <input type="checkbox"/> ft              |                                             | Sp. Conductance (umho/cm)     |  |                                        |
| Site Name: FB_02132019                                      |  | Salinity (ppt)                           |                                 | Comments:                                |                                             |                               |  |                                        |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  |                                          |                                 |                                          |                                             |                               |  |                                        |
| Location                                                    |  | <input type="checkbox"/> Comp            | Collection (comp begin or grab) |                                          | <input checked="" type="checkbox"/> Eastern | Composite end                 |  | Bottle Group(s)<br><br>A               |
| Field ID/WIN<br>G2SW0109                                    |  | <input checked="" type="checkbox"/> Grab | Date 02/13/2019 Time 1100       |                                          | <input checked="" type="checkbox"/> Central | Date _____ Time _____         |  |                                        |
| Matrix (type, e.g., Salt, Fresh, etc)                       |  | Diss. Oxygen                             |                                 | <input checked="" type="checkbox"/> mg/L |                                             | Total Res. Chlorine (mg/L)    |  |                                        |
| Temp (C) 20.30                                              |  | pH 6.60                                  |                                 | <input type="checkbox"/> ft              |                                             | Sp. Conductance (umho/cm) 583 |  |                                        |
| Site Name: Wares Creek Fresh@30th Ave West                  |  | Salinity (ppt) 0.28                      |                                 | Comments: E. COLI DROPPED OFF 2 AEL      |                                             |                               |  |                                        |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  |                                          |                                 |                                          |                                             |                               |  |                                        |

|                                       |                                   |                               |                                     |                         |                                 |
|---------------------------------------|-----------------------------------|-------------------------------|-------------------------------------|-------------------------|---------------------------------|
| Relinquished By: <u>Sarah L Meyer</u> | Date/Time: <u>02/13/2019 1700</u> | Shipping Method: <u>FedEx</u> | Number of Coolers Shipped: <u>2</u> | Received By: <u>APB</u> | Date/Time: <u>2-14-19/10:45</u> |
|---------------------------------------|-----------------------------------|-------------------------------|-------------------------------------|-------------------------|---------------------------------|

|          |              |                |                 |               |                                            |                                     |   |
|----------|--------------|----------------|-----------------|---------------|--------------------------------------------|-------------------------------------|---|
| Group: A | Bottle Type: | P-1L           | # of Bottles: 4 | Preservative: | ICE                                        | Enter Number of Bottles Sent to Lab | 4 |
|          | ALKALINITY   |                |                 |               |                                            |                                     |   |
|          | TURBIDITY    |                |                 |               |                                            |                                     |   |
|          | W-CL-IC      |                |                 |               |                                            |                                     |   |
|          | W-COLOR      |                |                 |               |                                            |                                     |   |
|          | W-F          |                |                 |               |                                            |                                     |   |
|          | W-SO4-IC     |                |                 |               |                                            |                                     |   |
|          | W-TDS        |                |                 |               |                                            |                                     |   |
|          | W-TSS        |                |                 |               |                                            |                                     |   |
| Group: A | Bottle Type: | BP-1L          | # of Bottles: 4 | Preservative: | ICE                                        | Enter Number of Bottles Sent to Lab | 4 |
|          | CHLSUITE-W   |                |                 |               |                                            |                                     |   |
| Group: A | Bottle Type: | QPCR-P-500ML   | # of Bottles: 4 | Preservative: | ICE                                        | Enter Number of Bottles Sent to Lab | 4 |
|          | PCR-FILTER   |                |                 |               |                                            |                                     |   |
| Group: A | Bottle Type: | P-250ML-WI-THI | # of Bottles: 4 | Preservative: | ICE                                        | Enter Number of Bottles Sent to Lab | 3 |
|          | SWD-AEL-EC   |                |                 |               |                                            |                                     |   |
| Group: A | Bottle Type: | BG-500ML       | # of Bottles: 4 | Preservative: | ICE                                        | Enter Number of Bottles Sent to Lab | 4 |
|          | W-E8321-DI   |                |                 |               |                                            |                                     |   |
|          | W-E8321-MS   |                |                 |               |                                            |                                     |   |
| Group: A | Bottle Type: | P-500ML        | # of Bottles: 4 | Preservative: | ICE And H2SO4                              | Enter Number of Bottles Sent to Lab | 4 |
|          | W-NH3        |                |                 |               |                                            |                                     |   |
|          | W-NO2NO3     |                |                 |               |                                            |                                     |   |
|          | W-S-A-TP     |                |                 |               |                                            |                                     |   |
|          | W-TKN        |                |                 |               |                                            |                                     |   |
|          | W-TOC        |                |                 |               |                                            |                                     |   |
|          |              |                |                 |               | H2SO4<br>LOT# SA8274050<br>EXP: 10/01/2019 |                                     |   |
| Group: A | Bottle Type: | P-125ML        | # of Bottles: 4 | Preservative: | FILTER-ICE                                 | Enter Number of Bottles Sent to Lab | 4 |
|          | W-PO4-F      |                |                 |               |                                            |                                     |   |
| Group: B | Bottle Type: | P-1L           | # of Bottles: 1 | Preservative: | ICE                                        | Enter Number of Bottles Sent to Lab | 1 |
|          | ALKALINITY   |                |                 |               |                                            |                                     |   |
|          | TURBIDITY    |                |                 |               |                                            |                                     |   |
|          | W-BR-IC      |                |                 |               |                                            |                                     |   |
|          | W-F          |                |                 |               |                                            |                                     |   |
|          | W-TSS        |                |                 |               |                                            |                                     |   |
| Group: B | Bottle Type: | BP-1L          | # of Bottles: 1 | Preservative: | ICE                                        | Enter Number of Bottles Sent to Lab | 1 |

# Florida Department of Environmental Protection

## Central Laboratory Submittal Form

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: B Paswater &amp; S Meyer

Sampling Agency: FDEP SW ROC

|                                                                                                                 |  |                                                                           |                                                               |                      |                                                                            |                                     |
|-----------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------|---------------------------------------------------------------|----------------------|----------------------------------------------------------------------------|-------------------------------------|
| Location                                                                                                        |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 02/13/2019 Time 09:50 | Eastern<br>Central   | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)<br>(See pg 2)       |
| Field ID/WIN<br>G2SW0111<br>   |  | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                               | Diss. Oxygen<br>6.34 | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) _____ |
| Site Name: Braden River Below Ward Lake@ramp                                                                    |  | Temp (C)<br>21.85                                                         | pH<br>6.19                                                    | Sample Depth<br>0.2  | <input type="checkbox"/> ft<br><input checked="" type="checkbox"/> m       | Sp. Conductance<br>(umho/cm) 23481  |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                     |  | Salinity (ppt)<br>14.23                                                   | Comments<br>ENTERO DROPPES OFF 2 AEL                          |                      |                                                                            |                                     |
| Location                                                                                                        |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 02/13/19 Time 12:30   | Eastern<br>Central   | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)                     |
| Field ID/WIN<br>G3SW0052<br>   |  | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                               | Diss. Oxygen<br>4.35 | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) _____ |
| Site Name: Longboat Key@Bishops Bayou                                                                           |  | Temp (C)<br>21.34                                                         | pH<br>6.92                                                    | Sample Depth<br>0.3  | <input type="checkbox"/> ft<br><input checked="" type="checkbox"/> m       | Sp. Conductance<br>(umho/cm) 49275  |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                     |  | Salinity (ppt)<br>32.27                                                   | Comments<br>ENTERO/FECAL DROPPES OFF 2 AEL                    |                      |                                                                            |                                     |
| Location                                                                                                        |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 02/13/2019 Time 10:10 | Eastern<br>Central   | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)                     |
| Field ID/WIN<br>G2SW0029<br>   |  | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                               | Diss. Oxygen<br>1.25 | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) _____ |
| Site Name: Wares Crk @ 9th Ave                                                                                  |  | Temp (C)<br>22.91                                                         | pH<br>6.38                                                    | Sample Depth<br>0.3  | <input type="checkbox"/> ft<br><input checked="" type="checkbox"/> m       | Sp. Conductance<br>(umho/cm) 31078  |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                     |  | Salinity (ppt)<br>19.34                                                   | Comments<br>ENTERO DROPPES OFF 2 AEL                          |                      |                                                                            |                                     |
| Location                                                                                                        |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 02/13/2019 Time 10:35 | Eastern<br>Central   | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)                     |
| Field ID/WIN<br>G2SW0108<br> |  | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                               | Diss. Oxygen<br>6.70 | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) _____ |
| Site Name: Wares Creek Tidal by Watertower                                                                      |  | Temp (C)<br>21.64                                                         | pH<br>6.58                                                    | Sample Depth<br>0.3  | <input type="checkbox"/> ft<br><input checked="" type="checkbox"/> m       | Sp. Conductance<br>(umho/cm) 637    |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                     |  | Salinity (ppt)<br>0.31                                                    | Comments<br>ENTERO DROPPES OFF 2 AEL                          |                      |                                                                            |                                     |

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Sue Meyer

02/13/2019

FedEx

2


S Meyer

2-14-19 / 10:25

|          |              |                |                 |               |               |                                           |
|----------|--------------|----------------|-----------------|---------------|---------------|-------------------------------------------|
| Group: A | Bottle Type: | P-1L           | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | ALKALINITY   |                |                 |               |               |                                           |
|          | TURBIDITY    |                |                 |               |               |                                           |
|          | W-CL-IC      |                |                 |               |               |                                           |
|          | W-COLOR      |                |                 |               |               |                                           |
|          | W-F          |                |                 |               |               |                                           |
|          | W-SO4-IC     |                |                 |               |               |                                           |
|          | W-TDS        |                |                 |               |               |                                           |
|          | W-TSS        |                |                 |               |               |                                           |
| Group: A | Bottle Type: | BP-1L          | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | CHLSUITE-W   |                |                 |               |               |                                           |
| Group: A | Bottle Type: | QPCR-P-500ML   | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | PCR-FILTER   |                |                 |               |               |                                           |
| Group: A | Bottle Type: | P-250ML-WL-THI | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | SWD-AEL-EC   |                |                 |               |               |                                           |
| Group: A | Bottle Type: | BG-500ML       | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | W-E8321-DI   |                |                 |               |               |                                           |
|          | W-E8321-MS   |                |                 |               |               |                                           |
| Group: A | Bottle Type: | P-500ML        | # of Bottles: 4 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab _____ |
|          | W-NH3        |                |                 |               |               |                                           |
|          | W-NO2NO3     |                |                 |               |               |                                           |
|          | W-S-A-TP     |                |                 |               |               |                                           |
|          | W-TKN        |                |                 |               |               |                                           |
|          | W-TOC        |                |                 |               |               |                                           |
| Group: A | Bottle Type: | P-125ML        | # of Bottles: 4 | Preservative: | FILTER-ICE    | Enter Number of Bottles Sent to Lab _____ |
|          | W-PO4-F      |                |                 |               |               |                                           |
| Group: B | Bottle Type: | P-1L           | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | ALKALINITY   |                |                 |               |               |                                           |
|          | TURBIDITY    |                |                 |               |               |                                           |
|          | W-BR-IC      |                |                 |               |               |                                           |
|          | W-F          |                |                 |               |               |                                           |
|          | W-TSS        |                |                 |               |               |                                           |
| Group: B | Bottle Type: | BP-1L          | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |

|            |              |                |                 |               |               |                                     |   |
|------------|--------------|----------------|-----------------|---------------|---------------|-------------------------------------|---|
| Group: B   | Bottle Type: | BP-1L          | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1 |
| CHLSUITE-W |              |                |                 |               |               |                                     |   |
| Group: B   | Bottle Type: | P-250ML-WI-THI | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
| SWD-AEL-EN |              |                |                 |               |               |                                     |   |
| SWD-AEL-FC |              |                |                 |               |               |                                     |   |
| Group: B   | Bottle Type: | P-500ML        | # of Bottles: 1 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 1 |
| W-NH3      |              |                |                 |               |               |                                     |   |
| W-NO2NO3   |              |                |                 |               |               |                                     |   |
| W-S-A-TP   |              |                |                 |               |               |                                     |   |
| W-TKN      |              |                |                 |               |               |                                     |   |
| W-TOC      |              |                |                 |               |               |                                     |   |
| Group: B   | Bottle Type: | P-125ML        | # of Bottles: 1 | Preservative: | FILTER-ICE    | Enter Number of Bottles Sent to Lab | 1 |
| W-PO4-F    |              |                |                 |               |               |                                     |   |
| Group: C   | Bottle Type: | P-1L           | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
| ALKALINITY |              |                |                 |               |               |                                     |   |
| TURBIDITY  |              |                |                 |               |               |                                     |   |
| W-BR-IC    |              |                |                 |               |               |                                     |   |
| W-F        |              |                |                 |               |               |                                     |   |
| W-TSS      |              |                |                 |               |               |                                     |   |
| Group: C   | Bottle Type: | BP-1L          | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
| CHLSUITE-W |              |                |                 |               |               |                                     |   |
| Group: C   | Bottle Type: | QPCR-P-500ML   | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
| PCR-FILTER |              |                |                 |               |               |                                     |   |
| Group: C   | Bottle Type: | P-250ML-WI-THI | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
| SWD-AEL-EN |              |                |                 |               |               |                                     |   |
| Group: C   | Bottle Type: | BG-500ML       | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
| W-E8321-DI |              |                |                 |               |               |                                     |   |
| W-E8321-MS |              |                |                 |               |               |                                     |   |
| Group: C   | Bottle Type: | P-500ML        | # of Bottles: 2 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 2 |
| W-NH3      |              |                |                 |               |               |                                     |   |
| W-NO2NO3   |              |                |                 |               |               |                                     |   |
| W-S-A-TP   |              |                |                 |               |               |                                     |   |

|          |                                           |                 |                             |                                              |
|----------|-------------------------------------------|-----------------|-----------------------------|----------------------------------------------|
| Group: C | Bottle Type: P-500ML<br>W-TKN<br>W-TOC    | # of Bottles: 2 | Preservative: ICE And H2SO4 | Enter Number of Bottles Sent to Lab <u>2</u> |
| Group: C | Bottle Type: P-125ML<br>W-PO4-F           | # of Bottles: 2 | Preservative: FILTER+ICE    | Enter Number of Bottles Sent to Lab <u>2</u> |
| Group: D | Bottle Type: P-250ML-WI-THI<br>SWD-AEL-EN | # of Bottles: 1 | Preservative: ICE           | Enter Number of Bottles Sent to Lab <u>1</u> |



Gainesville: 4865 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639  
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354  
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275  
Tampa: 9810 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9816 • Fax 813.630.4327

|                   |                                                                            |                       |        |
|-------------------|----------------------------------------------------------------------------|-----------------------|--------|
| Client Name:      | FDEP SW Dist.                                                              | Project Name:         | SMP    |
| Address:          | 13061 N. Tolocom Pkwy, Temple Terrace FL 33637                             | P.O. Number:          | B370AE |
| Phone:            | 813-470-5770                                                               | Project Address:      |        |
| Contact:          | Judy Ashton 813-470-5772                                                   | Special Instructions: |        |
| Sampled By:       |                                                                            |                       |        |
| Turn Around Time: | <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> RUSH |                       |        |
| Page:             | 2 of 2                                                                     |                       |        |

|           |          |                    |  |
|-----------|----------|--------------------|--|
| SAMPLE ID | G2SW0111 | SAMPLE DESCRIPTION |  |
|-----------|----------|--------------------|--|

|              |          |
|--------------|----------|
| Field ID/WIN | G2SW0111 |
|--------------|----------|

|            |                                   |
|------------|-----------------------------------|
| Site Name: | Braden River Below Ward Lake@ramp |
|------------|-----------------------------------|

|              |          |
|--------------|----------|
| Field ID/WIN | G3SW0052 |
|--------------|----------|

|            |                            |
|------------|----------------------------|
| Site Name: | Longboat Key@Bishops Bayou |
|------------|----------------------------|

|              |          |
|--------------|----------|
| Field ID/WIN | G2SW0029 |
|--------------|----------|

|            |                     |
|------------|---------------------|
| Site Name: | Wares Crk @ 9th Ave |
|------------|---------------------|

|              |          |
|--------------|----------|
| Field ID/WIN | G2SW0108 |
|--------------|----------|

|            |                                 |
|------------|---------------------------------|
| Site Name: | Wares Creek Tidal by Watertower |
|------------|---------------------------------|


|                 |                                                                                                                                                   |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Matrix Code:    | WW = wastewater SW = surface water GW = ground water BW = drinking water O = oil A = air SO = soil SL = sludge                                    |
| Received on Ice | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Temp taken from sample <input type="checkbox"/> Temp from blank |
| DCN:            | AD-051 Form last revised 04/20/2015                                                                                                               |

|                  |         |       |              |         |       |
|------------------|---------|-------|--------------|---------|-------|
| Relinquished by: | Date    | Time  | Received by: | Date    | Time  |
| 1. Sarah Meyer   | 2/13/19 | 14:59 | [Signature]  | 2-13-19 | 14:59 |

|                         |  |  |  |  |  |
|-------------------------|--|--|--|--|--|
| FOR DRINKING WATER USE: |  |  |  |  |  |
| PWS ID:                 |  |  |  |  |  |



**0.218.6275**

| Client Name:  |                                 | FDEP SW Dist.                                                                       |  | Project Name:         |  | SMP                                                                        |  |
|---------------|---------------------------------|-------------------------------------------------------------------------------------|--|-----------------------|--|----------------------------------------------------------------------------|--|
| Address:      |                                 | 13061 N. Telecom Pkwy. Temple Terrace FL 33637                                      |  | P.O. Number:          |  | B370AE                                                                     |  |
| Phone:        |                                 | 813-470-5770                                                                        |  | Project Address:      |  |                                                                            |  |
| Contact:      |                                 | Judy Ashton 813-470-5772                                                            |  | Special Instructions: |  | RQ-2019-02-11-32                                                           |  |
| Sampled By:   |                                 |                                                                                     |  | Turn Around Time:     |  | <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> RUSH |  |
| Page:         |                                 | 1 of 4                                                                              |  | Matrix                |  | NO. COUNT                                                                  |  |
| SAMPLE ID     |                                 | SAMPLE DESCRIPTION                                                                  |  | DATE                  |  | TIME                                                                       |  |
| Field ID: WIN | G2SW0031                        |  |  | 2/13/19               |  | 11:30                                                                      |  |
| Site Name:    | Wares Crk @ 36th Ave            |                                                                                     |  | 2/13/19               |  | 11:35                                                                      |  |
| Field ID: WIN | G2SW0109                        |  |  | 2/13/19               |  | 11:00                                                                      |  |
| Site Name:    | Wares Creek Fresh@30th Ave West |                                                                                     |  |                       |  |                                                                            |  |

| Matrix Code:     | WW = wastewater              | SW = surface water          | GW = ground water                               | DW = drinking water                      | O = oil                                             | A = air                                              | SO = soil | SL = sludge | Preservation Code:                                                                                 | I = ice                               | H = (HCl) | S = (H2SO4) | N = (HNO3) | T = (Sodium Thiosulfate) |  |
|------------------|------------------------------|-----------------------------|-------------------------------------------------|------------------------------------------|-----------------------------------------------------|------------------------------------------------------|-----------|-------------|----------------------------------------------------------------------------------------------------|---------------------------------------|-----------|-------------|------------|--------------------------|--|
| Received on Ice  | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> Temp taken from sample | <input type="checkbox"/> Temp from blank | <input type="checkbox"/> Where required, pH checked | Temperature when received _____ (in degrees celsius) |           |             |                                                                                                    |                                       |           |             |            |                          |  |
| DCN: AD-051      | Form last revised 04/30/2015 |                             |                                                 |                                          |                                                     |                                                      |           |             |                                                                                                    |                                       |           |             |            |                          |  |
| Relinquished by: | 2/13/19                      |                             | 1459                                            |                                          | Date                                                |                                                      | Time      |             | Received by:  |                                       |           |             |            |                          |  |
| 1                |                              | 2/13/19                     |                                                 | 1459                                     |                                                     | Date                                                 |           | Time        |                                                                                                    | FOR DRINKING WATER USE: PWS ID: _____ |           |             |            |                          |  |

Date of Request: 23-JAN-2019  
 Created By: PASWATER\_B On: 23-JAN-2019  
 Modified By: JASROTIA\_P On: 28-JAN-2019  
 Customer: SW-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: Southwest District  
 Sampling Event: Run 11

**Send Coolers To:**

Phone: 813-632-7600  
 FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Ben Paswater

**Send Final Report To:**

FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Bne Paswater

**Program Module Number:**

Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 25-JAN-2019  
 Biology Request Reviewed By: JASROTIA\_P On: 28-JAN-2019  
 Sampling Kit Required: YES Ship on: 01-FEB-2019  
 Sampling Kit Shipped: YES On: 30-JAN-2019  
 Sampling Kit Packed By: REAVES\_S  
 Preservatives Needed: NO  
 Date to Receive Samples: 11-FEB-2019  
 Received By: SHAIK\_A On: 14-FEB-2019

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: SMP: Longboat, Wares, Wares, Braden

**Bottle Group A (Water) With 4 Samples:**

|                                    |                             |                                                                                                              |
|------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Bottle Type: P-1L</b>           | <b>Number of Bottles: 4</b> | <b>Preserved With: ICE</b>                                                                                   |
| ALKALINITY                         | Template: DEFAULT           | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                     |
| TURBIDITY                          | Template: DEFAULT           | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| W-CL-IC                            | Template: DEFAULT           | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| W-COLOR                            | Template: DEFAULT           | (SM 2120 B) True Color measured at 450 nm                                                                    |
| Color (true)                       |                             |                                                                                                              |
| W-F                                | Template: DEFAULT           | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| W-SO <sub>4</sub> -IC              | Template: DEFAULT           | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| W-TDS                              | Template: DEFAULT           | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                    |
| W-TSS                              | Template: DEFAULT           | (SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample                |
| <b>Bottle Type: BP-1L</b>          | <b>Number of Bottles: 4</b> | <b>Preserved With: ICE</b>                                                                                   |
| CHLSUITE-W                         | Template: DEFAULT           | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| <b>Bottle Type: QPCR-P-500ML</b>   | <b>Number of Bottles: 4</b> | <b>Preserved With: ICE</b>                                                                                   |
| PCR-FILTER                         | Template: DEFAULT           | (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis                                |
| <b>Bottle Type: P-250ML-WI-THI</b> | <b>Number of Bottles: 4</b> | <b>Preserved With: ICE</b>                                                                                   |
| SWD-AEL-EC                         | Template: DEFAULT           | (EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa                    |
| <b>Bottle Type: BG-500ML</b>       | <b>Number of Bottles: 4</b> | <b>Preserved With: ICE</b>                                                                                   |
| W-E8321-DI                         | Template: DEFAULT           | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                      |
| W-E8321-MS                         | Template: DEFAULT           | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                      |
| <b>Bottle Type: P-500ML</b>        | <b>Number of Bottles: 4</b> | <b>Preserved With: ICE And H<sub>2</sub>SO<sub>4</sub></b>                                                   |
| W-NH <sub>3</sub>                  | Template: DEFAULT           | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| W-NO <sub>2</sub> NO <sub>3</sub>  | Template: DEFAULT           | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| W-S-A-TP                           | Template: DEFAULT           | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| W-TKN                              | Template: DEFAULT           | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| W-TOC                              | Template: DEFAULT           | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                               |
| <b>Bottle Type: P-125ML</b>        | <b>Number of Bottles: 4</b> | <b>Preserved With: FILTER-ICE</b>                                                                            |

**Bottle Group A (Water) With 4 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 4 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |

**Bottle Group B (Water) With 1 Samples:**

|                             |                      |                                                                                                           |
|-----------------------------|----------------------|-----------------------------------------------------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 2 | Preserved With: ICE                                                                                       |
| SWD-AEL-EN                  | Template: DEFAULT    | (SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD |
| SWD-AEL-FC                  | Template: DEFAULT    | (SM 9222 D) Fecal coliforms by membrane filter method by Advanced Environmental Laboratories in Tampa     |

|                      |                      |                                                                     |
|----------------------|----------------------|---------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                       |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L          |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L  |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices    |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices      |

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |

|                   |                      |                                                                                                      |
|-------------------|----------------------|------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L | Number of Bottles: 1 | Preserved With: ICE                                                                                  |
| ALKALINITY        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                          |
| TURBIDITY         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                   |
| W-BR-IC           | Template: DEFAULT    | (EPA 300.0) Bromide in aqueous matrices                                                              |
| W-F               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring) |
| W-TSS             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample        |

|                    |                      |                                                                                                              |
|--------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: BP-1L | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W         | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |

**Bottle Group C (Water) With 2 Samples:**

|                   |                      |                                                                                                      |
|-------------------|----------------------|------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L | Number of Bottles: 2 | Preserved With: ICE                                                                                  |
| ALKALINITY        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                          |
| TURBIDITY         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                   |
| W-BR-IC           | Template: DEFAULT    | (EPA 300.0) Bromide in aqueous matrices                                                              |
| W-F               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring) |
| W-TSS             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample        |

|                    |                      |                                                                                                              |
|--------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: BP-1L | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| CHLSUITE-W         | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |

|                           |                      |                                                                               |
|---------------------------|----------------------|-------------------------------------------------------------------------------|
| Bottle Type: QPCR-P-500ML | Number of Bottles: 2 | Preserved With: ICE                                                           |
| PCR-FILTER                | Template: DEFAULT    | (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis |

|                             |                      |                                                                                                           |
|-----------------------------|----------------------|-----------------------------------------------------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 2 | Preserved With: ICE                                                                                       |
| SWD-AEL-EN                  | Template: DEFAULT    | (SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD |

|                       |                      |                                                                                         |
|-----------------------|----------------------|-----------------------------------------------------------------------------------------|
| Bottle Type: BG-500ML | Number of Bottles: 2 | Preserved With: ICE                                                                     |
| W-E8321-DI            | Template: DEFAULT    | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS |
| W-E8321-MS            | Template: DEFAULT    | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS |

|                      |                      |                                                                     |
|----------------------|----------------------|---------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 2 | Preserved With: ICE And H2SO4                                       |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L          |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L  |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices    |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices      |

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 2 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |

**Bottle Group D (Water) With 1 Samples:**

|                             |                      |                                                                                                           |
|-----------------------------|----------------------|-----------------------------------------------------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                                                                       |
| SWD-AEL-EN                  | Template: DEFAULT    | (SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD |

5512/0230/104C

ORIGIN ID: TLHA (813) 470-5951  
MATTHEW BEARDEN  
FL DEP SOUTHWEST DISTRICT  
13051 N TELECON PKWY  
TEMPLE TERRACE, FL 336370926  
UNITED STATES US

SHIP DATE: 11FEB19  
ACTWTG: 10.00 LBS  
CAD: 0446970/CAFE3211


TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION  
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077

RMA: 11111111



FedEx  
Express



FedEx

TRK# 4751 8776 6371


THU - 14 FEB 10:30A

PRIORITY OVERNIGHT

36 TLHA

32399

FL-US  
TLH



FID 5211412 13FEB19 MCFA 553C2/0E3D/0C8A

Date: 11FEB19  
Wgt: 10.00 LBS  
DV:  
SHIP DATE: 11FEB19  
ACTWTG: 10.00 LB MAN  
CAD: 0446970/CAFE3211

ORIGIN ID: TLHA (813) 470-5951  
MATTHEW BEARDEN  
FL DEP SOUTHWEST DISTRICT  
13051 N TELECON PKWY  
TEMPLE TERRACE, FL 336370926  
UNITED STATES US


TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION  
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077

RMA: 11111111



FedEx  
Express



FedEx

TRK# 4751 8776 6360

THU - 14 FEB 10:30A

PRIORITY OVERNIGHT

36 TLHA

32399

FL-US  
TLH



FID 5211412 13FEB19 MCFA 553C2/0E3D/0C8A