

Biological Analysis Report

SW-DIST-2019-09-13-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Benchmark Environmental, Inc.
1711 12th Street East
Palmetto, FL 34221
DOH Accreditation E84167

Event Description: **McKay Tidal, 34th Basin, PP Ditch#1**
Request ID: **RQ-2019-09-09-19**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 21-OCT-2019 15:46



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: McKAY TIDAL SOUTH OF HARBOR CIR

Collection Date/Time: 09/11/2019 10:30

Field ID: G5SW0152

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2119017	SM 10200 H (mod.)	Chlorophyll-a, Corrected	9.1	Q	ug/L	P371094	
		Phaeophytin-a	1.3	IQ	ug/L	P371094	
		Chlorophyll-a, Uncorrected	10	Q	ug/L	P371094	
2119036	SOP-PCR-1.0	HF183-qPCR**	140	UQ	GEU/100 mL	P370477	
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	UQ	TSC/100 mL	P370477	
	SOP-PCR-1.3	GFD-purified-qPCR**	730	IJQ	TSC/100 mL	P371838	MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	UQ	TSC/100 mL	P370477	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	UQ	TSC/100 mL	P370477	
2119042	Enterolert/QT	Enterococci-Quanti-Tray	120		MPN/100 mL		

Ref. Method and Comment:

SOP-PCR-1.0: Precision data unavailable for Analysis Batch A94731

SOP-PCR-1.2: Precision data unavailable for Analysis Batch A95000

SOP-PCR-1.3: Quality control failure(s) observed. See QA report for details.

SOP-PCR-1.4: Precision data unavailable for Analysis Batch A94744.

Sample Location: McKAY TIDAL @ MOUTH

Collection Date/Time: 09/11/2019 10:15

Field ID: G5SW0151

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2119018	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.7	Q	ug/L	P371094	
		Phaeophytin-a	1.5	IQ	ug/L	P371094	
		Chlorophyll-a, Uncorrected	9.9	Q	ug/L	P371094	
2119037	SOP-PCR-1.0	HF183-qPCR**	140	UQ	GEU/100 mL	P370477	
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	UQ	TSC/100 mL	P370477	
	SOP-PCR-1.3	GFD-purified-qPCR**	1.22E+03	JQ	TSC/100 mL	P371838	MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	UQ	TSC/100 mL	P370477	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	UQ	TSC/100 mL	P370477	
2119043	Enterolert/QT	Enterococci-Quanti-Tray	31		MPN/100 mL		

Ref. Method and Comment:

SOP-PCR-1.0: Precision data unavailable for Analysis Batch A94731

SOP-PCR-1.2: Precision data unavailable for Analysis Batch A95000

SOP-PCR-1.3: Quality control failure(s) observed. See QA report for details.

SOP-PCR-1.4: Precision data unavailable for Analysis Batch A94744.

Sample Location: PP DITCH#1 @ 71st ST

Collection Date/Time: 09/11/2019 11:20

Field ID: G5SW0134

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2119019	SM 10200 H (mod.)	Chlorophyll-a, Corrected	19	Q	ug/L	P371094	
		Phaeophytin-a	5.3	Q	ug/L	P371094	
		Chlorophyll-a, Uncorrected	22	Q	ug/L	P371094	
2119038	SOP-PCR-1.0	HF183-qPCR**	140	UQ	GEU/100 mL	P370630	LCS, RPD
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	UQ	TSC/100 mL	P370630	
	SOP-PCR-1.3	GFD-purified-qPCR**	170	UJQ	TSC/100 mL	P371838	MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	UQ	TSC/100 mL	P370630	LCS
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	UQ	TSC/100 mL	P370630	LCS
2119044	Enterolert/QT	Enterococci-Quanti-Tray	845		MPN/100 mL		

Field ID: G5SW0134

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
Ref. Method and Comment:							
SOP-PCR-1.2: Precision data unavailable for Analysis Batch A94992							
SOP-PCR-1.3: Quality control failure(s) observed. See QA report for details.							
SOP-PCR-1.4: Precision data unavailable for Analysis Batch A94943.							
SOP-PCR-1.5: Precision data unavailable for Analysis Batch A94957.							

Sample Location: 34th STREET BASIN @ 11 AVE S

Collection Date/Time: 09/11/2019 12:00

Field ID: G5SW0146

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2119016	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.2	I Q	ug/L	P371094	
		Phaeophytin-a	0.68	UQ	ug/L	P371094	
		Chlorophyll-a, Uncorrected	1.4	Q	ug/L	P371094	
2119041	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	677		MPN/100 mL		
2119186	SOP-PCR-1.0	HF183-qPCR**	140	UQ	GEU/100 mL	P370630	LCS, RPD
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	UQ	TSC/100 mL	P370630	
	SOP-PCR-1.3	GFD-purified-qPCR**	190	I JQ	TSC/100 mL	P371838	MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	UQ	TSC/100 mL	P370630	LCS
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	UQ	TSC/100 mL	P370630	LCS

Ref. Method and Comment:
SOP-PCR-1.2: Precision data unavailable for Analysis Batch A94992
SOP-PCR-1.3: Quality control failure(s) observed. See QA report for details.
SOP-PCR-1.4: Precision data unavailable for Analysis Batch A94943.
SOP-PCR-1.5: Precision data unavailable for Analysis Batch A94957.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P371094

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.60	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P370477

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.0

Batch ID: P370630

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P370477

Component	Result	Code	Units
GULL2-qPCR	1.7E+04	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.2
 Batch ID: P370630

Component	Result	Code	Units
GULL2-qPCR	1.7E+04	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
 Batch ID: P371838

Component	Result	Code	Units
GFD-purified-qPCR	340	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
 Batch ID: P370477

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
 Batch ID: P370630

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
 Batch ID: P370477

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
 Batch ID: P370630

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
 Batch ID: P371094

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	87.2		P	84 - 116

Reference Method: SOP-PCR-1.0
 Batch ID: P370477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	106	85.8	P/P	50 - 175

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P370630

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	112	179	P/F	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P370477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	109	70.6	P/P	50 - 300

Reference Method: SOP-PCR-1.2
Batch ID: P370630

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	109	73.5	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P371838

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-purified-qPCR	94.5	90.6	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P370477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	132	65.3	P/P	50 - 175
BacR-qPCR	120	96.6	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P370630

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	95.1	217	P/F	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P370477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	113	172	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P370630

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	94.2	222	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P370477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2118213	HF183-qPCR	87.2		P	50 - 175
2118307	HF183-qPCR	86.2		P	50 - 175
2118519	HF183-qPCR	82.3		P	50 - 175
2118520	HF183-qPCR	90.1		P	50 - 175
2119036	HF183-qPCR	91.8		P	50 - 175
2119037	HF183-qPCR	80.1		P	50 - 175

Reference Method: SOP-PCR-1.0

Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119038	HF183-qPCR	105		P	50 - 175
2119067	HF183-qPCR	79.6		P	50 - 175
2119068	HF183-qPCR	82.5		P	50 - 175
2119139	HF183-qPCR	92.7		P	50 - 175
2119140	HF183-qPCR	78.0	101	P/P	50 - 175
2119186	HF183-qPCR	96.1		P	50 - 175
2119692	HF183-qPCR	103		P	50 - 175
2119725	HF183-qPCR	68.8		P	50 - 175
2120183	HF183-qPCR	75.3		P	50 - 175
2120184	HF183-qPCR	77.0		P	50 - 175
2120185	HF183-qPCR	86.5		P	50 - 175
2120186	HF183-qPCR	85.2		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P370477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2118519	GULL2-qPCR	82.6		P	50 - 300
2118520	GULL2-qPCR	85.7		P	50 - 300
2119036	GULL2-qPCR	87.8		P	50 - 300
2119037	GULL2-qPCR	65.5		P	50 - 300

Reference Method: SOP-PCR-1.2

Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119038	GULL2-qPCR	64.4		P	50 - 300
2119186	GULL2-qPCR	88.1		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P371838

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2117509	GFD-purified-qPCR	331		F	50 - 175
2117917	GFD-purified-qPCR	335		F	50 - 175
2118519	GFD-purified-qPCR	248		F	50 - 175
2118520	GFD-purified-qPCR	290		F	50 - 175
2119036	GFD-purified-qPCR	291		F	50 - 175
2119037	GFD-purified-qPCR	302		F	50 - 175
2119038	GFD-purified-qPCR	248		F	50 - 175
2119186	GFD-purified-qPCR	304		F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.3

Batch ID: P371838

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2124376	GFD-purified-qPCR	358		F	50 - 175
2124432	GFD-purified-qPCR	326		F	50 - 175
2124433	GFD-purified-qPCR	339		F	50 - 175
2124434	GFD-purified-qPCR	398		F	50 - 175
2124578	GFD-purified-qPCR	321	317	F/F	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P370477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2118213	BacR-qPCR	67.7		P	50 - 175
2118519	BacR-qPCR	81.6		P	50 - 175
2118520	BacR-qPCR	60.7		P	50 - 175
2119036	BacR-qPCR	98.0		P	50 - 175
2119037	BacR-qPCR	88.4		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119038	BacR-qPCR	86.0		P	50 - 175
2119186	BacR-qPCR	92.7		P	50 - 175
2119692	BacR-qPCR	63.0		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P370477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2117975	DG3-qPCR	109		P	50 - 175
2117976	DG3-qPCR	112		P	50 - 175
2117977	DG3-qPCR	111		P	50 - 175
2117978	DG3-qPCR	113	115	P/P	50 - 175
2117979	DG3-qPCR	101		P	50 - 175
2117981	DG3-qPCR	107		P	50 - 175
2118519	DG3-qPCR	103		P	50 - 175
2118520	DG3-qPCR	91.9		P	50 - 175
2119036	DG3-qPCR	124		P	50 - 175
2119037	DG3-qPCR	106		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119038	DG3-qPCR	87.4		P	50 - 175
2119186	DG3-qPCR	72.4		P	50 - 175

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P371094

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2118917	Chlorophyll-a, Corrected	5.98	Sample	P	0 - 25
2118917	Chlorophyll-a, Uncorrected	8.53	Sample	P	0 - 25
2118917	Phaeophytin-a	18.4	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P370630

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2119140	HF183-qPCR	26.0	Spike	F	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P371838

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2124578	GFD-purified-qPCR	1.35	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P370477

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2117978	DG3-qPCR	1.71	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2119036
Field Sample ID: G5SW0152

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	83.5	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	87.9	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	97.4	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	111	P	50 - 300

Lab Sample ID: 2119037
Field Sample ID: G5SW0151

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	67.1	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	64.3	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	66.4	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	74.3	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2119038
 Field Sample ID: G5SW0134

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	90.9	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	61.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	94.3	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	107	P	50 - 300

Lab Sample ID: 2119186
 Field Sample ID: G5SW0146

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	83.8	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	100	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	93.6	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	110	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery			MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	87.2							5.98	
	Chlorophyll-a, Uncorrected								8.53	
	Phaeophytin-a								18.4	
SOP-PCR-1.0	HF183-qPCR	85.8	106		87.2	86.2	82.3			
					90.1					
	HF183-qPCR	179	112		105	79.6	82.5			26.0
					92.7					
SOP-PCR-1.2	GULL2-qPCR	70.6	109		82.6	85.7	87.8			
					65.5					
SOP-PCR-1.3	GULL2-qPCR	73.5	109		88.1	64.4				
	GFD-purified-qPCR	90.6	94.5		358	326	339			1.35
SOP-PCR-1.4	BacR-qPCR	132	96.6	120	81.6	67.7	60.7			
		65.3			98.0					
SOP-PCR-1.5	BacR-qPCR	217	95.1		86.0	92.7	63.0			
	DG3-qPCR	172	113		109	112	111			1.71
					113					
	DG3-qPCR	222	94.2		87.4	72.4				

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
Enterolert/QT / E84167	Enterococci by Enterolert/QT by BEA in Palmetto	2119042, 2119043, 2119044
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2119016, 2119017, 2119018, 2119019
SM 9223 B Quanti-Tray / E84167	E. coli by Colilert/QT by BEA in Palmetto	2119041
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2119036, 2119037, 2119038, 2119186
SOP-PCR-1.2 / E31780	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2119036, 2119037, 2119038, 2119186
SOP-PCR-1.3 / E31780	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2119036, 2119037, 2119038, 2119186

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2119036, 2119037, 2119038, 2119186
SOP-PCR-1.5 / E31780	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2119036, 2119037, 2119038, 2119186

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	09/11/2019	09/11/2019 14:07		09/12/2019 14:21	Benchmark EnviroAnalytical - Palmetto	2119042, 2119043, 2119044
SM 10200 H (mod.)	09/13/2019	09/13/2019 13:22	Yuliya Danyuk	09/19/2019 10:22	Peterson Janvier	2119016, 2119017, 2119018, 2119019
SM 9223 B Quanti-Tray	09/11/2019	09/11/2019 14:18		09/12/2019 14:30	Benchmark EnviroAnalytical - Palmetto	2119041
SOP-PCR-1.0	09/13/2019	09/13/2019 12:20	Angela Smith	10/04/2019 11:37	Lauren Campbell	2119036, 2119037
	09/13/2019	09/13/2019 12:20	Angela Smith	10/10/2019 12:48	Lauren Campbell	2119038, 2119186
SOP-PCR-1.2	09/13/2019	09/13/2019 12:20	Angela Smith	10/16/2019 08:13	Mailin Lopez	2119036, 2119037, 2119038, 2119186
SOP-PCR-1.3	09/13/2019	09/13/2019 12:20	Angela Smith	10/17/2019 12:31	Mailin Lopez	2119036, 2119037, 2119038, 2119186
SOP-PCR-1.4	09/13/2019	09/13/2019 12:20	Angela Smith	10/04/2019 14:26	Lauren Campbell	2119036, 2119037
	09/13/2019	09/13/2019 12:20	Angela Smith	10/11/2019 12:14	Lauren Campbell	2119038, 2119186
SOP-PCR-1.5	09/13/2019	09/13/2019 12:20	Angela Smith	10/08/2019 12:19	Lauren Campbell	2119036, 2119037
	09/13/2019	09/13/2019 12:20	Angela Smith	10/11/2019 15:47	Lauren Campbell	2119038, 2119186