



REV-1

Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 1 of 6

Report Printed: 12/20/2019
Work Order # 19L0574
Project:
RQ-2019-12-09-59

RQ-2019-12-09-59 SMP

Lab ID: 19L0574-01
Client Sample ID: G4SE0085
Matrix: Water

Collection Date: 12/12/19 11:45
Received Date: 12/12/19 15:05
Collected By: Drew Liddick

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
Enterococci	>6000	Z	CFU/100 ml	100	100	100	EPA 1600	12/12 15:30	12/13 15:40	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



REV-1

Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 2 of 6

Report Printed: 12/20/2019
Work Order # 19L0574
Project:
RQ-2019-12-09-59

RQ-2019-12-09-59 SMP

Lab ID: 19L0574-02
Client Sample ID: G4SEB064
Matrix: Water

Collection Date: 12/12/19 12:50
Received Date: 12/12/19 15:05
Collected By: Drew Liddick

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
Enterococci	16700	B	CFU/100 ml	100	100	100	EPA 1600	12/12 15:30	12/13 15:40	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



REV-1

Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 3 of 6

Report Printed: 12/20/2019
Work Order # 19L0574
Project:
RQ-2019-12-09-59

RQ-2019-12-09-59 SMP

Lab ID: 19L0574-03
Client Sample ID: G4SE0113
Matrix: Water

Collection Date: 12/12/19 13:45
Received Date: 12/12/19 15:05
Collected By: Drew Liddick

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
Enterococci	1350	B	CFU/100 ml	10	10	10	EPA 1600	12/12 15:30	12/13 15:40	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



REV-1

Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 4 of 6

Report Printed: 12/20/2019
Work Order # 19L0574
Project:
RQ-2019-12-09-59

RQ-2019-12-09-59 SMP

Lab ID: 19L0574-04
Client Sample ID: G4SE0121
Matrix: Water

Collection Date: 12/12/19 14:00
Received Date: 12/12/19 15:05
Collected By: Drew Liddick

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
Enterococci	3400		CFU/100 ml	100	100	100	EPA 1600	12/12 15:30	12/13 15:40	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



REV-1

Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 5 of 6

Report Printed: 12/20/2019
Work Order # 19L0574
Project:
RQ-2019-12-09-59

RQ-2019-12-09-59 SMP

Lab ID: 19L0574-05
Client Sample ID: G4SE0038
Matrix: Water

Collection Date: 12/12/19 14:30
Received Date: 12/12/19 15:05
Collected By: Drew Liddick

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
E. Coli	1400	B	CFU/100 ml	10	10	10	EPA 1603	12/12 15:30	12/13 15:40	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



REV-1

Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 6 of 6

Report Printed: 12/20/2019
Work Order # 19L0574
Project:
RQ-2019-12-09-59

RQ-2019-12-09-59 SMP

Notes and Definitions

Z	Too many colonies were present (TNTC)
U	Indicated that the compound was analyzed for but not detected. This shall be used to indicate that the specific component was not detected. The value associated with the qualifier shall be the laboratory method detection limit.
B	Results based upon colony counts outside the acceptable range.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the detection limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
V	Indicated that the analyte was detected in both the sample and the associated method blank.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z	Too many colonies were present for accurate counting.


QC=Qualifier Codes as defined by DEP 62-160

Unless indicated, soil results are reported on actual (wet) weight basis.

Work performed by outside (subcontracted) labs denoted by SUB in Analyst Field.

Results relate only to this sample.

Suresh (Bobby) Supan - CSM

x 

Authorized CSM Signature (954) 978-6400
Florida-Spectrum Environmental Services, Inc.
Certification# E86006

All NELAP certified analysis are performed in accordance with Chapter 64E-1 Florida Administrative code, which has been determined to be equivalent to NELAC standards. Analysis certified by programs other than NELAP are designated with a "~".

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408

1960574

SUBMISSION #		CHAIN OF CUSTODY RECORD		DUE DATE Requested																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		1460 W McNab Road Ft Lauderdale FL 33309 Tel: (954) 978-6400 Fax: (954) 978-2233 1610 N. Parrot Ave. Unit B, Okeechobee, FL 34972 Tel: (863) 763-3336 Fax: (863) 763-1544 108 Airport Park Dr., Garden City, GA 31408 Tel: (912) 238-5050 Fax: (912) 234-4815 528 Gooch Road Fort Meade FL 33841 Tel: (863) 285-8145 Fax: (863) 285-7030 111 E. Easton Dr., Lakeland, FL 33803 Tel: (863) 686-4271 Fax: (863) 686-4389		RUSH RESERVATION # <i>Rush Surcharges apply</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Report to: dep-overflowmicro@dep.state.fl.us		Report to: dep-overflowmicro@dep.state.fl.us																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Invoice to: dep-overflowmicro@dep.state.fl.us		Invoice to: dep-overflowmicro@dep.state.fl.us																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Project Name and/or Number: RQ-2019-12-09-59		Project Name and/or Number: RQ-2019-12-09-59 SMP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Project Mgr: Jordan Skaggs		Site Location: RQ-2019-12-09-59 SMP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Sampler Name: Drew Liddick (drew.liddick@floridadep.gov)		Fax: kara.sprague@floridadep.gov																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
ORDER # Lab Control Number <i>Shaded Areas For Laboratory Use Only</i>		Analysis Required Field Tests																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1	01	G45E0085	12/12/19	1145	SW	✓	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	20.5	21.0	21.5	22.0	22.5	23.0	23.5	24.0	24.5	25.0	25.5	26.0	26.5	27.0	27.5	28.0	28.5	29.0	29.5	30.0	30.5	31.0	31.5	32.0	32.5	33.0	33.5	34.0	34.5	35.0	35.5	36.0	36.5	37.0	37.5	38.0	38.5	39.0	39.5	40.0	40.5	41.0	41.5	42.0	42.5	43.0	43.5	44.0	44.5	45.0	45.5	46.0	46.5	47.0	47.5	48.0	48.5	49.0	49.5	50.0	50.5	51.0	51.5	52.0	52.5	53.0	53.5	54.0	54.5	55.0	55.5	56.0	56.5	57.0	57.5	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5	77.0	77.5	78.0	78.5	79.0	79.5	80.0	80.5	81.0	81.5	82.0	82.5	83.0	83.5	84.0	84.5	85.0	85.5	86.0	86.5	87.0	87.5	88.0	88.5	89.0	89.5	90.0	90.5	91.0	91.5	92.0	92.5	93.0	93.5	94.0	94.5	95.0	95.5	96.0	96.5	97.0	97.5	98.0	98.5	99.0	99.5	100.0	100.5	101.0	101.5	102.0	102.5	103.0	103.5	104.0	104.5	105.0	105.5	106.0	106.5	107.0	107.5	108.0	108.5	109.0	109.5	110.0	110.5	111.0	111.5	112.0	112.5	113.0	113.5	114.0	114.5	115.0	115.5	116.0	116.5	117.0	117.5	118.0	118.5	119.0	119.5	120.0	120.5	121.0	121.5	122.0	122.5	123.0	123.5	124.0	124.5	125.0	125.5	126.0	126.5	127.0	127.5	128.0	128.5	129.0	129.5	130.0	130.5	131.0	131.5	132.0	132.5	133.0	133.5	134.0	134.5	135.0	135.5	136.0	136.5	137.0	137.5	138.0	138.5	139.0	139.5	140.0	140.5	141.0	141.5	142.0	142.5	143.0	143.5	144.0	144.5	145.0	145.5	146.0	146.5	147.0	147.5	148.0	148.5	149.0	149.5	150.0	150.5	151.0	151.5	152.0	152.5	153.0	153.5	154.0	154.5	155.0	155.5	156.0	156.5	157.0	157.5	158.0	158.5	159.0	159.5	160.0	160.5	161.0	161.5	162.0	162.5	163.0	163.5	164.0	164.5	165.0	165.5	166.0	166.5	167.0	167.5	168.0	168.5	169.0	169.5	170.0	170.5	171.0	171.5	172.0	172.5	173.0	173.5	174.0	174.5	175.0	175.5	176.0	176.5	177.0	177.5	178.0	178.5	179.0	179.5	180.0	180.5	181.0	181.5	182.0	182.5	183.0	183.5	184.0	184.5	185.0	185.5	186.0	186.5	187.0	187.5	188.0	188.5	189.0	189.5	190.0	190.5	191.0	191.5	192.0	192.5	193.0	193.5	194.0	194.5	195.0	195.5	196.0	196.5	197.0	197.5	198.0	198.5	199.0	199.5	200.0	200.5	201.0	201.5	202.0	202.5	203.0	203.5	204.0	204.5	205.0	205.5	206.0	206.5	207.0	207.5	208.0	208.5	209.0	209.5	210.0	210.5	211.0	211.5	212.0	212.5	213.0	213.5	214.0	214.5	215.0	215.5	216.0	216.5	217.0	217.5	218.0	218.5	219.0	219.5	220.0	220.5	221.0	221.5	222.0	222.5	223.0	223.5	224.0	224.5	225.0	225.5	226.0	226.5	227.0	227.5	228.0	228.5	229.0	229.5	230.0	230.5	231.0	231.5	232.0	232.5	233.0	233.5	234.0	234.5	235.0	235.5	236.0	236.5	237.0	237.5	238.0	238.5	239.0	239.5	240.0	240.5	241.0	241.5	242.0	242.5	243.0	243.5	244.0	244.5	245.0	245.5	246.0	246.5	247.0	247.5	248.0	248.5	249.0	249.5	250.0	250.5	251.0	251.5	252.0	252.5	253.0	253.5	254.0	254.5	255.0	255.5	256.0	256.5	257.0	257.5	258.0	258.5	259.0	259.5	260.0	260.5	261.0	261.5	262.0	262.5	263.0	263.5	264.0	264.5	265.0	265.5	266.0	266.5	267.0	267.5	268.0	268.5	269.0	269.5	270.0	270.5	271.0	271.5	272.0	272.5	273.0	273.5	274.0	274.5	275.0	275.5	276.0	276.5	277.0	277.5	278.0	278.5	279.0	279.5	280.0	280.5	281.0	281.5	282.0	282.5	283.0	283.5	284.0	284.5	285.0	285.5	286.0	286.5	287.0	287.5	288.0	288.5	289.0	289.5	290.0	290.5	291.0	291.5	292.0	292.5	293.0	293.5	294.0	294.5	295.0	295.5	296.0	296.5	297.0	297.5	298.0	298.5	299.0	299.5	300.0	300.5	301.0	301.5	302.0	302.5	303.0	303.5	304.0	304.5	305.0	305.5	306.0	306.5	307.0	307.5	308.0	308.5	309.0	309.5	310.0	310.5	311.0	311.5	312.0	312.5	313.0	313.5	314.0	314.5	315.0	315.5	316.0	316.5	317.0	317.5	318.0	318.5	319.0	319.5	320.0	320.5	321.0	321.5	322.0	322.5	323.0	323.5	324.0	324.5	325.0	325.5	326.0	326.5	327.0	327.5	328.0	328.5	329.0	329.5	330.0	330.5	331.0	331.5	332.0	332.5	333.0	333.5	334.0	334.5	335.0	335.5	336.0	336.5	337.0	337.5	338.0	338.5	339.0	339.5	340.0	340.5	341.0	341.5	342.0	342.5	343.0	343.5	344.0	344.5	345.0	345.5	346.0	346.5	347.0	347.5	348.0	348.5	349.0	349.5	350.0	350.5	351.0	351.5	352.0	352.5	353.0	353.5	354.0	354.5	355.0	355.5	356.0	356.5	357.0	357.5	358.0	358.5	359.0	359.5	360.0	360.5	361.0	361.5	362.0	362.5	363.0	363.5	364.0	364.5	365.0	365.5	366.0	366.5	367.0	367.5	368.0	368.5	369.0	369.5	370.0	370.5	371.0	371.5	372.0	372.5	373.0	373.5	374.0	374.5	375.0	375.5	376.0	376.5	377.0	377.5	378.0	378.5	379.0	379.5	380.0	380.5	381.0	381.5	382.0	382.5	383.0	383.5	384.0	384.5	385.0	385.5	386.0	386.5	387.0	387.5	388.0	388.5	389.0	389.5	390.0	390.5	391.0	391.5	392.0	392.5	393.0	393.5	394.0	394.5	395.0	395.5	396.0	396.5	397.0	397.5	398.0	398.5	399.0	399.5	400.0	400.5	401.0	401.5	402.0	402.5	403.0	403.5	404.0	404.5	405.0	405.5	406.0	406.5	407.0	407.5	408.0	408.5	409.0	409.5	410.0	410.5	411.0	411.5	412.0	412.5	413.0	413.5	414.0	414.5	415.0	415.5	416.0	416.5	417.0	417.5	418.0	418.5	419.0	419.5	420.0	420.5	421.0	421.5	422.0	422.5	423.0	423.5	424.0	424.5	425.0	425.5	426.0	426.5	427.0	427.5	428.0	428.5	429.0	429.5	430.0	430.5	431.0	431.5	432.0	432.5	433.0	433.5	434.0	434.5	435.0	435.5	436.0	436.5	437.0	437.5	438.0	438.5	439.0	439.5	440.0	440.5	441.0	441.5	442.0	442.5	443.0	443.5	444.0	444.5	445.0	445.5	446.0	446.5	447.0	447.5	448.0	448.5	449.0	449.5	450.0	450.5	451.0	451.5	452.0	452.5	453.0	453.5	454.0	454.5	455.0	455.5	456.0	456.5	457.0	457.5	458.0	458.5	459.0	459.5	460.0	460.5	461.0	461.5	462.0	462.5	463.0	463.5	464.0	464.5	465.0	465.5	466.0	466.5	467.0	467.5	468.0	468.5	469.0	469.5	470.0	470.5	471.0	471.5	472.0	472.5	473.0	473.5	474.0	474.5	475.0	475.5	476.0	476.5	477.0	477.5	478.0	478.5	479.0	479.5	480.0	480.5	481.0	481.5	482.0	482.5	483.0	483.5	484.0	484.5	485.0	485.5	486.0	486.5	487.0	487.5	488.0	488.5	489.0	489.5	490.0	490.5	491.0	491.5	492.0	492.5	493.0	493.5	494.0	494.5	495.0	495.5	496.0	496.5	497.0	497.5	498.0	498.5	499.0	499.5	500.0	500.5	501.0	501.5	502.0	502.5	503.0	503.5	504.0	504.5	505.0	505.5	506.0	506.5	507.0	507.5	508.0	508.5	509.0	509.5	510.0	510.5	511.0	511.5	512.0	512.5	513.0	513.5	514.0	514.5	515.0	515.5	516.0	516.5	517.0	517.5	518.0	518.5	519.0	519.5	520.0	520.5	521.0	521.5	522.0	522.5	523.0	523.5	524.0	524.5	525.0	525.5	526.0	526.5	527.0	527.5	528.0	528.5	529.0	529.5	530.0	530.5	531.0	531.5	532.0	532.5	533.0	533.5	534