



September 04, 2020

Service Request No:J2004519

Mr. Jeremy Parrish
Florida DEP
8800 Baymeadows Way West
Jacksonville, FL 32256-7577

Laboratory Results for: FDEP-NE ROC

Dear Mr.Parrish,

Enclosed are the results of the sample(s) submitted to our laboratory September 02, 2020
For your reference, these analyses have been assigned our service request number **J2004519**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and ALS Environmental is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. In accordance with the TNI 2016 Standard, a statement on the estimated uncertainty of measurement of any quantitative analysis will be supplied upon request.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Candice Turner
Project Management
Assistant

ADDRESS 9143 Philips Highway, Suite 200, Jacksonville, FL 32256
PHONE +1 904 739 2277 | FAX +1 904 739 2011
ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Jacksonville Laboratory
9143 Philips Highway, Suite 200, Jacksonville, FL 32256
Phone (904) 739-2277 Fax (904) 739-2011
www.alsglobal.com



Client: Florida Department of Environmental Protection
(DEP)
Project: FDEP-NE ROC
Sample Matrix: Water

Service Request: J2004519

Date Received: 09/02/2020

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier I level requested by the client.

Sample Receipt:

Four water samples were received for analysis at ALS Environmental on 09/02/2020. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Microbiology:

Method ASTM D6503-99: Sample(s) J2004519-001 was removed from the incubator and read on 9/3/20 1634

Method SM 9223 B: Sample(s) J2004519 (1-4) were removed from the incubator and read on 9/3/20 1632.

Approved by Candice Turner

Date 09/04/2020

SAMPLE DETECTION SUMMARY

CLIENT ID: 20030809				Lab ID: J2004519-001		
----------------------------	--	--	--	-----------------------------	--	--

Analyte	Results	Flag	MDL	MRL	Units	Method
Enterococcus	1990			1.0	MPN/100m L	ASTM D6503-99
Escherichia coli	579			1.0	MPN/100m L	SM 9223 B

CLIENT ID: 20030872				Lab ID: J2004519-002		
----------------------------	--	--	--	-----------------------------	--	--

Analyte	Results	Flag	MDL	MRL	Units	Method
Escherichia coli	687			1.0	MPN/100m L	SM 9223 B

CLIENT ID: 20030794				Lab ID: J2004519-003		
----------------------------	--	--	--	-----------------------------	--	--

Analyte	Results	Flag	MDL	MRL	Units	Method
Escherichia coli	2420			1.0	MPN/100m L	SM 9223 B

CLIENT ID: 20030068				Lab ID: J2004519-004		
----------------------------	--	--	--	-----------------------------	--	--

Analyte	Results	Flag	MDL	MRL	Units	Method
Escherichia coli	172			1.0	MPN/100m L	SM 9223 B



Sample Receipt Information

ALS Environmental—Jacksonville Laboratory
9143 Philips Highway, Suite 200, Jacksonville, FL 32256
Phone (904) 739-2277 Fax (904) 739-2011
www.alsglobal.com

Client: Florida Department of Environmental Protection (DEP)
Project: FDEP-NE ROC/RQ-2020-08-31-35

Service Request:J2004519

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
J2004519-001	20030809	9/2/2020	0920
J2004519-002	20030872	9/2/2020	1005
J2004519-003	20030794	9/2/2020	1055
J2004519-004	20030068	9/2/2020	1140



Cooler Receipt Form

Client: FDEP Service Request #: 52004579
Project: FDEP-NE ROC
Shipment received on 9/2 and opened on 9/2 by BB Shipping paid by ALS? Yes ☒ No ☐ N/A
COURIER: ALS UPS FEDEX DHL ☒ Client Other _____ Airbill # _____

Packing Conditions

Custody seals on outside of cooler? Yes ☐ No ☒
If yes, how many and where? #: _____ on: lid other
Were seals intact and signature and date correct? Yes ☐ No ☒ N/A
Temperature of cooler(s) upon receipt (0-6°C) 1.3°C
Thermometer ID T200
Temperature Blank Present? Yes ☐ No ☒
Temperature preservation? Ice ☒ Ice Packs None
Type of packing material present Bubble Wrap Netting Paper
Vial Holder Styrofoam Other ☒ N/A

Sample Conditions

If No for any items below, note discrepancies in comments section.

COC properly filled out? Yes ☒ No ☐ Didn't arrive
Where did the containers originate? ALS ☐ Client ☒
All containers arrive in good condition? Yes ☒ No ☐
All container labels complete? Yes ☒ No ☐
All container labels agree with custody papers? Yes ☒ No ☐ N/A
Any samples with unusual characteristics? Typical ☒ Exceptional ☐
All samples received with sufficient volume? Yes ☒ No ☐
Correct containers used for the tests indicated? Yes ☒ No ☐ N/A
All containers received with the appropriate preservative? Yes ☒ No ☐ N/A
All samples received within analysis holding times? Yes ☒ No ☐ N/A
VOA vials free of air bubbles greater than 6mm? Yes ☐ No ☒ N/A

Sample ID	Reagent	Lot #	Exp. Date	mL added	Initials Date/Time

Additional comments and/or explanation of all discrepancies noted above:

Client approval to run samples if discrepancies noted:

Date:



Florida DEP
FDEP-NE ROC

1. **NAME** _____
 2. **ADDRESS** _____
 3. **CITY** _____
 4. **STATE** _____
 5. **ZIP** _____
 6. **PHONE** _____
 7. **DATE** _____
 8. **TIME** _____
 9. **NAME** _____
 10. **ADDRESS** _____
 11. **CITY** _____
 12. **STATE** _____
 13. **ZIP** _____
 14. **PHONE** _____
 15. **DATE** _____
 16. **TIME** _____
 17. **NAME** _____
 18. **ADDRESS** _____
 19. **CITY** _____
 20. **STATE** _____
 21. **ZIP** _____
 22. **PHONE** _____
 23. **DATE** _____
 24. **TIME** _____
 25. **NAME** _____
 26. **ADDRESS** _____
 27. **CITY** _____
 28. **STATE** _____
 29. **ZIP** _____
 30. **PHONE** _____
 31. **DATE** _____
 32. **TIME** _____
 33. **NAME** _____
 34. **ADDRESS** _____
 35. **CITY** _____
 36. **STATE** _____
 37. **ZIP** _____
 38. **PHONE** _____
 39. **DATE** _____
 40. **TIME** _____
 41. **NAME** _____
 42. **ADDRESS** _____
 43. **CITY** _____
 44. **STATE** _____
 45. **ZIP** _____
 46. **PHONE** _____
 47. **DATE** _____
 48. **TIME** _____
 49. **NAME** _____
 50. **ADDRESS** _____
 51. **CITY** _____
 52. **STATE** _____
 53. **ZIP** _____
 54. **PHONE** _____
 55. **DATE** _____
 56. **TIME** _____
 57. **NAME** _____
 58. **ADDRESS** _____
 59. **CITY** _____
 60. **STATE** _____
 61. **ZIP** _____
 62. **PHONE** _____
 63. **DATE** _____
 64. **TIME** _____
 65. **NAME** _____
 66. **ADDRESS** _____
 67. **CITY** _____
 68. **STATE** _____
 69. **ZIP** _____
 70. **PHONE** _____
 71. **DATE** _____
 72. **TIME** _____
 73. **NAME** _____
 74. **ADDRESS** _____
 75. **CITY** _____
 76. **STATE** _____
 77. **ZIP** _____
 78. **PHONE** _____
 79. **DATE** _____
 80. **TIME** _____
 81. **NAME** _____
 82. **ADDRESS** _____
 83. **CITY** _____
 84. **STATE** _____
 85. **ZIP** _____
 86. **PHONE** _____
 87. **DATE** _____
 88. **TIME** _____
 89. **NAME** _____
 90. **ADDRESS** _____
 91. **CITY** _____
 92. **STATE** _____
 93. **ZIP** _____
 94. **PHONE** _____
 95. **DATE** _____
 96. **TIME** _____
 97. **NAME** _____
 98. **ADDRESS** _____
 99. **CITY** _____
 100. **STATE** _____
 101. **ZIP** _____
 102. **PHONE** _____
 103. **DATE** _____
 104. **TIME** _____
 105. **NAME** _____
 106. **ADDRESS** _____
 107. **CITY** _____
 108. **STATE** _____
 109. **ZIP** _____
 110. **PHONE** _____
 111. **DATE** _____
 112. **TIME** _____
 113. **NAME** _____
 114. **ADDRESS** _____
 115. **CITY** _____
 116. **STATE** _____
 117. **ZIP** _____
 118. **PHONE** _____
 119. **DATE** _____
 120. **TIME** _____
 121. **NAME** _____
 122. **ADDRESS** _____
 123. **CITY** _____
 124. **STATE** _____
 125. **ZIP** _____
 126. **PHONE** _____
 127. **DATE** _____
 128. **TIME** _____
 129. **NAME** _____
 130. **ADDRESS** _____
 131. **CITY** _____
 132. **STATE** _____
 133. **ZIP** _____
 134. **PHONE** _____
 135. **DATE** _____
 136. **TIME** _____
 137. **NAME** _____
 138. **ADDRESS** _____
 139. **CITY** _____
 140. **STATE** _____
 141. **ZIP** _____
 142. **PHONE** _____
 143. **DATE** _____
 144. **TIME** _____
 145. **NAME** _____
 146. **ADDRESS** _____
 147. **CITY** _____
 148. **STATE** _____
 149. **ZIP** _____
 150. **PHONE** _____
 151. **DATE** _____
 152. **TIME** _____
 153. **NAME** _____
 154. **ADDRESS** _____
 155. **CITY** _____
 156. **STATE** _____
 157. **ZIP** _____
 158. **PHONE** _____
 159. **DATE** _____
 160. **TIME** _____
 161. **NAME** _____
 162. **ADDRESS** _____
 163. **CITY** _____
 164. **STATE** _____
 165. **ZIP** _____
 166. **PHONE** _____
 167. **DATE** _____
 168. **TIME** _____
 169. **NAME** _____
 170. **ADDRESS** _____
 171. **CITY** _____
 172. **STATE** _____
 173. **ZIP** _____
 174. **PHONE** _____
 175. **DATE** _____
 176. **TIME** _____
 177. **NAME** _____
 178. **ADDRESS** _____
 179. **CITY** _____
 180. **STATE** _____
 181. **ZIP** _____
 182. **PHONE** _____
 183. **DATE** _____
 184. **TIME** _____
 185. **NAME** _____
 186. **ADDRESS** _____
 187. **CITY** _____
 188. **STATE** _____
 189. **ZIP** _____
 190. **PHONE** _____
 191. **DATE** _____
 192. **TIME** _____
 193. **NAME** _____
 194. **ADDRESS** _____
 195. **CITY** _____
 196. **STATE** _____
 197. **ZIP** _____
 198. **PHONE** _____
 199. **DATE** _____
 200. **TIME** _____
 201. **NAME** _____
 202. **ADDRESS** _____
 203. **CITY** _____
 204. **STATE** _____
 205. **ZIP** _____
 206. **PHONE** _____
 207. **DATE** _____
 208. **TIME** _____
 209. **NAME** _____
 210. **ADDRESS** _____
 211. **CITY** _____
 212. **STATE** _____
 213. **ZIP** _____
 214. **PHONE** _____
 215. **DATE** _____
 216. **TIME** _____
 217. **NAME** _____
 218. **ADDRESS** _____
 219. **CITY** _____
 220. **STATE** _____
 221. **ZIP** _____
 222. **PHONE** _____
 223. **DATE** _____
 224. **TIME** _____
 225. **NAME** _____
 226. **ADDRESS** _____
 227. **CITY** _____
 228. **STATE** _____
 229. **ZIP** _____
 230. **PHONE** _____
 231. **DATE** _____
 232. **TIME** _____
 233. **NAME** _____
 234. <

Page _____

Page 8 of 22



Miscellaneous Forms

ALS Environmental—Jacksonville Laboratory
9143 Philips Highway, Suite 200, Jacksonville, FL 32256
Phone (904) 739-2277 Fax (904) 739-2011
www.alsglobal.com

FLORIDA DEP DATA QUALIFIERS

B	Results based upon colony counts outside the acceptable range.
D	Measurement was made in the field.
H	Value based on field kit determination; results may not be accurate.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
J	Estimated value (one of the following reasons is discussed in the project case narrative). 1. The result may be inaccurate because the surrogate recovery limits have been exceeded. 2. No known quality control criteria exists for the component. 3. The reported value failed to meet the established quality control criteria for either precision or accuracy. 4. The sample matrix interfered with the ability to make any accurate determination (e.g., primary and confirmation results show greater than 40% RPD). 5. The data is questionable because of improper laboratory or field protocols (e.g., GC/MS Tune did not meet method criteria).
K	Off scale low. The value is less than the lowest calibration standard but greater than the method reporting limit (MRL).
L	Off scale high. The analyte is above the upper limit of the linear calibration range.
M	The MDL/MRL has been elevated because the analyte could not be accurately quantified due to matrix interference.
N	Presumptive evidence of the analyte. Confirmation was not performed.
Q	Sample held beyond the accepted holding time.
T	Value reported is less than the laboratory method detection limit. The value is reported for informational purposes only.
U	Indicates that the compound was analyzed for but not detected.
V	Indicates that the analyte was detected in both the sample and the associated method blank.
Y	The laboratory analysis was from an improperly preserved sample.
Z	Too many colonies were present (TNTC). The numeric value represents the filtration volume.

Jacksonville Lab ID # for State Certifications¹

Agency	Number	Expiration Date
Florida Department of Health	E82502	6/30/2021
Georgia Department of Natural Resources	958	6/30/2021
Kentucky Division of Waste Management	123042	6/30/2021
Louisiana Department of Environmental Quality	02086	6/30/2021
Maine Department of Health and Human Services	FL01294	2/3/2021
New York State Department of Health	121113	4/1/2021
North Carolina Department of Environment and Natural Resources	527	12/31/2020
South Carolina Department of Health and Environmental Control	96021001	6/30/2020
Texas Commission on Environmental Quality	T104704197-20-13	5/31/2021
Virginia Environmental Accreditation Program	460191	12/14/2020

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the laboratory case narrative provided. For a specific list of accredited analytes, refer to <http://www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads/North-America-Downloads>



ACRONYMS

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: Florida Department of Environmental Protection (DEP)
Project: FDEP-NE ROC/RQ-2020-08-31-35

Service Request: J2004519

Sample Name: 20030809
Lab Code: J2004519-001
Sample Matrix: Water

Date Collected: 09/2/20
Date Received: 09/2/20

Analysis Method
ASTM D6503-99
SM 9223 B

Extracted/Digested By

Analyzed By
ASOTO
ASOTO

Sample Name: 20030872
Lab Code: J2004519-002
Sample Matrix: Water

Date Collected: 09/2/20
Date Received: 09/2/20

Analysis Method
SM 9223 B

Extracted/Digested By

Analyzed By
ASOTO

Sample Name: 20030794
Lab Code: J2004519-003
Sample Matrix: Water

Date Collected: 09/2/20
Date Received: 09/2/20

Analysis Method
SM 9223 B

Extracted/Digested By

Analyzed By
ASOTO

Sample Name: 20030068
Lab Code: J2004519-004
Sample Matrix: Water

Date Collected: 09/2/20
Date Received: 09/2/20

Analysis Method
SM 9223 B

Extracted/Digested By

Analyzed By
ASOTO



Sample Results

ALS Environmental—Jacksonville Laboratory
9143 Philips Highway, Suite 200, Jacksonville, FL 32256
Phone (904) 739-2277 Fax (904) 739-2011
www.alsglobal.com



Microbiology

ALS Environmental—Jacksonville Laboratory
9143 Philips Highway, Suite 200, Jacksonville, FL 32256
Phone (904)739-2277 Fax (904)739-2011
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Florida Department of Environmental Protection (DEP)
Project: FDEP-NE ROC/RQ-2020-08-31-35
Sample Matrix: Water
Sample Name: 20030809
Lab Code: J2004519-001

Service Request: J2004519
Date Collected: 09/02/20 09:20
Date Received: 09/02/20 12:25
Basis: NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Enterococcus	ASTM D6503-99	1990	MPN/100mL	1.0	1	09/02/20 16:14	
Escherichia coli	SM 9223 B	579	MPN/100mL	1.0	1	09/02/20 16:06	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Florida Department of Environmental Protection (DEP)
Project: FDEP-NE ROC/RQ-2020-08-31-35
Sample Matrix: Water
Sample Name: 20030872
Lab Code: J2004519-002

Service Request: J2004519
Date Collected: 09/02/20 10:05
Date Received: 09/02/20 12:25
Basis: NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Escherichia coli	SM 9223 B	687	MPN/100mL	1.0	1	09/02/20 16:06	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Florida Department of Environmental Protection (DEP)
Project: FDEP-NE ROC/RQ-2020-08-31-35
Sample Matrix: Water
Sample Name: 20030794
Lab Code: J2004519-003

Service Request: J2004519
Date Collected: 09/02/20 10:55
Date Received: 09/02/20 12:25
Basis: NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Escherichia coli	SM 9223 B	2420	MPN/100mL	1.0	1	09/02/20 16:06	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Florida Department of Environmental Protection (DEP)
Project: FDEP-NE ROC/RQ-2020-08-31-35
Sample Matrix: Water
Sample Name: 20030068
Lab Code: J2004519-004

Service Request: J2004519
Date Collected: 09/02/20 11:40
Date Received: 09/02/20 12:25
Basis: NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Escherichia coli	SM 9223 B	172	MPN/100mL	1.0	1	09/02/20 16:06	



QC Summary Forms

ALS Environmental - Jacksonville Laboratory
9143 Philips Highway, Suite 200, Jacksonville, FL 32256
Phone (904) 739-2277 Fax (904) 739-2011
www.alsglobal.com



Microbiology

ALS Environmental—Jacksonville Laboratory
9143 Philips Highway, Suite 200, Jacksonville, FL 32256
Phone (904)739-2277 Fax (904)739-2011
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Florida Department of Environmental Protection (DEP)
Project: FDEP-NE ROC/RQ-2020-08-31-35
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: J2004519-MB

Service Request: J2004519
Date Collected: NA
Date Received: NA
Basis: NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Enterococcus	ASTM D6503-99	1.0 U	MPN/100mL	1.0	1	09/02/20 16:14	
Escherichia coli	SM 9223 B	1.0 U	MPN/100mL	1.0	1	09/02/20 16:06	