

Chemical Analysis Report

NE-DIST-2020-10-13-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **St. Augustine**
Request ID: **RQ-2020-09-28-09**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 03-NOV-2020 13:55



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Moultrie Cr @ Us 1

Collection Date/Time: 10/12/2020 11:10

Field ID: 27010055

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2201432	EPA 180.1 Rev. 2.0	Turbidity	8.0		NTU	P388594	
	EPA 300.0 Rev. 2.1	Bromide	0.64		mg Br/L	P389481	
	SM 2320 B-2011	Total Alkalinity	55		mg CaCO3/L	P388941	
	SM 2540 D-2011	TSS	6	I	mg/L	P389161	
	SM 4500 F-C-2011	Fluoride	0.073	I	mg F/L	P388955	
2201433	EPA 350.1 Rev. 2.0	Ammonia-N	0.035		mg N/L	P388836	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.5		mg N/L	P388756	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.034		mg N/L	P388801	
	EPA 365.1 Rev. 2.0	Total-P	0.12		mg P/L	P388642	
	SM 5310 B-2011	Organic Carbon	47		mg C/L	P388879	
2201434	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.074		mg P/L	P388602	
2201450	EPA 200.7 Rev. 4.4	Iron	1.10E+03		ug/L	P388667	
		Manganese	22.1		ug/L	P388667	
		Zinc	15	I	ug/L	P388667	
	EPA 200.8 Rev. 5.4	Aluminum	754		ug/L	P388667	
		Antimony	0.090	I	ug/L	P388667	
		Arsenic	2.13		ug/L	P388667	
		Beryllium	0.066		ug/L	P388667	
		Cadmium	0.020	U	ug/L	P388667	
		Chromium	1.6	I	ug/L	P388667	
		Copper	1.97		ug/L	P388667	
		Lead	0.92		ug/L	P388667	
		Nickel	0.97	I	ug/L	P388667	
		Selenium	0.20	U	ug/L	P388667	
		Silver	0.010	U	ug/L	P388667	
		Thallium	0.10	U	ug/L	P388667	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Bromide: Batch relative percent difference and matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: FB10122020

Collection Date/Time: 10/12/2020 12:00

Field ID: FB10122020

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2201438	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P388594	
	EPA 300.0 Rev. 2.1	Bromide	0.013	U	mg Br/L	P389481	
		Sulfate	0.20	U	mg SO4/L	P389334	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P388941	
	SM 2540 D-2011	TSS	2	U	mg/L	P389161	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P388955	
2201439	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P388836	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P388756	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P388801	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P388642	
	SM 5310 B-2011	Organic Carbon	0.50	U	mg C/L	P388879	
2201440	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P388603	
2201451	EPA 200.7 Rev. 4.4	Barium	1.0	U	ug/L	P388667	
		Calcium	0.075	U	mg/L	P388667	
		Iron	30	U	ug/L	P388667	
		Magnesium	0.040	U	mg/L	P388667	
		Potassium	0.30	U	mg/L	P388667	
		Sodium	0.50	U	mg/L	P388667	
		Zinc	5.0	U	ug/L	P388667	
	EPA 200.8 Rev. 5.4	Aluminum	5.0	U	ug/L	P388667	
		Antimony	0.050	U	ug/L	P388667	
		Arsenic	0.050	U	ug/L	P388667	
		Beryllium	0.010	U	ug/L	P388667	
		Boron**	2.0	U	ug/L	P388667	
		Cadmium	0.020	U	ug/L	P388667	
		Chromium	0.40	U	ug/L	P388667	
		Copper	0.40	U	ug/L	P388667	
		Lead	0.20	U	ug/L	P388667	
		Nickel	0.50	U	ug/L	P388667	
		Selenium	0.20	U	ug/L	P388667	
		Silver	0.010	U	ug/L	P388667	
		Thallium	0.10	U	ug/L	P388667	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Bromide: Batch relative percent difference and matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Salt Run Offshore From Lighthouse

Collection Date/Time: 10/12/2020 11:55

Field ID: 27010138

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2201435	EPA 180.1 Rev. 2.0	Turbidity	9.6		NTU	P388594	
	EPA 300.0 Rev. 2.1	Bromide	59		mg Br/L	P389481	
		Sulfate	2.4E+03		mg SO4/L	P389334	
	SM 2320 B-2011	Total Alkalinity	123		mg CaCO3/L	P388943	
	SM 2540 D-2011	TSS	12		mg/L	P389165	
	SM 4500 F-C-2011	Fluoride	1.2		mg F/L	P388957	
2201436	EPA 350.1 Rev. 2.0	Ammonia-N	0.033		mg N/L	P388834	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.56		mg N/L	P388755	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.023		mg N/L	P388691	
	EPA 365.1 Rev. 2.0	Total-P	0.11		mg P/L	P388643	
	SM 5310 B-2011	Organic Carbon	4.7		mg C/L	P388726	
2201437	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.082		mg P/L	P388604	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Bromide: Batch relative percent difference and matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P388594

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P388667

Component	Result	Code	Units
Barium	1.0	U	ug/L
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Manganese	1.0	U	ug/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P388667

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P389334

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P389481

Component	Result	Code	Units
Bromide	0.013	U	mg Br/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388834

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388836

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388755

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388756

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388691

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388801

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388642

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388643

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388602

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388603

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388604

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P388941

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2320 B-2011
Batch ID: P388943

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 D-2011
Batch ID: P389161

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P389165

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P388955

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-2011
Batch ID: P388957

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P388726

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-2011
Batch ID: P388879

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P388667

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Barium	105		P	85 - 115
Calcium	106		P	85 - 115
Iron	105		P	85 - 115
Magnesium	105		P	85 - 115
Manganese	107		P	85 - 115
Potassium	103		P	85 - 115
Sodium	106		P	85 - 115
Zinc	102		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P388667

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	102		P	85 - 115
Antimony	102		P	85 - 115
Arsenic	101		P	85 - 115
Beryllium	99.0		P	85 - 115
Boron	103		P	85 - 115
Cadmium	102		P	85 - 115
Chromium	100		P	85 - 115
Copper	101		P	85 - 115
Lead	97.8		P	85 - 115
Nickel	99.8		P	85 - 115
Selenium	99.1		P	85 - 115
Silver	99.9		P	85 - 115
Thallium	100		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P389334

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P389481

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388834

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388836

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388755

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388756

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388691

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388801

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388642

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388643

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388602

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388603

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388604

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.6		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-2011
Batch ID: P388941

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	93 - 104

Reference Method: SM 2320 B-2011
Batch ID: P388943

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	93 - 104

Reference Method: SM 4500 F-C-2011
Batch ID: P388955

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.5		P	90 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P388957

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.0		P	90 - 106

Reference Method: SM 5310 B-2011
Batch ID: P388726

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	102		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P388879

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.2		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P388667

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201859	Barium	104	103	P/P	80 - 120
2201859	Calcium	106	101	P/P	80 - 120
2201859	Iron	108	103	P/P	80 - 120
2201859	Magnesium	108	104	P/P	80 - 120
2201859	Manganese	105	103	P/P	80 - 120
2201859	Potassium	102	100	P/P	80 - 120
2201859	Sodium	102	101	P/P	80 - 120
2201859	Zinc	102	101	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P388667

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201859	Aluminum	102	104	P/P	80 - 120
2201859	Antimony	102	100	P/P	80 - 120
2201859	Arsenic	100	101	P/P	80 - 120
2201859	Beryllium	102	99.4	P/P	80 - 120
2201859	Boron	104	104	P/P	80 - 120
2201859	Cadmium	104	105	P/P	80 - 120
2201859	Chromium	98.8	98.9	P/P	80 - 120
2201859	Copper	101	101	P/P	80 - 120
2201859	Lead	99.0	98.6	P/P	80 - 120
2201859	Nickel	101	100	P/P	80 - 120
2201859	Selenium	98.6	99.4	P/P	80 - 120
2201859	Silver	99.8	98.8	P/P	80 - 120
2201859	Thallium	103	104	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P389334

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201329	Sulfate	102		P	90 - 110
2201745	Sulfate	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P389481

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2202118	Bromide	94.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388834

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201516	Ammonia-N	98.6	105	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388836

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201365	Ammonia-N	101	101	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388755

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201374	Kjeldahl Nitrogen	105	106	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388756

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201525	Kjeldahl Nitrogen	98.7	97.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388691

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201307	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388801

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201349	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388642

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201350	Total-P	107	108	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388643

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201436	Total-P	97.5	95.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388602

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201333	O-Phosphate-P	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388603

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201627	O-Phosphate-P	99.6	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388604

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201376	O-Phosphate-P	98.7	101	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P388955

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201327	Fluoride	100	100	P/P	94 - 107

Reference Method: SM 4500 F-C-2011
Batch ID: P388957

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201372	Fluoride	101	101	P/P	94 - 107

Reference Method: SM 5310 B-2011
Batch ID: P388726

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201436	Organic Carbon	95.5	102	P/P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P388879

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2201468	Organic Carbon	93.4	96.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P388594

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201412	Turbidity	3.00	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P388667

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201859	Barium	1.46	Spike	P	0 - 20
2201859	Calcium	3.95	Spike	P	0 - 20
2201859	Iron	3.78	Spike	P	0 - 20
2201859	Magnesium	3.03	Spike	P	0 - 20
2201859	Manganese	1.23	Spike	P	0 - 20
2201859	Potassium	1.79	Spike	P	0 - 20
2201859	Sodium	0.732	Spike	P	0 - 20
2201859	Zinc	1.40	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P388667

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201859	Aluminum	1.36	Spike	P	0 - 20
2201859	Antimony	1.05	Spike	P	0 - 20
2201859	Arsenic	0.748	Spike	P	0 - 20
2201859	Beryllium	2.19	Spike	P	0 - 20
2201859	Boron	0.540	Spike	P	0 - 20
2201859	Cadmium	0.263	Spike	P	0 - 20
2201859	Chromium	0.139	Spike	P	0 - 20
2201859	Copper	0.0152	Spike	P	0 - 20
2201859	Lead	0.414	Spike	P	0 - 20
2201859	Nickel	0.920	Spike	P	0 - 20
2201859	Selenium	0.901	Spike	P	0 - 20
2201859	Silver	1.03	Spike	P	0 - 20
2201859	Thallium	0.619	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P389334

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201329	Sulfate	0.0163	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388834

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201516	Ammonia-N	3.92	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P388836

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201365	Ammonia-N	0.343	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388755

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201374	Kjeldahl Nitrogen	0.618	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P388756

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201525	Kjeldahl Nitrogen	0.577	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388691

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201307	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P388801

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201349	NO2NO3-N	0.499	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388642

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201350	Total-P	0.743	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P388643

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201436	Total-P	1.46	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388602

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201333	O-Phosphate-P	0.399	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388603

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201627	O-Phosphate-P	0.100	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P388604

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201376	O-Phosphate-P	1.35	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P388941

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201327	Total Alkalinity	1.60	Sample	P	0 - 8.1

Reference Method: SM 2320 B-2011
Batch ID: P388943

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201372	Total Alkalinity	0.245	Sample	P	0 - 8.1

Reference Method: SM 2540 D-2011
Batch ID: P389165

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201371	TSS	4.32	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P388955

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201327	Fluoride	0.0	Spike	P	0 - 2.8

Reference Method: SM 4500 F-C-2011
Batch ID: P388957

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201372	Fluoride	0.477	Spike	P	0 - 2.8

Reference Method: SM 5310 B-2011
Batch ID: P388726

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201436	Organic Carbon	5.53	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 5310 B-2011
Batch ID: P388879

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2201468	Organic Carbon	1.84	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A101491

Included Lab Sample IDs: 2201432, 2201435, 2201438

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	102	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A101494

Included Lab Sample IDs: 2201434, 2201437, 2201440

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	100	P/P	90 - 110
O-Phosphate-P	100	99.6	P/P	90 - 110
O-Phosphate-P	99.6	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A101519

Included Lab Sample IDs: 2201436

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A101535

Included Lab Sample IDs: 2201433, 2201439

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	101	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A101541

Included Lab Sample IDs: 2201436

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	104	102	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A101548

Included Lab Sample IDs: 2201450, 2201451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Barium	101	102	P/P	95 - 105
Calcium	98.3	99.0	P/P	95 - 105
Iron	99.6	99.7	P/P	95 - 105
Magnesium	98.5	98.9	P/P	95 - 105
Manganese	103	103	P/P	95 - 105
Potassium	97.2	97.0	P/P	95 - 105
Sodium	98.0	98.5	P/P	95 - 105
Zinc	101	102	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A101552

Included Lab Sample IDs: 2201433, 2201436

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A101552

Included Lab Sample IDs: 2201433, 2201436

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	95.0	97.9	P/P	90 - 110
Total-P	97.0	95.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A101572

Included Lab Sample IDs: 2201433, 2201436, 2201439

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.8	99.2	P/P	90 - 110
Ammonia-N	99.8	101	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A101587

Included Lab Sample IDs: 2201433, 2201439

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	93.2	94.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A101595

Included Lab Sample IDs: 2201439

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	92.0	92.5	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A101630

Included Lab Sample IDs: 2201432, 2201435, 2201438

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	104	99.5	P/P	90 - 110
Total Alkalinity	99.1	98.9	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A101630

Included Lab Sample IDs: 2201432, 2201435, 2201438

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.5	P/P	90 - 110
Fluoride	101	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A101659

Included Lab Sample IDs: 2201433, 2201436, 2201439

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	99.1	P/P	90 - 110
Kjeldahl Nitrogen	94.1	102	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A101737

Included Lab Sample IDs: 2201450, 2201451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	97.8	97.1	P/P	90 - 110
Aluminum	99.1	97.8	P/P	90 - 110
Antimony	98.4	97.5	P/P	90 - 110
Antimony	98.6	98.4	P/P	90 - 110
Arsenic	97.1	95.9	P/P	90 - 110
Arsenic	99.3	97.1	P/P	90 - 110
Beryllium	100	99.7	P/P	90 - 110
Beryllium	99.3	100	P/P	90 - 110
Boron	102	103	P/P	90 - 110
Cadmium	98.9	99.0	P/P	90 - 110
Cadmium	99.0	98.3	P/P	90 - 110
Chromium	94.4	94.8	P/P	90 - 110
Chromium	95.6	94.4	P/P	90 - 110
Copper	94.7	95.7	P/P	90 - 110
Copper	98.9	94.7	P/P	90 - 110
Lead	96.3	95.5	P/P	90 - 110
Lead	97.0	96.3	P/P	90 - 110
Nickel	93.8	94.9	P/P	90 - 110
Nickel	98.0	93.8	P/P	90 - 110
Selenium	96.6	96.6	P/P	90 - 110
Selenium	97.0	96.6	P/P	90 - 110
Silver	101	99.9	P/P	90 - 110
Silver	99.9	99.1	P/P	90 - 110
Thallium	95.3	93.6	P/P	90 - 110
Thallium	95.7	95.3	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A101798

Included Lab Sample IDs: 2201435, 2201438

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sulfate	102	102	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A101855

Included Lab Sample IDs: 2201432, 2201435, 2201438

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	97.2	91.6	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity					3.00	
EPA 200.7 Rev. 4.4	Barium	105	104	103			1.46
	Calcium	106	106	101			3.95
	Iron	105	108	103			3.78
	Magnesium	105	108	104			3.03
	Manganese	107	105	103			1.23
	Potassium	103	102	100			1.79
	Sodium	106	102	101			0.732
	Zinc	102	102	101			1.40
EPA 200.8 Rev. 5.4	Aluminum	102	102	104			1.36
	Antimony	102	102	100			1.05
	Arsenic	101	100	101			0.748
	Beryllium	99.0	102	99.4			2.19
	Boron	103	104	104			0.540
	Cadmium	102	104	105			0.263
	Chromium	100	98.8	98.9			0.139
	Copper	101	101	101			0.0152
	Lead	97.8	99.0	98.6			0.414
	Nickel	99.8	101	100			0.920
	Selenium	99.1	98.6	99.4			0.901
	Silver	99.9	99.8	98.8			1.03
	Thallium	100	103	104			0.619
EPA 300.0 Rev. 2.1	Bromide	103	94.3				
	Sulfate	99.9	102	102		0.0163	
EPA 350.1 Rev. 2.0	Ammonia-N	101	98.6	105			3.92
	Ammonia-N	101	101	101			0.343
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	105	106			0.618
	Kjeldahl Nitrogen	105	98.7	97.7			0.577
EPA 353.2 Rev. 2.0	NO2NO3-N	102	102	102			0.0
	NO2NO3-N	101	100	100			0.499
EPA 365.1 Rev. 2.0	Total-P	105	107	108			0.743
	Total-P	106	97.5	95.8			1.46
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.1	100	100			0.399
	O-Phosphate-P	99.1	99.6	99.5			0.100
	O-Phosphate-P	99.6	98.7	101			1.35
SM 2320 B-2011	Total Alkalinity	102				1.60	
	Total Alkalinity	101				0.245	
SM 2540 D-2011	TSS					4.32	
SM 4500 F-C-2011	Fluoride	96.5	100	100			0.0
	Fluoride	97.0	101	101			0.477
SM 5310 B-2011	Organic Carbon	102	95.5	102			5.53
	Organic Carbon	95.2	93.4	96.4			1.84

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2201432, 2201435, 2201438
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2201450, 2201451
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2201450, 2201451
EPA 300.0 Rev. 2.1	Bromide in aqueous matrices	2201432, 2201435, 2201438
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2201435, 2201438

Reference Method Descriptions

Method	Description	Associated Samples
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2201433, 2201436, 2201439
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2201433, 2201436, 2201439
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2201433, 2201436, 2201439
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2201433, 2201436, 2201439
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2201434, 2201437, 2201440
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2201432, 2201435, 2201438
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2201432, 2201435, 2201438
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2201432, 2201435, 2201438
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2201433, 2201436, 2201439

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/13/2020			10/13/2020 15:29	Yen Ta	2201432, 2201435, 2201438
EPA 200.7 Rev. 4.4	10/13/2020	10/14/2020 16:20	Elliott D. Healy	10/15/2020 14:56	Betina Topolski	2201451
	10/13/2020	10/14/2020 16:20	Elliott D. Healy	10/15/2020 15:40	Betina Topolski	2201450
EPA 200.8 Rev. 5.4	10/13/2020	10/14/2020 16:20	Elliott D. Healy	10/23/2020 13:02	Alexander Thompson	2201451
	10/13/2020	10/14/2020 16:20	Elliott D. Healy	10/23/2020 14:33	Alexander Thompson	2201450
EPA 300.0 Rev. 2.1	10/13/2020			10/26/2020 22:52	Lipi Saha	2201435
	10/13/2020			10/26/2020 23:05	Lipi Saha	2201438
	10/13/2020			10/28/2020 16:25	Lipi Saha	2201432
	10/13/2020			10/28/2020 18:32	Lipi Saha	2201435
	10/13/2020			10/28/2020 18:50	Lipi Saha	2201438
EPA 350.1 Rev. 2.0	10/13/2020			10/17/2020 11:49	Ping Hua	2201436
	10/13/2020			10/17/2020 12:46	Ping Hua	2201433
	10/13/2020			10/17/2020 12:49	Ping Hua	2201439
EPA 351.2 Rev. 2.0	10/13/2020	10/15/2020 13:30	David Boose	10/20/2020 20:59	Julia Storbeck	2201436
	10/13/2020	10/15/2020 13:33	David Boose	10/20/2020 21:30	Julia Storbeck	2201433
	10/13/2020	10/15/2020 13:33	David Boose	10/20/2020 21:31	Julia Storbeck	2201439
EPA 353.2 Rev. 2.0	10/13/2020			10/14/2020 10:33	Beverly Y. Sanders	2201436
	10/13/2020			10/15/2020 10:37	Beverly Y. Sanders	2201433
	10/13/2020			10/15/2020 10:38	Beverly Y. Sanders	2201439
EPA 365.1 Rev. 2.0	10/13/2020	10/14/2020 12:45	Yen Ta	10/15/2020 16:46	Lipi Saha	2201433
	10/13/2020	10/14/2020 12:45	Yen Ta	10/15/2020 16:55	Lipi Saha	2201436
	10/13/2020	10/14/2020 12:45	Yen Ta	10/19/2020 12:50	Shengyu Wang	2201439
EPA 365.1 Rev. 2.0 dissolved	10/13/2020			10/13/2020 16:11	Blanca Fach	2201440
	10/13/2020			10/13/2020 16:24	Blanca Fach	2201434
	10/13/2020			10/13/2020 16:34	Blanca Fach	2201437
SM 2320 B-2011	10/13/2020			10/19/2020 23:43	Samantha Davila	2201432
	10/13/2020			10/19/2020 23:52	Samantha Davila	2201438
	10/13/2020			10/20/2020 11:50	Samantha Davila	2201435
SM 2540 D-2011	10/13/2020			10/15/2020 15:25	Yijie Li	2201432, 2201435, 2201438
SM 4500 F-C-2011	10/13/2020			10/19/2020 23:43	Samantha Davila	2201432
	10/13/2020			10/19/2020 23:52	Samantha Davila	2201438
	10/13/2020			10/20/2020 09:00	Samantha Davila	2201435
SM 5310 B-2011	10/13/2020			10/15/2020 06:59	Madeline Gruver	2201436
	10/13/2020			10/17/2020 02:13	Lauren Lees	2201433
	10/13/2020			10/17/2020 02:26	Lauren Lees	2201439