



Advanced Environmental Laboratories, Inc
380 North Lake Blvd., Suite 1048 Altamonte Springs, FL 32701
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580

Phone: (407)937-1594
Fax: (407)937-1597

February 13, 2020

Michael Linger
Department of Environmental Protection
3319 Maguire Blvd
Suite 232
Orlando, FL 32803

RE: Workorder: A2001098 SMP

Dear Michael Linger:

Enclosed are the analytical results for sample(s) received by the laboratory on Thursday, January 30, 2020. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Brandon O'Hara

Brandon O'Hara - Lab Manager
BOhara@AELLab.com

Enclosures

Report ID: 944791 - 2211206

Page 1 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: A2001098 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
A2001098001	G4CE0179	Water	1/30/2020 11:34	1/30/2020 14:04

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: A2001098 SMP

Lab ID: **A2001098001**

Date Received: 01/30/20 14:04 Matrix: Water

Sample ID: **G4CE0179**

Date Collected: 01/30/20 11:34

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	70	1,B	#/100 mL	10	10	10	1/30/2020 15:25	A

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: A2001098 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- B Results based upon colony counts outside the acceptable range.
- [1] Time In Incubator #1: 1/30/2020 15:25
Time Out Incubator #1: 1/30/2020 17:15
Time In Incubator #2: 1/30/2020 17:18
Time Out Incubator #2: 1/31/2020 15:36

LAB QUALIFIERS

- A DOH Certification #E53076(AEL-A)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: A2001098 SMP

QC Batch:	MICa/1038	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	A2001098001		

METHOD BLANK: 3383724

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

QUALITY CONTROL DATA QUALIFIERS

Workorder: A2001098 SMP

QUALITY CONTROL PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Time In Incubator #1: 1/30/2020 15:25
Time Out Incubator #1: 1/30/2020 17:15
Time In Incubator #2: 1/30/2020 17:18
Time Out Incubator #2: 1/31/2020 15:36

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: A2001098 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
A2001098001	G4CE0179			EPA 1603	MICa/1038


CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.





✓	Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32714 • 407.251.1111
✓	Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.335.1111
✓	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.731.1111
✓	Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.888.1111
✓	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32301 • 904.487.1111
✓	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.1111



Thursday, February 13, 2020 3:35:20 PM
Page 7 of 7