Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL. 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

2020-02-24-41

Project Name: RQ-~~2019~~ inc

Project Run/Location: Sarasota Creeks

Laboratory Submission #: S200205 81

Station ID	Surface Water Sample Matrix[2] (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray) — E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL	Laboratory Sample #
G3SD0090 - South Creek	(F) M / (Grab)	(E.coli) / Entero / F.coli 2/24/20 1030	1
G3SD0066 - Curry	F (M) / (Grab)	E.coli / (Entero) / F.coli Date & Time: 2/24/20 1130	2
G3SD0103 - Hatchett	(F) M / (Grab)	(E.coli) / Entero / F.coli Date & Time: 2/24/20 1215	3
G2SD0026 - Alligator C Incarnate	(F) M / (Grab)	(E.coli) / Entero / F.coli Date & Time 2/24/20 1255	4
G2SD0025 - Alligator @ 41	F (M) / (Grab)	E.coli / (Entero) / F.coli Date & Time: 2/24/20 1340	5
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	

1 "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

2 Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).
Container Type" is used to indicate whether the container is plastic (P) or glass (G)
Samples must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Instructions:
1. Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form

Laboratory Sample Acceptability:
pH <2 : 0 BEAS Temperature: 3.3C

	Collector / Relinquished by	Date	Time	Received By	Date	Time
1	Collector: Miranda Carroll	Date: 2/24/20	Time:	Received By:		
2	Relinquished by: [signature]	Date: 2/24/20	Time: 1434	Received By: Miranda Muchant	Date: 2/24/20	Time: 1434
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

Scanned by CamScanner