


# BENCHMARK EA SOUTH



## ANALYTICAL TEST REPORT

THESE RESULTS MEET NELAC STANDARDS

NELAC Certification # E85086

**Submission Number :** S 20060265

Florida Dept Of Env Protection  
2600 Blair Stone Rd  
Tallahassee, FL 32399

**Project Name :** RQ-2020-06-08-39  
**Date Received :** 06/10/2020  
**Time Received :** 1123

**Submission:** S 20060265

**Sample Number:** 001

**Sample Date:** 06/10/2020

**Sample Time:** 0945

**Sample Description:** Myrtle Slough- G3SD0095

**Sample Method:** Grab

| Parameter                   | Result | Units   | MDL | PQL | Procedure | Preparation |       | Analysis   |       | Analyst |
|-----------------------------|--------|---------|-----|-----|-----------|-------------|-------|------------|-------|---------|
|                             |        |         |     |     |           | Date        | Time  | Date       | Time  |         |
| E- COLI BY IDEXX QUANTITRAY | 464    | #/100ML | 10  | 10  | SM9223B   | 06/10/2020  | 15:48 | 06/11/2020 | 16:26 | MM      |

**Submission:** S 20060265

**Sample Number:** 002

**Sample Date:** 06/10/2020


**Sample Time:** 1030

**Sample Description:** Hawthorne Creek- G3SD0011

**Sample Method:** Grab

| Parameter                   | Result | Units   | MDL | PQL | Procedure | Preparation |       | Analysis   |       | Analyst |
|-----------------------------|--------|---------|-----|-----|-----------|-------------|-------|------------|-------|---------|
|                             |        |         |     |     |           | Date        | Time  | Date       | Time  |         |
| E- COLI BY IDEXX QUANTITRAY | 292    | #/100ML | 10  | 10  | SM9223B   | 06/10/2020  | 15:48 | 06/11/2020 | 16:26 | MM      |

# BENCHMARK EA SOUTH



## ANALYTICAL TEST REPORT THESE RESULTS MEET NELAC STANDARDS

NELAC Certification # E85086

*Melinda Merchant*

06/16/2020

Dale D. Dixon / Laboratory Director

Date

Melinda Merchant/ Laboratory Manager

### DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.  
B = Results based upon colony counts outside the ideal range.  
H = Value based on field kit determination. Results may not be accurate.  
I = Reported value is between the laboratory MDL and the PQL.  
J0 = All Quanti-Tray wells were positive. Result may be higher than reported.  
J1 = Est. value surrogate recovery limits exceeded.  
J2 = Est. value. No quality control criteria exists for component.  
J3 = Est. value quality control criteria for precision or accuracy not met.  
J4 = Est. value. Sample matrix interference suspected.  
J5 = Est. value. Data questionable due to improper lab or field protocols  
K = Off-scale low. Value is known to be < the value reported.  
L = Off-scale high. Value is known to be > the value reported

N = Presumptive evidence of presence of material.

Q = Sample held beyond accepted hold time (15 minutes for pH).

T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.

U = Analyte analyzed but not detected at the value indicated.

V = Analyte detected in sample and method blank.

Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.

Z = Too many colonies were present (TNTC); the numeric value represents the filtration volume.

? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the Presence or absence of the analyte cannot be determined from the data.

! = Data deviate from historically established concentration ranges.

\* = Not reported due to interference.

### NOTES:

PQL = 4xMDL. Except for Micro PQL=MDL

X = Value exceed MCL.

1 dilution (10 mL) on each Enterococci and E.coli sample and 3 dilutions (1 mL, 10 mL, & 100 mL) on each Fecal Coliform sample.

For questions and comments regarding these results, please contact Melinda Merchant at (941) 625-3137

These results relate only to the samples included in this report.

**Benchmark EnviroAnalytical, Inc.**

1001 Corporate Ave. Suite 102

North Port, FL 34289

(941) 625-3137 / (941) 240-3071 fax

**Client Name: FDEP****Address: 2600 Blair Stone Rd.  
Tallahassee, FL, 32399****Phone: (850) 245-8085****Email: dep-overflowmicro@dep.state.fl.us****Bill to: Frances Moore****P.O. #: Lab B16970****Project Name: RQ-2020-06-08-39****Project Run/Location: DeSoto Cuckles****Laboratory Submission #:**

520066265

| Station ID                 | Surface Water Sample Matrix <sup>2</sup><br>(Fresh / Marine)<br>Sample Type | Enterococci<br>E.coli (SM9223B Quantitray)                  |                   |                            | Laboratory Sample # |
|----------------------------|-----------------------------------------------------------------------------|-------------------------------------------------------------|-------------------|----------------------------|---------------------|
|                            |                                                                             |                                                             |                   |                            |                     |
|                            |                                                                             | E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL |                   |                            |                     |
| Mystic Slough - G3SD0095   | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time: 06/10/20 0945 | 1                   |
| Hawthorne Creek - G3SD0011 | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time: 06/10/20 1030 | 2                   |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |
|                            | F / M / Grab                                                                | E.coli                                                      | / Entero / F.coli | Date & Time:               |                     |

<sup>1</sup> "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).<sup>2</sup> "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).<sup>3</sup> "Container Type" is used to indicate whether the container is plastic (P) or glass (G).<sup>4</sup> Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.**Instructions:**

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be mixed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on this sample custody form.

**Laboratory Sample Acceptability:**

pH &lt; 2 : 0 BEAS Temperature: 5.9°C

|   |                               |               |            |                                 |               |            |
|---|-------------------------------|---------------|------------|---------------------------------|---------------|------------|
| 1 | Collector: <i>[Signature]</i> | Date: 6/10/20 | Time: 1123 | Received By: <i>[Signature]</i> | Date: 6/10/20 | Time: 1123 |
| 2 | Relinquished by:              | Date:         | Time:      | Received By:                    | Date:         | Time:      |
| 3 | Relinquished by:              | Date:         | Time:      | Received By:                    | Date:         | Time:      |
| 4 | Relinquished by:              | Date:         | Time:      | Received By:                    | Date:         | Time:      |
| 5 | Relinquished by:              | Date:         | Time:      | Received By:                    | Date:         | Time:      |