

From: [Mulkey, Nathan](#)
To: [Reaves, Shawn D](#)
Subject: Fwd: RQ-2020-11-02-44
Date: Thursday, November 5, 2020 2:27:18 PM

Conductivity was fresh so matrix should be fresh.

Sent from my iPhone

Begin forwarded message:

From: "Musson, Curtis" <Curtis.Musson@floridadep.gov>
Date: November 5, 2020 at 1:21:56 PM CST
To: "Mulkey, Nathan" <Nathan.Mulkey@floridadep.gov>, "King, Michael" <Michael.King@dep.state.fl.us>, "Reaves, Shawn D" <Shawn.Reaves@floridadep.gov>, "Schmuki, Heather" <Heather.Schmuki@floridadep.gov>
Subject: RE: RQ-2020-11-02-44

I know, I know, I know, and you're not wrong. Mike and I have been down this road before. We asked Katrina reclassify this WBID a few other just like it, a year or two ago. The answer is/was, it is a Class 2 (shellfish harvesting) WBID. If it was a Class 3M we could change it to 3F, easy. If we changes a Class 2 to, well anything, but 3F in this scenario EPA would tell us to change it back. Generally spearing once Class 2, always Class 2. Class 2 classification is based on a GIS layer and not field readings.

I'm not concerned about this and neither should you. Collecting FC and ENTRO in fresh (low SP COND) water does not bother me one bit. Collecting E. coli in salt water, I do have concerns about. Elevated SP COND retards both E.coli and ENTRO growth but the impact on E.coli is much more severe. ENTRO is a more sensitive test. So if there is dew-doo in the water were more likely to detect it with ENTRO. Personally I wish FC and ENTRO were the water quality standard in all FL waters.

What was the matrix on the COC? The Sp. COND was 38.2, so the matrix note COC should have been fresh.

Curtis

From: Mulkey, Nathan <Nathan.Mulkey@FloridaDEP.gov>
Sent: Thursday, November 05, 2020 1:08 PM
To: King, Michael <Michael.King@dep.state.fl.us>; Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>; Schmuki, Heather <Heather.Schmuki@FloridaDEP.gov>
Cc: Musson, Curtis <Curtis.Musson@FloridaDEP.gov>
Subject: Re: RQ-2020-11-02-44

The conductivity is always well below 5000. It's usually below 100 most of the time.

Sent from my iPhone

On Nov 5, 2020, at 12:04 PM, King, Michael
<Michael.King@dep.state.fl.us> wrote:

It is classified as a Class II marine water but the matrix should be Fresh if the conductivity is under 5000.

From: "Mulkey, Nathan" <Nathan.Mulkey@FloridaDEP.gov>
Date: Thursday, November 5, 2020 at 11:59 AM
To: "Musson, Curtis" <Curtis.Musson@FloridaDEP.gov>
Cc: "King, Michael" <Michael.King@dep.state.fl.us>
Subject: Fw: RQ-2020-11-02-44

Any update as to why we sample this WBID as marine? It's perpetually fresh as far as I know.

Nathan

From: Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>
Sent: Thursday, November 5, 2020 11:57 AM
To: Schmuki, Heather <Heather.Schmuki@FloridaDEP.gov>; Mulkey, Nathan <Nathan.Mulkey@FloridaDEP.gov>
Subject: RE: RQ-2020-11-02-44

Thank you

Shawn D. Reaves
DEP-Lab Support
Environmental Specialist I
Office: 850-245-8082
Direct: 58082
Email: Shawn.Reaves@FloridaDEP.gov

From: Schmuki, Heather <Heather.Schmuki@FloridaDEP.gov>
Sent: Thursday, November 5, 2020 12:57 PM
To: Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>; Mulkey, Nathan

<Nathan.Mulkey@FloridaDEP.gov>

Subject: RE: RQ-2020-11-02-44

That is correct. We are asked to test this site as Marine.

Heather

From: Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>

Sent: Thursday, November 5, 2020 11:55 AM

To: Schmuki, Heather <Heather.Schmuki@FloridaDEP.gov>; Mulkey, Nathan <Nathan.Mulkey@FloridaDEP.gov>

Subject: RQ-2020-11-02-44

Good Afternoon,

Can you please verify the matrix for the site below.

Thanks

<image001.png>

Shawn D. Reaves

DEP-Lab Support

Environmental Specialist I

Office: 850-245-8082

Direct: 58082

Email: Shawn.Reaves@FloridaDEP.gov

Login Checklist

RQ-2020-11-02-44

Login Station ID: #4

Shipping Method: FedEx UPS HD | Greyhound

Date/Time of Receipt: 11/05/2020 @ 10:05

Shipping Method: FedEx GPO via Priority Mail									
*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1.2°C				8		x			NA

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

CONTAINER CHECK

Evidence Tape on Bottles? Yes ☐ No ☐ NA ☒ Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken? Yes ☐ No ☐ Containers intact? Yes ☒ No ☐

Caps on tight? Yes ☒ No ☐

Sufficient Sample Volume: Yes ☒ No ☐

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☒ Init: Tyler

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0? Yes ☒ No ☐ NA ☐ Init: Tyler

**W-1-4-DIOX (Green dot on container) preserved to pH<4.0? Yes ☐ No ☐ NA ☒ Init: Tyler

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: Tyler

Date: 11/05/2020 Event contains NCRs (Y/N)? None

Event ID: Eglin Run East
NW-DIST-2020-11-05-01 (SMP)

Date Received: 05-NOV-2020 10:05
Page 1 of 2, 06
RFF-4-3-1

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	#4 Temp Gun EXP:11/05/2020
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	231019 EXP:11/01/2022
Chlorine Test Strips	8261 EXP:07/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 11/4/2020
Customer: NW-DIST
RQ: RQ-2020-11-02-44
Collected By: Heather Schmuki, Nathan Mulkey
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Juniper Creek Upstream Of Eglin Rd 221 ✓	 G3NW0170
Turkey Creek Upstream Of Eglin Road 232	 G3NW0093
Eagle Creek Upstream Of Hwy 20 ✓	 G3NW0151
Little Rocky Creek Abv Eglin Rd 515	 G3NW0103
Titi Creek Above Sr 285	 G4NW0365

RELINQUISHED BY(SIGNATURE):

Heather Schmuki

DATE/TIME: 11/04/2020; 15:26

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Tyler

Rec'd/Inspected Date:

11/05/2020

CALIBRATION AND VERIFICATION LOG (DEP SOP FT 1200-FT 1500, TO 1900, 20, 4000)

Water ID: 155077

NO: 2020-1-02-44

Project: SMP

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for Depth)

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before verification.

Temperature (Quarterly) FT 3400

Date of Last Temperature Verification

10/13/20

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Bare meter mmHg	D.O. Chart mV/L	Meter D.O. mV/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	NM	11/4/20	0630	22.4	770	8.8	8.78	100.0			P / F	0 / 0
ICV	↓	↓	0630	↓	↓	↓	8.78	100.0			0 / 0	0 / 0
CCV	↓	↓	1515	24.3	761	8.5	8.46	100.1			0 / 0	0 / 0
CCV											P / F	0 / 0

DO Acceptance criteria from Table 1 0.1 mg/L

Rapid Pulse Sensors: DO Gain Range 0.7 to 1.4, DO Charge Range 25-75

Optical: DO gain range 0.85 to 1.15 (Pro OSS 0.75 to 1.50); DO charge N/A. Steady state & Galvanic Sensors: DO Gain & Charge N/A

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard µmhos/cm	Meter Reading µmhos/cm	Pass / Fail	Lab / Field
Calibr.	NM	11/4/20	1136	20124B	2/21	1000	1001	P / F	0 / 0
ICV	↓	↓	0640	20124A	2/21	100	104	0 / 0	0 / 0
CCV	↓	↓	1520	↓	↓	↓	↓	0 / 0	0 / 0
CCV								P / F	0 / 0

Conductivity Acceptance criteria ± 5%

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	NM	11/4/20	0645	201480	3/21	7	22.5	7.0		P / F	0 / 0
Calibr.	↓	↓	0645	201480	6/22	4	↓	4.0		P / F	0 / 0
Calibr.	↓	↓	0650	201473	8/22	10	↓	10.0		P / F	0 / 0
ICV	↓	↓	0655	201480	6/22	4.0	↓	38.5	116.6	0 / 0	0 / 0
CCV	↓	↓	1525	201482	3/21	7.0	21.8	6.34	72.10	0 / 0	0 / 0
CCV										P / F	0 / 0

pH Acceptance criteria ± 0.2 SU

mV pH 7 Range 0 to 50

mV pH 4 Range +100 ± 50

mV pH 10 Range -100 ± 50

If mV are recorded: slope from 7 to 10

slope from 4 to 7

both must be between 100 and 150 mV

Does meter have a depth sensor that will be used to measure total depth & sample depth?

YES

NO

N/A (will use pressure)

If YES, complete daily Calibr. & ICV below and list Date of last quarterly depth verification.

10/13/20

If NO, what will be used? Secchi Disk / Line / Sonar Unique ID: _____

Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 m Offset, meters)	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	NM	11/4/20	0700	0.00	0.00	0 / 0	0 / 0

Report two decimal places. Round numbers < 4 down; > 5 up. ICV acceptance criteria ± 5% or ± 0.05 m, whichever is greater.

COMMENTS:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ Yes / ☐ No

WIN Station Name: Titi Creek Above Sr 285 **Date:** 11/4/2020
WIN/Field ID: G4NW0365 **WBID:** 321 **ENR:** **Latitude:** 30.7021
County: WALTON **Org ID:** 21FLPNS **Longitude:** -86.3869
Receiving Body of Water: Pensacola **RQ:** 2020-11-02-44

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Heather Schmuki	x		x		
☒	Nathan Mulkey		x		x	x
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# 154179 (PRODSS)							
Photos: NO		Flow: FLOW		Tide:		Tide Times: High: Low:							
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:													
SBIO ID Numbers:													
Notes:													

Duplicate Sample

Time Zone: CEN	Time: N/A	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time: N/A	Field ID: N/A	(Blank Type_DDDMMYYYY)
DI Source: N/A	Location: N/A		
DI Type: N/A	Equipment ID: N/A		

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)



RQ-2020-11-02-44

Customer: WQAP

Project ID: SMP

Collected By: Heather Schmuki, Nathan Mulkey

Field Report Prepared By: Heather Schmuki

Sampling Agency: FDEP

Place Label Here						Comments:				
WIN ID/Field ID: 										
G4NW0365										
Location: Titi Creek Above Sr 285										
Matrix: Fresh						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
11/4/2020	10:08 CEN	9.93	94.4	13.5	4.41	0.3	0.8 ☒ VOB (S)	0.8	14.8	0.01
Central Lab please use top row for login purposes										
	CEN									
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☐ Ice ☐ H2SO4*		☐ <2		
		Lot #			Exp:					
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #			Exp:					
Filtered Nutrients (P125ML)		☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter				☐ Ice				
		Filter Lot #								
		Syringe Lot #								
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice				
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-504-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci ☐ Contract Lab				☒ Ice			1	C
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Name: Heather Schmuki Nathan Mulkey				Signature: 				Date: 11/04/2020		

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ Yes / ☐ No

WIN Station Name: Little Rocky Creek Abv Eglin Rd 515 **Date:** 11/4/2020
WIN/Field ID: G3NW0103 **WBID:** 476 **ENR:** **Latitude:** 30.5908
County: OKALOOSA **Org ID:** 21FLPNS **Longitude:** -86.4132
Receiving Body of Water: Choctawhatchee - St. Andrew **RQ:** 2020-11-02-44

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Heather Schmuki	☒	☒	☒		
☒	Nathan Mulkey		☒		☒	☒
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded					Meter ID# 154179 (PRODSS)							
Photos: NA	Flow: FLOW		Tide:		Tide Times: High: Low:							
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:												
SBIO ID Numbers:												
Notes:												

Duplicate Sample

Time Zone: CEN	Time: N/A	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time: N/A	Field ID: N/A	(Blank Type_DDMMYYYY)
DI Source: N/A	Location: N/A		
DI Type: N/A	Equipment ID: N/A		

LIMS EVENT ID: **WIN Import ID:**
Enter Field Parameters, Verify Station ID In LIMS DMT: **QC Station ID, Field Parameters In LIMS DMT:**
(Initials/Date) (Initials/Date)
Scan/Save Field Sheets **Migrate Data to WIN:** **Verify Data In WIN:**
(Initials/Date) (Initials/Date) (Initials/Date)



RQ-2020-11-02-44

Customer: WQAP

Project ID: SMP

Collected By: Heather Schmuki, Nathan Mulkey

Field Report Prepared By: Heather Schmuki

Sampling Agency: FDEP

Place Label Here						Comments:				
WIN ID/Field ID: 										
G3NW0103										
Location: Little Rocky Creek Abv Eglin Rd 515										
Matrix: Fresh						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
11/4/2020	10:32 CEN	9.87	95.6	14.5	4.72	0.15	0.3 ☒ VOB (S)	0.3	13.5	0
Central Lab please use top row for login purposes										
	CEN									
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☐ Ice ☐ H2SO4*		☐ <2		
		Lot #			Exp:					
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #			Exp:					
Filtered Nutrients (P125ML)		☐ W-P04-F ☐ Field Filtered 0.45 µm Filter				☐ Ice				
		Filter Lot #								
		Syringe Lot #								
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice				
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SQ4-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci ☐ Contract Lab				☒ Ice			1	C
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-M5				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ W-E8321-M5 ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Name: Heather Schmuki Nathan Mulkey				Signature: 				Date: 11/04/2020		

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ Yes / ☐ No

WIN Station Name: Eagle Creek Upstream Of Hwy 20 **Date:** 11/4/2020
WIN/Field ID: G3NW0151 **WBID:** 751 **ENR:** **Latitude:** 30.4638
County: WALTON **Org ID:** 21FLPNS **Longitude:** -86.3762
Receiving Body of Water: Choctawhatchee - St. Andrew **RQ:** 2020-11-02-44

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Heather Schmuki	x		x		
☒	Nathan Mulkey		x		x	x
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☒ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# 154179 (PRODSS)								
Photos: No	Flow: FLOW			Tide: FALLING		Tide Times: High: 12:06 Low: 10:44								
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:														
SBIO ID Numbers:														
Notes:														

Duplicate Sample

Time Zone: CEN	Time: N/A	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time: N/A	Field ID: N/A	(Blank Type_DMMMYYYY)
DI Source: N/A	Location: N/A		
DI Type: N/A	Equipment ID: N/A		

LIMS EVENT ID: WIN Import ID:
Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:
(Initials/Date) (Initials/Date)
Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:
(Initials/Date) (Initials/Date) (Initials/Date)



RQ-2020-11-02-44

Customer: WQAP

Project ID: SMP

Collected By: Heather Schmuki, Nathan Mulkey

Field Report Prepared By: Heather Schmuki

Sampling Agency: FDEP

Place Label Here						Comments:				
WIN ID/Field ID:  G3NW0151 Location: Eagle Creek Upstream Of Hwy 20										
Matrix: Marine						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
11/4/2020	11:17 CEN	6.47	62.2	14.1	4.83	0.25	0.5 ☒ VOB (S)	0.5	32.8	0.01
Central Lab please use top row for login purposes										
CEN										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	B
		Lot # Sa9354050		Exp: 12/20/20						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #		Exp:						
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	B
		Filter Lot # 17097890								
		Syringe Lot # 0079929								
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	B
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine) (P-1L)		☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☒ Ice			1	B
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☐ E Coli ☐ F Coli ☒ Enterococci ☐ Contract Lab				☒ Ice			1	B
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Name: Heather Schmuki Nathan Mulkey						Signature: 			Date: 11/04/2020	

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ Yes / ☐ No

WIN Station Name: Juniper Creek Upstream Of Eglin Rd 221

Date: 11/4/2020

WIN/Field ID: G3NW0170

WBID: 468

ENR:

Latitude: 30.608

County: OKALOOSA

Org ID: 21FLPNS

Longitude: -86.5228

Receiving Body of Water: Choctawhatchee - St. Andrew

RQ- 2020-11-02-44

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Heather Schmuki	☒	☐	☒	☐	☐
☒	Nathan Mulkey	☐	☒	☐	☒	☒
☐		☐	☐	☐	☐	☐
☐		☐	☐	☐	☐	☐

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☒ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded		Meter ID# 154179 (ProDSS)	
Photos: No	Flow: FLOW	Tide:	Tide Times: High: Low:
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:			
SBIO ID Numbers:			
Notes:			

Duplicate Sample

Time Zone: CEN	Time: N/A	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time: N/A	Field ID: N/A	(Blank Type_DDMMYYYY)
DI Source: N/A	Location: N/A		
DI Type: N/A	Equipment ID: N/A		

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)



RQ-2020-11-02-44

Customer: WQAP

Project ID: SMP

Collected By: Heather Schmuki, Nathan Mulkey

Field Report Prepared By: Heather Schmuki

Sampling Agency: FDEP

Place Label Here						Comments:				
WIN ID/Field ID: 										
G3NW0170										
Location: Juniper Creek Upstream Of Eglin Rd 221										
Matrix: Fresh						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
11/4/2020	11:57 CEN	9.27	96.7	18	5.16	0.2	0.4 ☒ VOB (S)	0.4	12.8	0
Central Lab please use top row for login purposes										
CEN										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	A
		Lot # Sa9354050		Exp: 12/20/20						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #		Exp:						
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	A
		Filter Lot # 17097890								
		Syringe Lot # 0079929								
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	A
Physical/Aggregate (Fresh) (P-1L)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice			1	A
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci ☐ Contract Lab				☒ Ice			1	A
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Name: Heather Schmuki Nathan Mulkey						Signature: 			Date: 11/04/2020	

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ Yes / ☐ No

WIN Station Name: Turkey Creek Upstream Of Eglin Road 232 Date: 11/4/2020

WIN/Field ID: G3NW0093 WBID: 495 ENR: Latitude: 30.562

County: OKALOOSA Org ID: 21FLPNS Longitude: -86.5363

Receiving Body of Water: Choctawhatchee - St. Andrew RQ- 2020-11-02-44

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Heather Schmuki	☒		☒		
☒	Nathan Mulkey		☒		☒	☒
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded	Meter ID# 154179 (ProDSS)
--	---------------------------

Photos: NO	Flow: FLOW	Tide:	Tide Times: High: Low:
------------	------------	-------	------------------------

Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:

SBIO ID Numbers:

Notes:

Duplicate Sample			
Time Zone: CEN	Time: N/A	Field ID: N/A	(WIN ID_DUP)

WIN DMT Activity ID:

Blank	
Time Zone: Time: N/A	Field ID: N/A (Blank Type_DDMMYYYY)
DI Source: N/A	Location: N/A
DI Type: N/A	Equipment ID: N/A

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)



RQ-2020-11-02-44

Customer: WQAP

Project ID: SMP

Collected By: Heather Schmuki, Nathan Mulkey

Field Report Prepared By: Heather Schmuki

Sampling Agency: FDEP

Place Label Here						Comments:				
WIN ID/Field ID:  G3NW0093										
Location: Turkey Creek Upstream Of Eglin Road 232										
Matrix: Fresh						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
11/4/2020	12:17 CEN	9.35	95.1	16.8	4.84	0.3	1.3 ☒ VOB (S)	1.3	13.5	0
Central Lab please use top row for login purposes										
CEN										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☐ Ice ☐ H2SO4*		☐ <2		
		Lot #		Exp:						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #		Exp:						
Filtered Nutrients (P125ML)		☐ W-P04-F ☐ Field Filtered 0.45 µm Filter				☐ Ice				
		Filter Lot #								
		Syringe Lot #								
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice				
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice			1	C
		☐ Contract Lab								
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Name: Heather Schmuki Nathan Mulkey				Signature: 				Date: 11/04/2020		

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 103–110

Laboratory: Wetlands Research Laboratory

Zurbrugg's initials AAA

Page 5 of 9

OrderType: 11/4/70 1363

Date/Time 11/24/2020 11:53

Instructions: Fill in all information. Lab #10 on survey form must be completed. Each sample container must use a separate line. Place the Spill in a waterproof bag and place it with the samples for transport. If a spill is in other Spill or Sample, a separate line is required. Only the vehicle used in the Spill, and the Ag or CUA, attached.

RG-2010-11-02-44

Contact: janet@fdepr.com FDEP

Address: 150 Government Center, Suite 302, Pensacola, FL 32502

Contact name: Heather Johnson

10.1.28 / 103

DATE: _____

Presiding Judge: J. J. ...

Environmental Technology

TestAmerica Laboratories, Inc. 8036 E. Smith Trail, Meriden, CT 06450

[illegible]

Date of Request: 20-OCT-2020
 Created By: KING_M On: 20-OCT-2020
 Modified By: JASROTIA_P On: 20-OCT-2020
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Event Description: Eglin Run East

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King
 Cooler Ship EMail: Michael.king@dep.state.fl.us

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 20-OCT-2020
 Biology Request Reviewed By: JASROTIA_P On: 20-OCT-2020
 Sampling Kit Required: YES Ship on: 29-OCT-2020
 Sampling Kit Shipped: YES On: 29-OCT-2020
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 04-NOV-2020
 Logged In By:

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch
 Report Notification EMail:
 Michael.king@dep.state.fl.us;cheryl.bunch@dep.state.fl.us

Comments: Group A: Freshwater
 (WBID 658) Nutrients, Contract Lab Bacteria

 Group B: Marine
 (WBID 751) Nutrients, Contract Lab Bacteria

 Group C: Freshwater
 (WBID 476, 445, 321, 321, 495) Contract Lab Bacteria

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
NW-TA-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by MF by Test America in Pensacola
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola

Bottle Group C (Water) With 4 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 4	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colliert-18/QT by UWF in Pensacola