

Biological Analysis Report

WAS-SECT-2020-03-17-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **NWQI - Alligator Creek**
Request ID: **RQ-2020-03-02-48**
Customer: **WAS-SECT**
Project ID: **NWQI**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Curtis Musson

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Jacqueline Savage - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Jacqueline Savage, Environmental Administrator

Date Certified: 14-APR-2020 07:55

A handwritten signature in black ink that reads "Jackie Savage". The signature is written in a cursive, flowing style.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Pine Barn Creek At Woodrest Rd.

Collection Date/Time: 03/17/2020 12:25

Field ID: G3WA0011

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165892	SM 10200 H (mod.)	Chlorophyll-a, Corrected	37		ug/L	P381549	
		Phaeophytin-a	1.8	U	ug/L	P381549	
		Chlorophyll-a, Uncorrected	39		ug/L	P381549	
2165900	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	17.1		MPN/100 mL	P380921	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Alligator Creek Upstream Of Bentley Rd.

Collection Date/Time: 03/17/2020 10:45

Field ID: G3WA0004

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165893	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.6	U	ug/L	P381549	
		Phaeophytin-a	1.8	U	ug/L	P381549	
		Chlorophyll-a, Uncorrected	1.8	I	ug/L	P381549	
2165901	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	73.3		MPN/100 mL	P380921	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Unnamed Creek At Woodrest Rd.

Collection Date/Time: 03/17/2020 12:50

Field ID: G3WA0010

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165894	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.1	I	ug/L	P381549	
		Phaeophytin-a	4.4	I	ug/L	P381549	
		Chlorophyll-a, Uncorrected	6.9		ug/L	P381549	
2165902	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1553.0		MPN/100 mL	P380921	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Unnamed Creek At Palmview Rd.

Collection Date/Time: 03/17/2020 13:25

Field ID: G3WA0013

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165895	SM 10200 H (mod.)	Chlorophyll-a, Corrected	6.2		ug/L	P381645	
		Phaeophytin-a	4.4	I	ug/L	P381645	
		Chlorophyll-a, Uncorrected	9.1		ug/L	P381645	
2165903	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	111.9		MPN/100 mL	P380921	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Minnow Creek At Lovewood Rd.

Collection Date/Time: 03/17/2020 09:40

Field ID: G3WA0008

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165890	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.9	I	ug/L	P381549	

Field ID: G3WA0008

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165890	SM 10200 H (mod.)	Phaeophytin-a	1.8	U	ug/L	P381549	
		Chlorophyll-a, Uncorrected	3.0	I	ug/L	P381549	
2165898	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	123.6		MPN/100 mL	P380921	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Alligator Creek Upstream Of SR 273

Collection Date/Time: 03/17/2020 10:10

Field ID: G3WA0005

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165891	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.3	I	ug/L	P381549	
		Phaeophytin-a	2.2	I	ug/L	P381549	
		Chlorophyll-a, Uncorrected	4.7		ug/L	P381549	
2165899	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	178.9		MPN/100 mL	P380921	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Little Alligator Creek At SR 273

Collection Date/Time: 03/17/2020 11:20

Field ID: G3WA0006

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165896	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.9	I	ug/L	P381645	
		Phaeophytin-a	2.3	I	ug/L	P381645	
		Chlorophyll-a, Uncorrected	4.5		ug/L	P381645	
2165904	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	63.0		MPN/100 mL	P380921	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Scurlock Creek At Pilgrim Rd.

Collection Date/Time: 03/17/2020 11:50

Field ID: G3WA0009

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165897	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.4	I	ug/L	P381645	
		Phaeophytin-a	7.1		ug/L	P381645	
		Chlorophyll-a, Uncorrected	8.8		ug/L	P381645	
2165905	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	185.0		MPN/100 mL	P380921	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P381549

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P381549

Component	Result	Code	Units
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P381645

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray
Batch ID: P380921

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P381549

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	98.4		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P381645

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	98.7		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P381549

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2166292	Chlorophyll-a, Corrected	9.56	Sample	P	0 - 25
2166292	Chlorophyll-a, Uncorrected	9.55	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P381645

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2166492	Chlorophyll-a, Corrected	0.447	Sample	P	0 - 25
2166492	Chlorophyll-a, Uncorrected	0.449	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SM 9223 Quanti-Tray
Batch ID: P380921

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2165343	Escherichia Coli-Quanti-Tray	36.3	Sample	P	0 - 80

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	98.4			9.56	
	Chlorophyll-a, Corrected	98.7			0.447	
	Chlorophyll-a, Uncorrected				9.55	
	Chlorophyll-a, Uncorrected				0.449	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				36.3	

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2165890, 2165891, 2165892, 2165893, 2165894, 2165895, 2165896, 2165897
SM 9223 Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2165898, 2165899, 2165900, 2165901, 2165902, 2165903, 2165904, 2165905

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	03/17/2020	03/18/2020 14:51	Yuliya Danyuk	03/27/2020 06:46	Jessica Fetgatter	2165890, 2165891, 2165892, 2165893, 2165894
	03/17/2020	03/18/2020 14:51	Yuliya Danyuk	03/30/2020 08:43	Jessica Fetgatter	2165895, 2165896, 2165897
SM 9223 Quanti-Tray	03/17/2020	03/17/2020 16:44	Jessica Sherman	03/18/2020 11:42	Jessica Sherman	2165898, 2165899, 2165900, 2165901, 2165902, 2165903, 2165904, 2165905