Login Checklist

RQ- 2021-03-01-23

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 4/ 2 /21 @ 9:33

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO_3	Formalin		Yes	No	Yes	No	
-0.4				10		✓			9293 8010 4269
0.3				10		✓			9293 8009 7399

COOLER CHECK

***All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.**

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____
- If coolers or samples are received late; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

CONTAINER CHECK

Evidence Tape on Bottles? Yes ____ No ____ NA ✓ Evidence Tape intact? Yes ____ No ____

If Criminal, photographs taken? Yes ____ No ____ Containers intact? Yes ✓ No ____

Caps on tight? Yes ✓ No ____

Sufficient Sample Volume: Yes ✓ No ____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? *(Blue dot on container)* Yes ✓ No ____ Init: KH

Chlorine detected? *(One container checked per Field ID)* Yes ____ No ✓ Init: KH

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK *(EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")*

**Acid Preserved Samples: pH< 2.0? Yes____No____ NA ✓ Init: KH

**W-1-4-DIOX *(Green dot on container)* preserved to pH<4.0? Yes____No____ NA ✓ Init: KH

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KH **Date:** 4/ 2 /21 **Event contains NCRs (Y/N)?** N

Event ID: LSJR South West 2021
NE-DIST-2021-04-02-02 (SMP)
Date Received: 02-APR-2021 09:33

Login Checklist

Login Preservation Equipment	Lot # & Exp: Date
Infrared Thermometer ID:	IR TEMP GUN #5 EXP:10-28-21
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#210620 EXP:4-15-23
Chlorine Test Strips	Lot#0261 EXP:5-23

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ Init:_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 4/1/2021
Customer: NE-DIST
RQ: RQ-2021-03-01-23

Collected By: Jeremy Parrish, Kelly McDonald
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
LITTLE BLACK CREEK AT SR 220	20030667
LITTLE BLACK CREEK AT SR 220	20030667
FB	FB_03162021 KM *FB barcode is incorrect. FB_03162021 is correct.
Little Black Creek at Tuscarora	G2NE1158
~~BULL CR SW CROSSING CR 215~~ KM	~~20030480~~ KM

RELINQUISHED BY(SIGNATURE): Kelly A McDonald **DATE/TIME:** 4/1/2021 1600

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: MK **Rec'd/Inspected Date:** 4.2.21/0933

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: DesI RQ: 2021-04-05-25 Project: LSSR SW BIO

Notes: (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400 Date of Last Temperature Verification 2/15/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	JPamsh	4/1/21	845	22.8	762.5	8.7	8.7	100.3	—	1.059	P / F	L / F
ICV	J	4/1/21	846	22.8	762.5	8.6	8.63	100.3	—	J	P / F	L / F
CCV	JPamsh	4/1/21	1503	20.8	762.8	9.0	8.91	99.6	—	J	P / F	L / F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L. **Rapid-Pulse Sensors:** DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.
Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. **Steady-state & Galvanic Sensors:** DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard µmhos/cm	Meter Reading µmhos/cm	Pass / Fail	Lab / Field
Calibr.	JPamsh	4/1/21	847	201222B	1/22	1000	1000	P / F	L / F
ICV	J	J	848	201222A	1/22	100	103	P / F	L / F
CCV	JPamsh	4/1/21	1504	200902C	9/21	1413	1405	P / F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria ± 5%

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	JPamsh	4/1/21	849	2010F27	10/22	7.	23.4	7.01	4.36	P / F	L / F
Calibr.	J	J	850	2010C31	9/22	4.	23.3	4.00	34.7	P / F	L / F
Calibr.	J	J		2012797	5/22	10.	23.2	10.02	-216.4	P / F	L / F
ICV	J	J		2010F27	10/22	4.6	23.4	7.95	136.8	P / F	L / F
CCV	JPamsh	4/1/21		2012797	5/22	10.	23.0	10.05	214.3	P / F	L / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50; mV pH 4 Range +180 ± 50; mV pH 10 Range -180 ± 50;
If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)
If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____
If NO, what will be used? (circle one) **Secchi Disk Line / Sonar** Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	JPamsh	4/1/21	855	0.00	0.02	P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria ± 5 % or ± 0.05m, whichever is greater.

COMMENTS:

Form effective August 1, 2018

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End of Day CCV
[Yes] / No

WIN Station Name: LITTLE BLACK CREEK AT SR 220 **Date:** 4/1/2021

WIN/Field ID: 20030667 **WBID:** 2368 **ENR:** - **Latitude:** 30.1051

County: CLAY **Org ID:** 21FLA **Longitude:** -81.8023

Receiving Body of Water: Lower St. Johns **RQ-** 2021-03-01-23

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
[x] Jeremy Parrish		x		x	x
[x] Kelly McDonald	x		x		
[ ]					
[ ]					

Sampling Equipment

- [x] Sample Container
- [ ] Dipper
- [ ] Syringe
- [ ] Carboy
- [ ] Van Dorn
- [x] Pole

Depth measured with: Meter
Secchi Equipment ID:

Collection Method

- [x] **Wading**
- [ ] **From Shore**
- [ ] **Other** _____
- [ ] **Canoe/Kayak**
- [ ] **Electric Motor**
- [ ] **Gasoline Motor**

Water Level: [x] Normal [ ] Low [ ] High [ ] Dry [ ] Pooled [ ] Flooded

Meter ID# DESI

Photos: No **Flow:** FLOW **Tide:** FALLING **Tide Times:** High: Low: 1115

Biological Samples Collected: [x] None [ ] HA [ ] SCI [ ] RPS [ ] Algae ID [ ] LVS [ ] LVI Other:

SBIO ID Numbers:

Notes:

Duplicate Sample

Time Zone: EST **Time:** **Field ID:** N/A (WIN ID_DUP)

WIN DMT Activity ID:

Blank

Time Zone: EST **Time:** 1020 **Field ID:** FB_03162021 (Blank Type_DDMMYYYY)

DI Source: Neroc **Location:** Black creek at us220

DI Type: FB **Equipment ID:**

DI Container (Name/ID): Carboy **DI Container Type:** Carboy

LIMS EVENT ID: **WIN Import ID:**

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) **QC Station ID, Field Parameters In LIMS DMT:** (Initials/Date)

Scan/Save Field Sheets (Initials/Date) **Migrate Data to WIN:** (Initials/Date) **Verify Data In WIN:** (Initials/Date)

RQ-2021-03-01-23
Customer: WQAP
Project ID: SMP

Collected By: Jeremy Parrish, Kelly McDonald
Field Report Prepared By: Jeremy Parrish
Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID: 20030667

Location: LITTLE BLACK CREEK AT SR 220

Comments: Microbiology sample(s) submitted to contract laboratory

Matrix: Fresh

(Check one) ☒ GRAB ☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTh)
4/1/2021	1005 EST	3.87	43.7	21.3	6.3	0.3	0.5 ☐ VOB (S)	1.1	160.8	0.08
							Central Lab please use top row for login purposes			
	EST									

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # Exp:	☐ Ice ☐ H_2SO_4*	☐ <2		
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD Lot # Exp:	☐ Ice ☐ HNO_3*	☐ <2		
Filtered Nutrients (P125ML)	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter Filter Lot # Syringe Lot #	☐ Ice			
Chlorophyll (BP-1L)	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci ☒ Contract Lab	☒ Ice		1	A
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	☒ W-E8321-DI ☒ WE8321-MS ☒ W-PSNP-TQ ☒ W-CT-CL-R ☒ W-PCL-SQ-R ☒ W-CARB-AA (5 ml of MCAA** Buffer Solution) ☒ W-DIELDRIN	☒ Ice		10	A
Phytoplankton/Periphyton	☐ DTM-QL-C ☐ PEN-QL-C ☐ DTY-QN-C ☐ PKD-QN-C ☐ DTM-QN-C ☐ PRN-QN-C ☐ PKD-QN-BV	☐ Ice			

Name: Jeremy Parrish, Kelly McDonald

Signature: Kelly A McDonald

Date: 4/1/2021

*2.0 ml of Preservative used unless noted otherwise.
**MCAA: Monochloroacetic acid buffer solution

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End of Day CCV: [Yes] / No

WIN Station Name: Little Black Creek at Tuscarora **Date:** 4/1/2021

WIN/Field ID: G2NE1158 **WBID:** 2368 **ENR:** - **Latitude:** 30.0979

County: CLAY **Org ID:** 21FLA **Longitude:** -81.7947

Receiving Body of Water: Lower St. Johns **RQ-** 2021-03-01-23

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
[x] Jeremy Parrish		x		x	x
[x] Kelly McDonald	x		x		
[ ]					
[ ]					

Sampling Equipment

- [x] Sample Container
- [ ] Dipper
- [ ] Syringe
- [ ] Carboy
- [ ] Van Dorn
- [x] Pole

Depth measured with: Meter

Secchi Equipment ID:

Collection Method

- [x] **Wading**
- [ ] **From Shore**
- [ ] **Other** _____
- [ ] **Canoe/Kayak**
- [ ] **Electric Motor**
- [ ] **Gasoline Motor**

Water Level: [X] Normal [ ] Low [ ] High [ ] Dry [ ] Pooled [ ] Flooded

Meter ID# DESI

Photos: No **Flow:** FLOW **Tide:**

Tide Times: High: Low:

Biological Samples Collected: [X] None [ ] HA [ ] SCI [ ] RPS [ ] Algae ID [ ] LVS [ ] LVI Other:

SBIO ID Numbers:

Notes:

Duplicate Sample

Time Zone: EST **Time:** _____ **Field ID:** N/A (WIN ID_DUP)

WIN DMT Activity ID: _____

Blank

Time Zone: _____ **Time:** _____ **Field ID:** _____ (Blank Type_DDMMYYYY)

DI Source: _____ **Location:** _____

DI Type: _____ **Equipment ID:** _____

DI Container (Name/ID): **DI Container Type:**

LIMS EVENT ID: _____ **WIN Import ID:** _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) **QC Station ID, Field Parameters In LIMS DMT:** _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) **Migrate Data to WIN:** _____ (Initials/Date) **Verify Data In WIN:** _____ (Initials/Date)

RQ- 2021-03-01-23
Customer: WQAP
Project ID: SMP

Collected By: Jeremy Parrish, Kelly McDonald
Field Report Prepared By: Jeremy Parrish, Kelly McDonald
Sampling Agency: FDEP

BLANK

KM

Field ID: FB_03162021

Comments:
*Barcode is incorrect. FB_03162021 is correct.

Matrix: FB

(Check one) ☐ COMPOSITE ☒ GRAB

Date	Time
4/1/2021	1020 EST

DI Source: Neroc

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H2SO4	☐ <2		
	Lot #	Exp:			
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ H2SO4	☐ <2		
	Lot #	Exp:			
Filtered Nutrients (P125ML)	☐ W-PO4-F Filter ☐ Field Filtered 0.45 µm	☐ Ice			
	Filter Lot #				
	Syringe Lot #				
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-IC / TDS	☐ Ice			
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	☒ W-E8321-DI ☒ WE8321-MS ☒ W-PSNP-TQ ☒ W-CT-CL-R ☒ W-PCL-SQ-R ☒ W-CARB-AA (5 ml of MCAA** Buffer Solution) ☒ W-DIELDRIN	☒ Ice		10	C

Name:	Signature:	Date:
Jeremy Parrish Kelly McDonald	Kelly A McDonald	4/1/2021

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

RQ-2021-03-01-23
Customer: WQAP
Project ID: SMP

Collected By: Jeremy Parrish, Kelly McDonald
Field Report Prepared By: Jeremy Parrish
Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID: G2NE1158

Location: Little Black Creek at Tuscarora

Comments: Microbiology sample(s) submitted to contract laboratory

Matrix: Fresh

(Check one) ☒ GRAB ☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTh)
4/1/2021	1035 EST	3.49	39.6	21.5	6.37	0.3	0.5 ☐ VOB (S)	1.17	161	0.08
							Central Lab please use top row for login purposes			
	EST									

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # Exp:	☐ Ice ☐ H_2SO_4*	☐ <2		
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD Lot # Exp:	☐ Ice ☐ HNO_3*	☐ <2		
Filtered Nutrients (P125ML)	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter Filter Lot # Syringe Lot #	☐ Ice			
Chlorophyll (BP-1L)	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci ☒ Contract Lab	☒ Ice		1	B
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI, WE8321-MS, W-PSNP-TQ, W-CT-CL-R, W-PCL-SQ-R, W-CARB-AA (5 ml of MCAA** Buffer Solution), W-DIELDRIN	☐ Ice			
Phytoplankton/Periphyton	DTM-QL-C, PEN-QL-C, DTY-QN-C, PKD-QN-C, DTM-QN-C, PRN-QN-C, PKD-QN-BV	☐ Ice			

Name: Jeremy Parrish, Kelly McDonald

Signature: Kelly A McDonald

Date: 4/1/2021

*2.0 ml of Preservative used unless noted otherwise.
**MCAA: Monochloroacetic acid buffer solution

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

SR #

ALS Contact: Mandy Sullivan

ALS Environmental
9143 Philips Highway, Suite 200 Jacksonville, FL 32256 / Ph(904) 739-2277 / FAX (904) 739-2011

Client Name	Project Number
FDEP-NE ROC	RO-2021- 03-01-23
Report To	**Report CC**
Dep-Overflowmicro@dep.state.fl.us	
Company/Address	
8800 Baymeadows Way W Jacksonville, Fl 32256	
Phone #	**FAX #**
904-256-1700	
Sampler's Signature	**Sampler's Printed Name**
KellyamcDonald	Kelly McDonald

ANALYSIS REQUESTED (Include Method Number and Container Preservative)

CLIENT SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	Matrix	NUMBER OF CONTAINERS	E.Coli	Enterococci	REMARKS
					Preserval	8	8	
20030607		4/1	1005	SW	x	1		Fresh
G2NE1158		4/1	1035	SW	x	1		Fresh

Preservative Key: 0. None; 1. HCL; 2. HNO3; 3. H2SO4; 4. NaOH; 5. Zn. Acetate; 6. MeOH; 7. NaHSO4; 8. ICE

Special Instructions/Comments: Email Report to: Dep-Overflowmicro@dep.state.fl.us

0.0

TURNAROUND REQUIREMENTS
- ___ RUSH (SURCHARGES APPLY)
- X STANDARD

REQUESTED FAX DATE: N/A

REQUESTED REPORT DATE: N/A

REPORT REQUIREMENTS
- I. Results Only
- II. Results + QC Summaries (LCS, DUP, MS/MSD as required)
- III. Results + QC and Calibration Summaries
- IV. Data Validation Report with Raw Data

Edata ___ Yes ___ No

INVOICE INFORMATION

PO #

Bill to:

Relinquished By	Received By	Relinquished By	Received By	Relinquished By	Received By
Signature: KellyamcDonald	Signature: [illegible]	Signature	Signature	Signature	Signature
Printed Name: Kelly McDonald	Printed Name: Valerie Spears	Printed Name	Printed Name	Printed Name	Printed Name
Firm: FDEP NEROC	Firm: ALS	Firm	Firm	Firm	Firm
Date/Time: 4/1/21 1425	Date/Time: 4/1/21 1425	Date/Time	Date/Time	Date/Time	Date/Time

RQ-2021-03-01-23

Date of Request: 05-FEB-2021
Created By: PARRISH_J On: 05-FEB-2021
Modified By: JASROTIA_P On: 19-FEB-2021
Customer: NE-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Northeast District
Event Description: LSJR South West 2021

Send Coolers To:

Phone: 904-256-1700
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 19-FEB-2021
Biology Request Reviewed By: JASROTIA_P On: 19-FEB-2021
Sampling Kit Required: NO Ship on:
Sampling Kit Shipped: YES On: 16-FEB-2021
Sampling Kit Packed By: KLUG_K
Preservatives Needed: NO
Date to Receive Samples: 01-MAR-2021
Logged In By: BAKER_A On: 19-MAR-2021

Send Final Report To:

8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Report Notification EMail: Jeremy.M.Parrish@dep.state.fl.us

Comments: Group A: (Surf.Fresh) Pesticides, Bacteria
Group B:(Surf.Fresh) Bacteria
Group C:(Blank)Pesticides

NE-ALS-ECQ

Packing Notes:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE
NE-ALS-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE
W-CT-Cl-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-DIELDRIN Template: DEFAULT (EPA 8270E) Dieldrin (ultra low level) in water matrices by GC/MS/MS
W-PCL-SQ-R Template: DFLT-MINUS (EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS-SIM
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE
W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
W-PSNP-TQ Template: DEFAULT (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 3 Preserved With: ICE
NE-ALS-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville

Bottle Group C (Water) With 1 Samples:

Bottle Type: BG-1L Number of Bottles: 2 Preserved With: ICE
W-PSNP-TQ Template: DEFAULT (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE

Bottle Group C (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE	
W-CT-CI-R	Template: DEFAULT	(EPA 8276)	Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-DIELDRIN	Template: DEFAULT	(EPA 8270E)	Dieldrin (ultra low level) in water matrices by GC/MS/MS
W-PCL-SQ-R	Template: DFLT-MINUS	(EPA 8270E)	Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE	
W-E8321-DI	Template: DEFAULT	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.