RQ-2021-03-01-23

Date of Request: 05-FEB-2021
Created By: PARRISH_J On: 05-FEB-2021
Modified By: JASROTIA_P On: 19-FEB-2021
Customer: NE-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Northeast District
Event Description: LSJR South West 2021

Send Coolers To:

Phone: 904-256-1700
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 3
Event Status: A
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 19-FEB-2021
Biology Request Reviewed By: JASROTIA_P On: 19-FEB-2021
Sampling Kit Required: NO Ship on:
Sampling Kit Shipped: YES On: 16-FEB-2021
Sampling Kit Packed By: KLUG_K
Preservatives Needed: NO
Date to Receive Samples: 01-MAR-2021
Logged In By:

Send Final Report To:

8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Report Notification EMail: Jeremy.M.Parrish@dep.state.fl.us

Comments: Group A: (Surf.Fresh) Pesticides, Bacteria
Group B:(Surf.Fresh) Bacteria
Group C:(Blank)Pesticides

NE-ALS-ECQ

Packing Notes:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE
NE-ALS-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE
W-CT-CI-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-DIELDRIN Template: DEFAULT (EPA 8270E) Dieldrin (ultra low level) in water matrices by GC/MS/MS
W-PCL-SQ-R Template: DFLT-MINUS (EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS-SIM
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE
W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
W-PSNP-TQ Template: DEFAULT (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 3 Preserved With: ICE
NE-ALS-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville

Bottle Group C (Water) With 1 Samples:

Bottle Type: BG-1L Number of Bottles: 2 Preserved With: ICE
W-PSNP-TQ Template: DEFAULT (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE

Bottle Group C (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE	
W-CT-CI-R	Template: DEFAULT	(EPA 8276)	Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-DIELDRIN	Template: DEFAULT	(EPA 8270E)	Dieldrin (ultra low level) in water matrices by GC/MS/MS
W-PCL-SQ-R	Template: DFLT-MINUS	(EPA 8270E)	Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE	
W-E8321-DI	Template: DEFAULT	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.