Login Checklist

RQ-2021-06-23-20

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 7/1/21 @ 9:15

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO_3	Formalin		Yes	No	Yes	No	
4.3				17		✓			9293 8013 4938

COOLER CHECK

***All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.**

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____
- If coolers or samples are received late; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

CONTAINER CHECK

Evidence Tape on Bottles? Yes ____ No ____ NA ✓ Evidence Tape intact? Yes ____ No ____

If Criminal, photographs taken? Yes ____ No ____ Containers intact? Yes ✓ No ____

Caps on tight? Yes ✓ No ____

Sufficient Sample Volume: Yes ✓ No ____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? *(Blue dot on container)* Yes ✓ No _____ Init: KK

Chlorine detected? *(One container checked per Field ID)* Yes _____ No ✓ Init: KK

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK *(EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")*

**Acid Preserved Samples: pH< 2.0? Yes____No____ NA ✓ Init: KK

**W-1-4-DIOX *(Green dot on container)* preserved to pH<4.0? Yes____No____ NA ✓ Init: KK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KK **Date:** 7/1/21 **Event contains NCRs (Y/N)?** N

Event ID: Suwannee Central NE-DIST-2021-07-01-02 (SMP) Date Received: 01-JUL-2021 09:15

Login Checklist

Login Preservation Equipment	Lot # & Exp: Date
Infrared Thermometer ID:	IR TEMP GUN #5 EXP:10-28-21
pH Test Strips 0 – 6	Lot#210620 EXP:4-15-23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#210620 EXP:4-15-23
Chlorine Test Strips	Lot#0261 EXP:5-23

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ Init:_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 6/30/2021
Customer: NE-DIST
RQ: RQ-2021-06-28-20

Collected By: Kimberly Appleby,Jessica Lee
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
CANNON CREEK @ CR 341 (SISTERS WELCOME RD.)	21030090
CANNON CR @ S WARD ST	21030016FLA

RELINQUISHED BY(SIGNATURE):

DATE/TIME: 6/30/2021 1600EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: KK

Rec'd/Inspected Date: 7.1.21/0915

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Stitch RQ- 2021-06-28-20 Project: SMP Suwannee Central

Notes: (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400 Date of Last Temperature Verification 5/17/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J. Lee	6/30/21	0720	21.1	766.6	9.0	8.84	100.7	–	1.03	P / F	L / F
ICV			0722	21.3	765.6	8.9	8.91	100.6	–	1.03	P / F	L / F
CCV			1324	22.7	764.9	8.7	8.69	100.8	–	1.03	P / F	L / F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L. **Rapid-Pulse Sensors:** DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.
Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. **Steady-state & Galvanic Sensors:** DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard µmhos/cm	Meter Reading µmhos/cm	Pass / Fail	Lab / Field
Calibr.	J. Lee	6/30/21	0725	210426B	5/22	1000	1000	P / F	L / F
ICV			0727	210426A	5/22	100	103.4	P / F	L / F
CCV			1327	210426C	5/22	1413	1398	P / F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria ± 5%

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J. Lee	6/30/21	0730	2012E39	12/22	7.02	20.8	7.02	-24.5	P / F	L / F
Calibr.			0732	2103G59	3/23	4.00	21.0	4.00	152.2	P / F	L / F
Calibr.			0733	2103F53	9/22	10.04	21.2	10.04	-196.5	P / F	L / F
ICV			0735	2103G59	3/23	4.00	21.0	4.00	151.6	P / F	L / F
CCV			1329	2103F53	9/22	10.04	21.4	10.05	-198.0	P / F	L / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50; mV pH 4 Range +180 ± 50; mV pH 10 Range -180 ± 50;
If mV are recorded: slope from 7 to 10 172, slope from 4 to 7 176.7 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)
If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 5/17/21
If NO, what will be used? (circle one) **Secchi Disk Line / Sonar** Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J. Lee	6/30/21	0736	0.00	0.00	P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria ± 5 % or ± 0.05m, whichever is greater.

COMMENTS:

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End of Day CCV
Yes / No

WIN Station Name: CANNON CREEK @ CR 341 (SISTERS WELCOME RD.) **Date:** 6/30/2021

WIN/Field ID: 21030090 **WBID:** 3520 **ENR:** - **Latitude:** 30.1588

County: COLUMBIA **Org ID:** 21FLA **Longitude:** -82.67

Receiving Body of Water: Suwannee **RQ-** 2021-06-28-20

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
[x] Kimberly Appleby	x		x		
[x] Jessica Lee		x		x	
[ ]					
[ ]					

Sampling Equipment

- [x] Sample Container
- [ ] Dipper
- [ ] Syringe
- [ ] Carboy
- [ ] Van Dorn
- [x] Pole

Depth measured with: Meter

Secchi Equipment ID:

Collection Method

- [ ] Wading
- [x] From Shore
- [ ] Other
- [ ] Canoe/Kayak
- [ ] Electric Motor
- [ ] Gasoline Motor

Water Level: [ ] Normal [ ] Low [x] High [ ] Dry [ ] Pooled [ ] Flooded

Meter ID# STITCH

Photos: No **Flow:** FLOW **Tide:**

Tide Times: High: Low:

Biological Samples Collected: [x] None [ ] HA [ ] SCI [ ] RPS [ ] Algae ID [ ] LVS [ ] LVI Other:

SBIO ID Numbers:

Notes:

CODE R FOR RECENT, HIGHER WATER LEVEL THEN NORMAL, AND HIGHER FLOW. WEATHER: PARTLY CLOUDY 80S.

Duplicate Sample

Time Zone: EST **Time:** **Field ID:** N/A (WIN ID_DUP)

WIN DMT Activity ID:

Blank

Time Zone: **Time:** **Field ID:** (Blank Type_DDMMYYYY)

DI Source: **Location:**

DI Type: **Equipment ID:**

DI Container (Name/ID): **DI Container Type:**

LIMS EVENT ID: **WIN Import ID:**

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) **QC Station ID, Field Parameters In LIMS DMT:** (Initials/Date)

Scan/Save Field Sheets (Initials/Date) **Migrate Data to WIN:** (Initials/Date) **Verify Data In WIN:** (Initials/Date)

RQ-2021-06-28-20
Customer: WQAP
Project ID: SMP

Collected By: Kimberly Appleby, Jessica Lee
Field Report Prepared By: Kimberly Appleby
Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID: 21030090

Location: CANNON CREEK @ CR 341 (SISTERS WELCOME RD.)

Comments: Microbiology sample(s) submitted to contract laboratory

Matrix: Fresh

(Check one) ☒ GRAB ☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTh)
	945 EST	6.78	81	24.3	7.24	0.1	0.18 ☒ VOB (S)	0.18	142.5	0.07
6/30/2021							Central Lab please use top row for login purposes			
	EST									

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # Exp:	☐ Ice ☐ H_2SO_4*	☐ <2		
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD Lot # Exp:	☐ Ice ☐ HNO_3*	☐ <2		
Filtered Nutrients (P125ML)	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter Filter Lot # Syringe Lot #	☐ Ice			
Chlorophyll (BP-1L)	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC Formalin Lot #	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci ☒ Contract Lab	☒ Ice		1	B
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI; WE8321-MS; W-PSNP-TQ; W-CT-CL-R; W-PCL-TQ-R; W-CARB-AA (5 ml of MCAA** Buffer Solution)	☒ Ice		2	B
Phytoplankton/Periphyton	DTY-QN-C; PKD-QN-BV	☐ Ice			

Name: Kimberly Appleby, Jessica Lee
Signature: Kimberly Appleby
Date: 6/30/21

*2.0 ml of Preservative used unless noted otherwise.
**MCAA: Monochloroacetic acid buffer solution

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End of Day CCV
Yes / No

WIN Station Name: CANNON CR @ S WARD ST **Date:** 6/30/2021

WIN/Field ID: 21030016FLA **WBID:** 3520 **ENR:** - **Latitude:** 30.1303

County: COLUMBIA **Org ID:** 21FLA **Longitude:** -82.65

Receiving Body of Water: Suwannee **RQ-** 2021-06-28-20

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
[x] Kimberly Appleby	x		x		
[x] Jessica Lee		x		x	
[ ]					
[ ]					

Sampling Equipment

- [x] Sample Container
- [ ] Dipper
- [ ] Syringe
- [ ] Carboy
- [ ] Van Dorn
- [x] Pole

Depth measured with: Meter

Secchi Equipment ID:

Collection Method

- [ ] **Wading**
- [x] **From Shore**
- [ ] **Other** _____
- [ ] **Canoe/Kayak**
- [ ] **Electric Motor**
- [ ] **Gasoline Motor**

Water Level: [ ] Normal [ ] Low [x] High [ ] Dry [ ] Pooled [ ] Flooded

Meter ID# STITCH

Photos: No **Flow:** FLOW **Tide:**

Tide Times: High: Low:

Biological Samples Collected: [x] None [ ] HA [ ] SCI [ ] RPS [ ] Algae ID [ ] LVS [ ] LVI Other:

SBIO ID Numbers:

Notes:

CODE R FOR RECENT, HIGHER WATER LEVEL THEN NORMAL, AND HIGHER FLOW. WEATHER: PARTLY CLOUDY 80S.

Duplicate Sample

Time Zone: EST **Time:** _____ **Field ID:** N/A (WIN ID_DUP)

WIN DMT Activity ID: _____

Blank

Time Zone: _____ **Time:** _____ **Field ID:** _____ (Blank Type_DDMMYYYY)

DI Source: _____ **Location:** _____

DI Type: _____ **Equipment ID:** _____

DI Container (Name/ID): **DI Container Type:**

LIMS EVENT ID: _____ **WIN Import ID:** _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) **QC Station ID, Field Parameters In LIMS DMT:** _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) **Migrate Data to WIN:** _____ (Initials/Date) **Verify Data In WIN:** _____ (Initials/Date)

RQ-2021-06-28-20
Customer: WQAP
Project ID: SMP

Collected By: Kimberly Appleby, Jessica Lee
Field Report Prepared By: Kimberly Appleby
Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID: 21030016FLA

Location: CANNON CR @ S WARD ST

Comments: Microbiology sample(s) submitted to contract laboratory

Matrix: Fresh

(Check one) ☒ GRAB ☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTh)
	1005 EST	7.27	88.6	25.4	7.5	0.15	0.33 ☒ VOB (S)	0.33	133.9	0.06
6/30/2021							Central Lab please use top row for login purposes			
	EST									

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # Exp:	☐ Ice ☐ H_2SO_4*	☐ <2		
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD Lot # Exp:	☐ Ice ☐ HNO_3*	☐ <2		
Filtered Nutrients (P125ML)	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter Filter Lot # Syringe Lot #	☐ Ice			
Chlorophyll (BP-1L)	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC Formalin Lot #	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci ☒ Contract Lab	☒ Ice		1	B
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI; WE8321-MS; W-PSNP-TQ; X; W-CT-CL-R W-PCL-TQ-R; W-CARB-AA (5 ml of MCAA** Buffer Solution)	☒ Ice		2	B
Phytoplankton/Periphyton	DTY-QN-C PKD-QN-BV	☐ Ice			

Name: Kimberly Appleby, Jessica Lee

Signature: Kimberly Appleby

Date: 6/30/21

*2.0 ml of Preservative used unless noted otherwise.
**MCAA: Monochloroacetic acid buffer solution

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

SR #

ALS Contact: Mandy Sullivan

ALS Environmental
9143 Philips Highway, Suite 200 Jacksonville, FL 32256 / Ph(904) 739-2277 / FAX (904) 739-2011

Suwannee Leg #1

Client Name	Project Number
FDEP-NE ROC	RQ-2021-06-28-20
Report To	**Report CC**
Dep-Overflowmicro@dep.state.fl.us	
Company/Address	
8800 Baymeadows Way W Jacksonville, Fl 32256	
Phone #	**FAX #**
904-256-1700	
Sampler's Signature	**Sampler's Printed Name**
	J. Lep

ANALYSIS REQUESTED (Include Method Number and Container Preservative)

CLIENT SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	Matrix	NUMBER OF CONTAINERS	E.Coli	Enterococci	Preservative	REMARKS
21030090		6/30/21	0945	SW	1	X			Fish
21030016		1	1005		1	X			Fish

Preservative Key: 0. None; 1. HCL; 2. HNO3; 3. H2SO4; 4. NaOH; 5. Zn. Acetate; 6. MeOH; 7. NaHSO4; 8. ICE

Special Instructions/Comments: Email Report to: Dep-Overflowmicro@dep.state.fl.us

0.2

TURNAROUND REQUIREMENTS
- ___ RUSH (SURCHARGES APPLY)
- X STANDARD

REQUESTED FAX DATE
N/A

REQUESTED REPORT DATE
N/A

REPORT REQUIREMENTS
- I. Results Only
- II. Results + QC Summaries (LCS, DUP, MS/MSD as required)
- III. Results + QC and Calibration Summaries
- IV. Data Validation Report with Raw Data

Edata ___ Yes ___ No

INVOICE INFORMATION
P.O. # B10739
Bill to:

Relinquished By	Received By	Relinquished By	Received By	Relinquished By	Received By
Signature	Signature	Signature	Signature	Signature	Signature
Printed Name: J. Lep	Printed Name: Chet Weigand	Printed Name	Printed Name	Printed Name	Printed Name
Firm: FDEP	Firm: ALS	Firm	Firm	Firm	Firm
Date/Time: 6/30/21 1215	Date/Time: 6/30/21 1219	Date/Time	Date/Time	Date/Time	Date/Time

RQ-2021-06-28-20

Date of Request: 27-MAY-2021
Created By: PARRISH_J On: 27-MAY-2021
Modified By: JASROTIA_P On: 28-MAY-2021
Customer: NE-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Northeast District
Event Description: Suwannee Central

Send Coolers To:

Phone: 904-256-1700
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 27-MAY-2021
Biology Request Reviewed By: JASROTIA_P On: 28-MAY-2021
Sampling Kit Required: YES Ship on: 18-JUN-2021
Sampling Kit Shipped: YES On: 16-JUN-2021
Sampling Kit Packed By: REYNOLDS_T
Preservatives Needed: NO
Date to Receive Samples: 28-JUN-2021
Logged In By:

Send Final Report To:

8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Report Notification EMail: Jeremy.M.Parrish@dep.state.fl.us

Comments: Group A: (Surf-fresh)Nutrients, CT-CLR,Bacteria

Group B: (Surf fresh)CT-CLR, Bacteria

NE-ALS-ECQ
Packing Notes:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE

NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville

Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE

W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML — Number of Bottles: 1 — Preserved With: ICE And H2SO4

W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML — Number of Bottles: 1 — Preserved With: FILTER-ICE

W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-250ML-WI-THI — Number of Bottles: 2 — Preserved With: ICE

NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville

Bottle Type: BG-500ML — Number of Bottles: 4 — Preserved With: ICE

W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization