

Shipping Method: **FedEx** | UPS | HD | Greyhound

Date/Time of Receipt: 04/27/2021 @ 9:25

[illegible]

COOLER CHECK

- *All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.**
- If the temperature of a cooler exceeds 6.0 °C (above 10.0 °C for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
 - DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
 - If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____
 - If coolers or samples are received late; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ✓ No

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☒ No ☐ Init: Tyler

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: Tyler K

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH< 2.0?**

Yes _____ No _____ NA X Init: Tyler

**W-1-4-DIOX (Green dot on container) preserved to pH<4.0? Yes _____ No _____ NA X Init: Tyler

Yes _____ No _____ NA X Init: Tyler

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: Tyler Reynolds

Date: 04/27/2021

Event contains NCRs (Y/N)? *No*

Event ID: _____ Gee Creek
CEN-DIST-2021-04-27-04 (SMP)
Page 1 of 2, 06/15/2021 Date Received: 27-APR-2021 09:25
BIOLOGY

Page 1 of 2, 06/15/2022 Date Received: 27-APR-2022 BIOLOGY

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	#4 Temp Gun EXP:10/28/2021
pH Test Strips 0 – 6	N/A
pH Paper 0 – 3	N/A
pH Paper 0 – 13	210620 EXP:04/15/2023
Chlorine Test Strips	0261 EXP:05/2023

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



RQ-2021- 04-12-13
Customer: CEN-DIST
Project ID: SMP

Collected By: Cheyenne Hammell, Michelle Shelton
 Field Report Prepared By: C. Hammell, M. Shelton
 Sampling Agency: Seminole County

WIN ID / Field ID →

Gee Creek @ SR
 Hwy 419



G2CE0075

Comments:

Matrix: Fresh / Marine

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
04/26/2021	1045	6.92	79.1	21.92	7.50	0.1m		0.6m	276.6	—
EST / CST							☒ VOB (S)			

Central Lab please use top row for login purposes

EST / CST										

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / ☐ W-NO2NO3 / ☐ W-TKN / ☐ W-TOC / ☐ W-S-A-TP	☐ Ice ☐ H2SO4*	☐ <2		
	Lot # _____ Exp: _____				
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD	☐ Ice ☐ HNO3*	☐ <2		
	Lot # _____ Exp: _____				
Filtered Nutrients (P125ML)	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
	Filter Lot # _____ Syringe Lot # _____				
Chlorophyll (BP-1L)	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice		1	A
	☐ Contract Lab				
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3	☐ Ice			
	☐ PCR-GULL2 ☐ PCR-GFD ☐ See Notes				
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	☐ W-E8321-DI ☐ W-E8321-MS ☐ W-PSNP-TQ ☒ W-CT-CL-R	☒ Ice		4	B
	☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				

Name: Shannon WetzelSignature: Shannon WetzelDate: 4/26/21

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Tyler Reynolds 04/26/2021
 09:26



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Gee Creek @ SR Hwy 419

Date: 04/26/2021
(mm/dd/yyyy)

WIN/ Field ID: G2CE0075

WBID: 2994A

Latitude: 28.70359344
(Decimal Degrees)

County: Seminole

ORG ID: 21FLCEN

Longitude: -81.2905439
(Decimal Degrees)

Receiving Body of Water: Middle St. Johns

RQ-2021-04-12-13

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Michelle Shelton					
Sharon Netzel	X				
Cheyenne Hammell		X			

Sampling Equipment	
☐ Sample Container	☐ Van Dorn
☐ Syringe	☐ Pole
☐ Dipper	☒ Other DIRECT GRAB
Depth Measured with YSI EXO SONDE	
Equipment ID 599501-00	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☒ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded		Meter ID# YSI EXO 599501-00 (NO NAME)	
Photos: Yes / No	Flow: No Flow / Flowing / NA	Tide: Rising/ Falling/ Slack/ NA	Tide Times: High Low
Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes:			

Duplicate Sample

Time Zone: EST CEN	Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____		

Blank

Time Zone: EST CEN	Time: _____	Field ID: _____ (Blank Type_DDMMYYYY)
DI Source: _____	Location: _____	
☐ Field Blank	☐ Equipment Blank	☐ Field Cleaned Equipment Blank
Equipment ID: _____		

CEROC -DO NOT ENTER FIELD DATA INTO LIMS

LIMS EVENT ID: _____ WIN Import ID: _____
Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____
(Initials/Date) (Initials/Date)

Scan/Save Field Sheets _____ Migrate Data to WIN: _____ Verify Data In WIN: _____
(Initials/Date) (Initials/Date) (Initials/Date)

Printed: 4/27/2021 10:36:47 AM

Page 1 of 1

Date of Request: 05-MAR-2021
Created By: BOMAN_L On: 05-MAR-2021
Modified By: JASROTIA_P On: 18-MAR-2021
Customer: CEN-DIST
Project: SMP
Division:
District: Central District
Event Description: Gee Creek

Send Coolers To:

Phone: 407-897-4178
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Natalie Ayala
Cooler Ship EMail: natalie.ayala@dep.state.fl.us

Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 17-MAR-2021
Biology Request Reviewed By: JASROTIA_P On: 18-MAR-2021
Sampling Kit Required: YES Ship on: 02-APR-2021
Sampling Kit Shipped: YES On: 29-MAR-2021
Sampling Kit Packed By: SHAIK_A
Preservatives Needed: NO
Date to Receive Samples: 12-APR-2021
Logged In By:

Send Final Report To:

FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Kalina Warren
Report Notification EMail: natalie.ayala@dep.state.fl.us

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-250ML-WO-THI Number of Bottles: 1 Preserved With: ICE
ECOLI-18QT Template: DEFAULT (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE
W-CT-CI-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

