

Biological Analysis Report

SO-DIST-2021-01-12-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Sanders Laboratories
10090 Bavaria Road
Ft. Myers, FL 33913
DOH Accreditation E85457

Event Description: **2021 SMP: Tri-County Fair**
Request ID: **RQ-2021-01-11-33**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Chris Hormuth

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Lauren Gottfried - Aquatic Toxicity
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 04-FEB-2021 08:26



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Drainage Ditch @ Cr 850

Collection Date/Time: 01/11/2021 12:10

Field ID: G1SD0061

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2218338	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.0		ug/L	P392411	
		Phaeophytin-a	2.2	I	ug/L	P392411	
		Chlorophyll-a, Uncorrected	4.5		ug/L	P392411	
2218352	Colilert-18	Escherichia Coli-Quanti-Tray	387		MPN/100 mL		

Sample Location: Oak Creek @ Kentucky St.

Collection Date/Time: 01/11/2021 13:40

Field ID: G1SD0116

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2218354	Colilert-18	Escherichia Coli-Quanti-Tray	980		MPN/100 mL		

Sample Location: C-139 Annex @ Deer Fence Canal Rd

Collection Date/Time: 01/11/2021 11:00

Field ID: G1SD0076

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2218339	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.6		ug/L	P392411	
		Phaeophytin-a	1.4	I	ug/L	P392411	
		Chlorophyll-a, Uncorrected	4.6		ug/L	P392411	
2218353	Colilert-18	Escherichia Coli-Quanti-Tray	24.9		MPN/100 mL		

Sample Location: Oak Creek @ Oak Creek Preserve

Collection Date/Time: 01/11/2021 13:15

Field ID: G1SD0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2218337	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.0	I	ug/L	P392411	
		Phaeophytin-a	0.90	U	ug/L	P392411	
		Chlorophyll-a, Uncorrected	1.1	I	ug/L	P392411	
2218340	SOP-PCR-1.0	HF183-qPCR**	80	I	GEU/100 mL	P392217	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P392217	
	SOP-PCR-1.5	DG3-qPCR**	640	U	TSC/100 mL	P392217	
2218351	Colilert-18	Escherichia Coli-Quanti-Tray	1550		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P392411

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P392217

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.4
 Batch ID: P392217

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
 Batch ID: P392217

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
 Batch ID: P392411

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	105		P	84 - 116

Reference Method: SOP-PCR-1.0
 Batch ID: P392217

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	130	108	P/P	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P392217

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	98.1	58.8	P/P	50 - 175

Reference Method: SOP-PCR-1.5
 Batch ID: P392217

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	79.4	56.8	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P392217

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2218027	HF183-qPCR	108		P	50 - 175
2218028	HF183-qPCR	116	116	P/P	50 - 175
2218340	HF183-qPCR	130		P	50 - 175
2218923	HF183-qPCR	118		P	50 - 175
2219367	HF183-qPCR	124		P	50 - 175
2219368	HF183-qPCR	110		P	50 - 175
2219369	HF183-qPCR	109		P	50 - 175
2219514	HF183-qPCR	106		P	50 - 175
2220199	HF183-qPCR	101		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P392217

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2220200	HF183-qPCR	109		P	50 - 175
2220201	HF183-qPCR	110		P	50 - 175
2220202	HF183-qPCR	105		P	50 - 175
2220203	HF183-qPCR	99.6		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P392217

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2218027	BacR-qPCR	74.4		P	50 - 175
2218028	BacR-qPCR	87.5	82.7	P/P	50 - 175
2218340	BacR-qPCR	80.4		P	50 - 175
2218923	BacR-qPCR	88.5		P	50 - 175
2219367	BacR-qPCR	81.8		P	50 - 175
2219368	BacR-qPCR	79.8		P	50 - 175
2219369	BacR-qPCR	74.1		P	50 - 175
2219514	BacR-qPCR	66.6		P	50 - 175
2220199	BacR-qPCR	79.4		P	50 - 175
2220200	BacR-qPCR	76.9		P	50 - 175
2220201	BacR-qPCR	83.3		P	50 - 175
2220202	BacR-qPCR	72.3		P	50 - 175
2220203	BacR-qPCR	71.5		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P392217

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2218027	DG3-qPCR	85.5		P	50 - 175
2218028	DG3-qPCR	92.4	81.7	P/P	50 - 175
2218340	DG3-qPCR	95.2		P	50 - 175
2218923	DG3-qPCR	87.9		P	50 - 175
2219367	DG3-qPCR	85.2		P	50 - 175
2219368	DG3-qPCR	82.4		P	50 - 175
2219369	DG3-qPCR	80.2		P	50 - 175
2219514	DG3-qPCR	87.1		P	50 - 175
2220199	DG3-qPCR	84.1		P	50 - 175
2220200	DG3-qPCR	82.2		P	50 - 175
2220201	DG3-qPCR	91.3		P	50 - 175
2220202	DG3-qPCR	71.4		P	50 - 175
2220203	DG3-qPCR	80.4		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P392411

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2218288	Chlorophyll-a, Corrected	3.71	Sample	P	0 - 25
2218288	Chlorophyll-a, Uncorrected	3.23	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P392411

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2218288	Phaeophytin-a	1.12	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
 Batch ID: P392217

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2218028	HF183-qPCR	0.194	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
 Batch ID: P392217

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2218028	BacR-qPCR	5.52	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
 Batch ID: P392217

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2218028	DG3-qPCR	12.3	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2218340
 Field Sample ID: G1SD0050

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	104	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	118	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	104	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision	MS
								SMP	
SM 10200 H (mod.)	Chlorophyll-a, Corrected	105						3.71	
	Chlorophyll-a, Uncorrected							3.23	
	Phaeophytin-a							1.12	
SOP-PCR-1.0	HF183-qPCR	108	130	101	109	110			0.194
SOP-PCR-1.4	BacR-qPCR	58.8	98.1	105					5.52
				87.5 82.7 74.4					
				80.4					

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision	
							LCS	SMP
SOP-PCR-1.5	DG3-qPCR	56.8	79.4	92.4	81.7	85.5		
				95.2				
								12.3

Reference Method Descriptions

Method	Description	Associated Samples
Colilert-18	E. coli by Colilert-18/QT by Sanders in Fort Myers	2218351, 2218352, 2218353, 2218354
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2218337, 2218338, 2218339
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2218340
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2218340
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2218340

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Colilert-18	01/11/2021	01/11/2021 16:27		01/12/2021 11:05	Sanders-Fort Myers	2218351, 2218352, 2218353, 2218354
SM 10200 H (mod.)	01/12/2021	01/12/2021 13:29	Jessica Sherman	01/14/2021 09:38	Yuliya Danyuk	2218337, 2218338, 2218339
SOP-PCR-1.0	01/12/2021	01/12/2021 13:10	Lauren Campbell	01/21/2021 14:33	Lauren Campbell	2218340
SOP-PCR-1.4	01/12/2021	01/12/2021 13:10	Lauren Campbell	01/22/2021 09:00	Mailin Lopez	2218340
SOP-PCR-1.5	01/12/2021	01/12/2021 13:10	Lauren Campbell	01/22/2021 11:27	Mailin Lopez	2218340