

Biological Analysis Report

SO-DIST-2021-06-10-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Benchmark EnviroAnalytical, Inc. - North Port
1001 Corporate Avenue, Suite 102
North Port, FL 34289
DOH Accreditation E85086

Event Description: **2021 SMP : Sarasota Cricks**
Request ID: **RQ-2021-06-07-47**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: William Mullen

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 22-JUL-2021 13:15



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: South Creek near Legacy

Collection Date/Time: 06/09/2021 09:05

Field ID: G3SD0183

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2254369	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P399434	
	SOP-PCR-1.2	GULL2-qPCR**	1.2E+03	U	TSC/100 mL	P399434	LCS
	SOP-PCR-1.3	GFD-qPCR**	5.0E+03		TSC/100 mL	P399434	LCS
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P399434	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P399434	RPD
2254372	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	785		MPN/100 mL		

Sample Location: HatchettCreek@GroveStN

Collection Date/Time: 06/09/2021 10:00

Field ID: G3SD0194

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2254373	Enterolert/QT	Enterococci-Quanti-Tray	784		MPN/100 mL		

Sample Location: Hatchett Creek Tidal 1

Collection Date/Time: 06/09/2021 10:30

Field ID: G3SD0191

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2254374	Enterolert/QT	Enterococci-Quanti-Tray	4106		MPN/100 mL		

Sample Location: Hatchett Creek Tidal 2

Collection Date/Time: 06/09/2021 10:40

Field ID: G3SD0192

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2254375	Enterolert/QT	Enterococci-Quanti-Tray	2682		MPN/100 mL		

Sample Location: Hatchett Creek Tidal 3

Collection Date/Time: 06/09/2021 11:05

Field ID: G3SD0193

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2254376	Enterolert/QT	Enterococci-Quanti-Tray	3257		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0

Batch ID: P399434

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P399434

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.3
Batch ID: P399434

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P399434

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P399434

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P399434

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	64.7	163	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P399434

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	90.6	332	P/F	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P399434

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	208	118	F/P	50 - 175
GFD-qPCR	184	97.5	F/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P399434

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	82.5	77.5	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P399434

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	91.5	116	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P399434

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2253866	HF183-qPCR	63.2	65.7	P/P	50 - 175
2253867	HF183-qPCR	60.0		P	50 - 175
2253869	HF183-qPCR	64.1		P	50 - 175
2254322	HF183-qPCR	65.8		P	50 - 175
2254323	HF183-qPCR	56.7		P	50 - 175
2254369	HF183-qPCR	56.2		P	50 - 175
2254984	HF183-qPCR	41.7		F	50 - 175
2255119	HF183-qPCR	57.8		P	50 - 175
2255120	HF183-qPCR	58.3		P	50 - 175
2255168	HF183-qPCR	64.5		P	50 - 175
2255397	HF183-qPCR	63.7		P	50 - 175
2255628	HF183-qPCR	57.9		P	50 - 175
2256151	HF183-qPCR	63.4		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P399434

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2253866	GULL2-qPCR	74.0	65.2	P/P	50 - 300
2253869	GULL2-qPCR	83.0		P	50 - 300
2254322	GULL2-qPCR	80.5		P	50 - 300
2254323	GULL2-qPCR	63.6		P	50 - 300
2254369	GULL2-qPCR	65.7		P	50 - 300
2254984	GULL2-qPCR	43.5		F	50 - 300
2255168	GULL2-qPCR	69.4		P	50 - 300
2255397	GULL2-qPCR	71.7		P	50 - 300
2255628	GULL2-qPCR	71.5		P	50 - 300
2256151	GULL2-qPCR	55.3		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P399434

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2253866	GFD-qPCR	103	101	P/P	50 - 175
2253867	GFD-qPCR	94.1		P	50 - 175
2253869	GFD-qPCR	94.9		P	50 - 175
2254322	GFD-qPCR	95.9		P	50 - 175
2254323	GFD-qPCR	86.8		P	50 - 175
2254369	GFD-qPCR	103		P	50 - 175
2254984	GFD-qPCR	81.9		P	50 - 175
2255119	GFD-qPCR	87.2		P	50 - 175
2255120	GFD-qPCR	81.8		P	50 - 175
2255168	GFD-qPCR	106		P	50 - 175
2255397	GFD-qPCR	94.7		P	50 - 175
2255628	GFD-qPCR	94.7		P	50 - 175
2256151	GFD-qPCR	111		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P399434

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2253866	BacR-qPCR	75.7	63.0	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P399434

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2253867	BacR-qPCR	68.1		P	50 - 175
2253869	BacR-qPCR	78.4		P	50 - 175
2254322	BacR-qPCR	82.0		P	50 - 175
2254323	BacR-qPCR	65.3		P	50 - 175
2254369	BacR-qPCR	74.1		P	50 - 175
2254984	BacR-qPCR	59.4		P	50 - 175
2255119	BacR-qPCR	73.1		P	50 - 175
2255120	BacR-qPCR	54.6		P	50 - 175
2255168	BacR-qPCR	80.0		P	50 - 175
2255397	BacR-qPCR	72.9		P	50 - 175
2255628	BacR-qPCR	79.1		P	50 - 175
2256151	BacR-qPCR	66.9		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P399434

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2253866	DG3-qPCR	111	82.7	P/P	50 - 175
2253867	DG3-qPCR	83.4		P	50 - 175
2253869	DG3-qPCR	81.1		P	50 - 175
2254322	DG3-qPCR	76.4		P	50 - 175
2254323	DG3-qPCR	73.6		P	50 - 175
2254369	DG3-qPCR	79.1		P	50 - 175
2254984	DG3-qPCR	58.3		P	50 - 175
2255168	DG3-qPCR	81.1		P	50 - 175
2255397	DG3-qPCR	71.2		P	50 - 175
2255628	DG3-qPCR	73.2		P	50 - 175
2256151	DG3-qPCR	90.5		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P399434

Replicated		% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
Lab Sample	Component				
2253866	HF183-qPCR	3.01	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P399434

Replicated		% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
Lab Sample	Component				
2253866	GULL2-qPCR	13.4	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P399434

Replicated		% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
Lab Sample	Component				

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.3
 Batch ID: P399434

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2253866	GFD-qPCR	3.03	Spike	P	0 - 25
2259626	GFD-qPCR	16.1	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
 Batch ID: P399434

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2253866	BacR-qPCR	19.1	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
 Batch ID: P399434

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2253866	DG3-qPCR	30.2	Spike	F	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2254369
 Field Sample ID: G3SD0183

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	92.4	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	93.0	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	99.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	86.3	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	96.0	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SOP-PCR-1.0	HF183-qPCR	163	64.7	57.9	63.4	63.2			3.01
SOP-PCR-1.2	GULL2-qPCR	332	90.6	74.0	65.2	83.0			13.4
SOP-PCR-1.3	GFD-qPCR	208	97.5	184	103	101	94.1		3.03
SOP-PCR-1.4	BacR-qPCR	118	82.5		94.9				16.1
SOP-PCR-1.5	DG3-qPCR	77.5	82.5		75.7	63.0	68.1		19.1
					78.4				
		116	91.5		111	82.7	83.4		30.2
					81.1				

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by BEA South in North Port	2254373, 2254374, 2254375, 2254376
SM 9223 Quanti-Tray	E. coli by Colilert/QT by BEA South in North Port	2254372
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2254369
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2254369
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2254369
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2254369
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2254369

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	06/09/2021	06/09/2021 12:55		06/10/2021 13:16	Benchmark EnviroAnalytical in North Port	2254373, 2254374, 2254375, 2254376
SM 9223 Quanti-Tray	06/09/2021	06/09/2021 13:15		06/10/2021 13:30	Benchmark EnviroAnalytical in North Port	2254372
SOP-PCR-1.0	06/10/2021	06/10/2021 13:00	Amy M Gordon	06/29/2021 09:30	DeAsia Armster	2254369
SOP-PCR-1.2	06/10/2021	06/10/2021 13:00	Amy M Gordon	07/01/2021 12:06	DeAsia Armster	2254369
SOP-PCR-1.3	06/10/2021	06/10/2021 13:00	Amy M Gordon	07/01/2021 13:54	Mailin Lopez	2254369
SOP-PCR-1.4	06/10/2021	06/10/2021 13:00	Amy M Gordon	06/29/2021 14:54	DeAsia Armster	2254369
SOP-PCR-1.5	06/10/2021	06/10/2021 13:00	Amy M Gordon	06/30/2021 13:42	DeAsia Armster	2254369