Request Number: RQ-2021-04-05-22

Run 15

Florida Department of Environmental Protection
Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Project ID: SMP

Requester: Benjamin Paswater

Collected By: Ben Paswater, Kevin Grace

Field Report Prepared By: Ben Paswater

Sampling Agency: SWAQC

Location Field ID/WIN **G5SW0040** Site Name: **Lake Innisbrook**

☐ dms

☐ Comp ☐ Grab | Collection (comp begin or grab) Date Time 1020 Eastern Central | Composite end Date Time | Bottle Group(s) (See pg 2): A

Matrix (type, e.g., Salt, Fresh, etc): | Diss. Oxygen 1.03, 13.7% ☑ mg/L ☑ % sat | Total Res. Chlorine (mg/L)

Temp (C) 30.7 | pH 7.00 | Sample Depth 0.3 ☐ ft ☑ m | Sp. Conductance (umho/cm) 439.8

☐ dd ☐ dms | Salinity (ppt) | Comments: Secchi 1 Depth 1.4

Location Field ID/WIN **G5SW0081** Site Name: **Boggy Bayou South**

☐ dms

☐ Comp ☐ Grab | Collection (comp begin or grab) Date Time 1120 Eastern Central | Composite end Date Time | Bottle Group(s): B,C

Matrix (type, e.g., Salt, Fresh, etc): | Diss. Oxygen 4.60, 71.6 ☑ mg/L ☑ % sat | Total Res. Chlorine (mg/L)

Temp (C) 30.5 | pH 8.20 | Sample Depth 0.3 ☐ ft ☑ m | Sp. Conductance (umho/cm) 43642

☐ dd ☐ dms | Salinity (ppt) | Comments: Secchi: 1.1 VOB

Location Field ID/WIN **G5SW0080** Site Name: **Boggy Bayou North**

☐ dms

☐ Comp ☐ Grab | Collection (comp begin or grab) Date Time 1200 Eastern Central | Composite end Date Time | Bottle Group(s): B,C

Matrix (type, e.g., Salt, Fresh, etc): | Diss. Oxygen 4.11, 63.6 ☑ mg/L ☑ % sat | Total Res. Chlorine (mg/L)

Temp (C) 30.4 | pH 8.16 | Sample Depth 0.3 ☐ ft ☑ m | Sp. Conductance (umho/cm) 42263

☐ dd ☐ dms | Salinity (ppt) 29.98 | Comments: Secchi: 1.3 VOB

Location Field ID/WIN **G5SW0158** Site Name: **Salt Springs #1**

☐ dms

☐ Comp ☑ Grab | Collection (comp begin or grab) Date Time 1315 Eastern Central | Composite end Date Time | Bottle Group(s): B

Matrix (type, e.g., Salt, Fresh, etc): | Diss. Oxygen 3.90, 55.7% ☑ mg/L ☑ % sat | Total Res. Chlorine (mg/L)

Temp (C) 29.7 | pH 7.44 | Sample Depth 0.3 ☐ ft ☑ m | Sp. Conductance (umho/cm) 24496

☐ dd ☐ dms | Salinity (ppt) 14.79 | Comments: Secchi 1.0 VOB

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Ben Paswater	7/26/21 1700	Fed Ex	1		

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab**	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	**Enter Number of Bottles Sent to Lab**	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	3
	ALKALINITY TURBIDITY W-BR-IC W-F W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	3
	CHLSUITE-W						
Group: B	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab**	3
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
B	W-PO4-F	P-125ML	3		FILTER-ICE		3
C	SW-DOH-ENT	P-250ML-WI-THI	2		ICE		3

To Tally