

Biological Analysis Report

SW-DIST-2021-07-20-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Run 12**
Request ID: **RQ-2021-04-12-26**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 23-AUG-2021 16:58



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Reclaimed Mine Cut Lake SE

Collection Date/Time: 07/19/2021 10:20

Field ID: G3SW0074

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263276	SM 10200 H (mod.)	Chlorophyll-a, Corrected	6.9		ug/L	P401855	
		Phaeophytin-a	4.6	I	ug/L	P401855	
		Chlorophyll-a, Uncorrected	10		ug/L	P401855	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Wahnetta @ Riffle Ridge Rd.

Collection Date/Time: 07/19/2021 10:55

Field ID: G3SW0099

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263277	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	85.5	Q	MPN/100 mL	P402308	RPD

Sample Location: Wahnetta @ 4th Street

Collection Date/Time: 07/19/2021 11:20

Field ID: G3SW0098

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263278	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	41.4	Q	MPN/100 mL	P402308	RPD

Sample Location: Peace Canal @ 91 Mine Road

Collection Date/Time: 07/19/2021 11:50

Field ID: G3SW0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263279	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1.0	Q	MPN/100 mL	P402308	RPD
2263286	SOP-PCR-1.0	HF183-purified-qPCR**	280	UJ	TSC/100 mL	P401178	LCS, SUR
	SOP-PCR-1.2	GULL2-purified-qPCR**	300	UJ	TSC/100 mL	P401178	LCS, SUR
	SOP-PCR-1.3	GFD-qPCR**	720	UJ	TSC/100 mL	P402625	SUR
	SOP-PCR-1.4	BacR-purified-qPCR**	250	UJ	TSC/100 mL	P401178	LCS, SUR
	SOP-PCR-1.5	DG3-purified-qPCR**	210	UJ	TSC/100 mL	P401178	LCS, SUR

Ref. Method and Comment:

SOP-PCR-1.0: Precision data unavailable for HF183-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.2: Precision data unavailable for GULL2-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.3: Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.4: Precision data unavailable for BacR-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.5: Precision data unavailable for DG3-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P401855

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 9223 Quanti-Tray
Batch ID: P402308

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P401178

Component	Result	Code	Units
HF183-purified-qPCR	550	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P401178

Component	Result	Code	Units
GULL2-purified-qPCR	600	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P402625

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P401178

Component	Result	Code	Units
BacR-purified-qPCR	510	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P401178

Component	Result	Code	Units
DG3-purified-qPCR	430	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P401855

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	99.7		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P401178

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-purified-qPCR	99.3	16.1	P/F	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P401178

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.2
 Batch ID: P401178

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-purified-qPCR	99.0	15.5	P/F	50 - 300

Reference Method: SOP-PCR-1.3
 Batch ID: P402625

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	111	81.3	P/P	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P401178

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-purified-qPCR	89.6	13.1	P/F	50 - 175

Reference Method: SOP-PCR-1.5
 Batch ID: P401178

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-purified-qPCR	87.0	13.9	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P401178

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2261467	HF183-purified-qPCR	99.0		P	50 - 175
2263286	HF183-purified-qPCR	91.5		P	50 - 175
2267220	HF183-purified-qPCR	94.0		P	50 - 175

Reference Method: SOP-PCR-1.2
 Batch ID: P401178

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2263286	GULL2-purified-qPCR	76.1		P	50 - 300

Reference Method: SOP-PCR-1.3
 Batch ID: P402625

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2263286	GFD-qPCR	67.8		P	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P401178

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2261467	BacR-purified-qPCR	82.3		P	50 - 175
2263286	BacR-purified-qPCR	82.8		P	50 - 175
2267220	BacR-purified-qPCR	90.3		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.5
 Batch ID: P401178

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2261467	DG3-purified-qPCR	93.5		P	50 - 175
2263286	DG3-purified-qPCR	86.9		P	50 - 175
2267220	DG3-purified-qPCR	85.7		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 9223 Quanti-Tray
 Batch ID: P402308

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2263136	Escherichia Coli-Quanti-Tray	115	Sample	F	0 - 80
2263360	Escherichia Coli-Quanti-Tray	5.67	Sample	P	0 - 80

Reference Method: SOP-PCR-1.3
 Batch ID: P402625

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2266515	GFD-qPCR	10.2	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2263286
 Field Sample ID: G3SW0088

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	3.50	F	50 - 300
SOP-PCR-1.2	SKETA-qPCR	3.70	F	30 - 300
SOP-PCR-1.3	SKETA-qPCR	42.3	F	50 - 300
SOP-PCR-1.4	SKETA-qPCR	4.81	F	30 - 300
SOP-PCR-1.5	SKETA-qPCR	3.58	F	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP		MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	99.7								
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray							115	5.67	
SOP-PCR-1.0	HF183-purified-qPCR	16.1	99.3	99.0	91.5	94.0				
SOP-PCR-1.2	GULL2-purified-qPCR	15.5	99.0	76.1						
SOP-PCR-1.3	GFD-qPCR	81.3	111	67.8						10.2
SOP-PCR-1.4	BacR-purified-qPCR	13.1	89.6	82.3	82.8	90.3				
SOP-PCR-1.5	DG3-purified-qPCR	13.9	87.0	93.5	86.9	85.7				

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2263276
SM 9223 Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2263277, 2263278, 2263279
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2263286
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2263286
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2263286
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2263286
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2263286

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	07/20/2021	07/20/2021 14:38	Joel Wharton	07/29/2021 09:48	Jessica Fetgatter	2263276
SM 9223 Quanti-Tray	07/20/2021	07/20/2021 16:11	Jessica Fetgatter	07/21/2021 11:15	Jessica Fetgatter	2263277, 2263278, 2263279
SOP-PCR-1.0	07/20/2021	07/20/2021 14:35	DeAsia Armster	08/16/2021 11:51	DeAsia Armster	2263286
SOP-PCR-1.2	07/20/2021	07/20/2021 14:35	DeAsia Armster	08/17/2021 15:41	DeAsia Armster	2263286
SOP-PCR-1.3	07/20/2021	07/20/2021 14:35	Mailin Lopez	08/18/2021 08:53	Mailin Lopez	2263286
SOP-PCR-1.4	07/20/2021	07/20/2021 14:35	DeAsia Armster	08/17/2021 11:52	DeAsia Armster	2263286
SOP-PCR-1.5	07/20/2021	07/20/2021 14:35	DeAsia Armster	08/17/2021 10:11	DeAsia Armster	2263286