

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880 B95341

Client Information: FDEP

Address: 13051 N. Telecom Parkway
Tampa FL 33604
Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2021-08-01-14

Laboratory Submission #

41080038

Sample Name	Sample Type / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G3SM0097	SW	08/02/2021	10:55		250mL	P	Plain (on Ice)	E coli	1
G3SM0096	SW		11:15		250mL	P	Plain (on Ice)	E coli	2
G3SM0071	SW		11:40		250mL	P	Plain (on Ice)	E coli	3
G2SM0021	SW		12:55		250mL	P	Plain (on Ice)	E coli	4
G2SM0039	SW		13:15		250mL	P	Plain (on Ice)	E coli	5
G2SM0119	SW		13:55		250mL	P	Plain (on Ice)	Enteroc	6
G2SM0120	SW		14:25		250mL	P	Plain (on Ice)	Enteroc	7

¹ Sample Type¹ is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

² Sample Type² is used to indicate whether the sample was a grab (G) or whether it was a composite (C). "Container Type²" is used to indicate whether the container is a grab (G) or whether it was a composite (C).

³ Sample Type³ is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

⁴ Sample Type⁴ is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

¹ Each bottle has a label identifying sample ID, preservation, preservation contained in the bottle, sample type, amount (L), and parameters for analysis.

² The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.

³ All bottles not containing preservative may be mixed with appropriate sample prior to collection.

⁴ The client is responsible for documentation of the sample event. Please note: special sampling events on the sample usually form.

Laboratory Sample Acceptability:
Temperature: 3.8°C

1	Collected / Relinquished By:	Date	Time	Received By:	Date	Time
	<i>Frank Pappas</i>	08/02/21	14:37	<i>[Signature]</i>	8-2-21	14:37
2	Relinquished By:	Date	Time	Received By:	Date	Time