

Chemical Analysis Report

NE-DIST-2022-10-26-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Vilano Boat**
Request ID: **RQ-2022-10-24-31**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 17-NOV-2022 12:36

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line extending from the end of the name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: XIMANIES CR~ 1 MI UPSTRM OF MOUTH

Collection Date/Time: 10/25/2022 10:00

Field ID: 27010968

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2364958	EPA 180.1 Rev. 2.0	Turbidity	4.6		NTU	P421472	
	SM 2320 B-2011	Total Alkalinity	114		mg CaCO3/L	P421661	
	SM 2540 D-2015	TSS	11		mg/L	P421785	
	SM 4500-F- C-2011	Fluoride	1.1		mg F/L	P421665	
2364961	EPA 350.1 Rev. 2.0	Ammonia-N	0.010		mg N/L	P421683	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.45		mg N/L	P421641	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.011		mg N/L	P421718	
	EPA 365.1 Rev. 2.0	Total-P	0.035		mg P/L	P421568	
	SM 5310 B-2011	Organic Carbon	4.9		mg C/L	P422187	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

**Sample Location: SOMBRERO CREEK @ 1ST NORTH BEND
 ABOVE THE ICW**

Collection Date/Time: 10/25/2022 10:30

Field ID: 27010010

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2364959	EPA 180.1 Rev. 2.0	Turbidity	3.8		NTU	P421472	
	SM 2320 B-2011	Total Alkalinity	113		mg CaCO3/L	P421661	
	SM 2540 D-2015	TSS	6	I	mg/L	P421785	
	SM 4500-F- C-2011	Fluoride	1.1		mg F/L	P421665	
2364962	EPA 350.1 Rev. 2.0	Ammonia-N	0.011		mg N/L	P421683	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.56		mg N/L	P421641	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.012		mg N/L	P421718	
	EPA 365.1 Rev. 2.0	Total-P	0.038		mg P/L	P421568	
	SM 5310 B-2011	Organic Carbon	5.8		mg C/L	P422187	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: St. Augustine Inlet SE of Vilano Bt. Rmp.

Collection Date/Time: 10/25/2022 11:10

Field ID: G5NE0587

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2364956	EPA 180.1 Rev. 2.0	Turbidity	2.6		NTU	P421472	
	SM 2320 B-2011	Total Alkalinity	115		mg CaCO3/L	P421661	
	SM 2540 D-2015	TSS	6	I	mg/L	P421785	
	SM 4500-F- C-2011	Fluoride	1.2		mg F/L	P421665	
2364957	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P421683	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.26	I	mg N/L	P421694	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P421718	
	EPA 365.1 Rev. 2.0	Total-P	0.022		mg P/L	P421568	
	SM 5310 B-2011	Organic Carbon	3.4	I	mg C/L	P422187	
2364975	EPA 200.7 Rev. 4.4	Calcium	381		mg/L	P421663	
		Iron	150	I	ug/L	P421663	
		Magnesium	1.20E+03		mg/L	P421663	
		Strontium	7.09E+03		ug/L	P421663	
		Tin	12	U	ug/L	P421663	
		Titanium	10	I	ug/L	P421663	
		Vanadium	8.0	U	ug/L	P421663	
	EPA 200.8 Rev. 5.4	Zinc	20	U	ug/L	P421663	
		Aluminum	336		ug/L	P421663	
		Antimony	0.24	I	ug/L	P421663	
		Arsenic	2.43		ug/L	P421663	
		Beryllium	0.040	U	ug/L	P421663	
		Cadmium	0.080	U	ug/L	P421663	
		Chromium	1.6	U	ug/L	P421663	
		Cobalt	0.37		ug/L	P421663	
		Copper	1.6	U	ug/L	P421663	
		Lead	2.0	U	ug/L	P421663	
		Manganese	4.8		ug/L	P421663	
		Molybdenum	12.5		ug/L	P421663	
		Nickel	2.0	U	ug/L	P421663	
		Selenium	0.80	U	ug/L	P421663	
		Silver	0.040	U	ug/L	P421663	
		Thallium	1.0	U	ug/L	P421663	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 200.7 Rev. 4.4: Batch matrix spike recoveries for calcium, magnesium and strontium are unavailable because of high analyte concentration in the QC sample.

Sample Location: SALT RUN OFFSHORE FROM LIGHTHOUSE

Collection Date/Time: 10/25/2022 11:35

Field ID: 27010138

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2364960	EPA 180.1 Rev. 2.0	Turbidity	3.5		NTU	P421472	
	SM 2320 B-2011	Total Alkalinity	122		mg CaCO3/L	P421661	
	SM 2540 D-2015	TSS	15		mg/L	P421785	
	SM 4500-F- C-2011	Fluoride	1.2		mg F/L	P421665	
2364963	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P421683	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.45		mg N/L	P421694	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P421718	
	EPA 365.1 Rev. 2.0	Total-P	0.059		mg P/L	P421568	
	SM 5310 B-2011	Organic Carbon	4.9		mg C/L	P422187	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P421472

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P421663

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Strontium	2.0	U	ug/L
Tin	3.0	U	ug/L
Titanium	0.75	U	ug/L
Vanadium	2.0	U	ug/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P421663

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Beryllium	0.010	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Cobalt	0.020	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Manganese	0.10	U	ug/L
Molybdenum	0.15	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P421683

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P421641

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P421694

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P421718

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P421568

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P421661

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-2015
Batch ID: P421785

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P421665

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P422187

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P421472

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	102		P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P421663

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	102		P	85 - 115
Iron	105		P	85 - 115
Magnesium	102		P	85 - 115
Strontium	101		P	85 - 115
Tin	102		P	85 - 115
Titanium	101		P	85 - 115
Vanadium	101		P	85 - 115
Zinc	102		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P421663

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	98.7		P	85 - 115
Antimony	102		P	85 - 115
Arsenic	100		P	85 - 115
Beryllium	89.4		P	85 - 115
Cadmium	99.0		P	85 - 115
Chromium	98.2		P	85 - 115
Cobalt	101		P	85 - 115
Copper	97.7		P	85 - 115
Lead	96.1		P	85 - 115
Manganese	99.8		P	85 - 115
Molybdenum	97.9		P	85 - 115
Nickel	99.1		P	85 - 115
Selenium	98.2		P	85 - 115
Silver	101		P	85 - 115
Thallium	95.2		P	85 - 115

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P421683

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P421641

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P421694

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P421718

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P421568

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	106		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P421661

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	94 - 106

Reference Method: SM 2540 D-2015
Batch ID: P421785

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	98.1		P	85 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P421665

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.8		P	96 - 104

Reference Method: SM 5310 B-2011
Batch ID: P422187

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.3		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P421663

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2364573	Iron	101	99.8	P/P	70 - 130
2364573	Tin	78.7	81.6	P/P	70 - 130
2364573	Titanium	101	102	P/P	70 - 130
2364573	Vanadium	107	113	P/P	70 - 130
2364573	Zinc	97.7	99.0	P/P	70 - 130

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P421663

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2364573	Aluminum	115	118	P/P	70 - 130
2364573	Antimony	93.5	93.9	P/P	70 - 130
2364573	Arsenic	108	109	P/P	70 - 130
2364573	Beryllium	105	106	P/P	70 - 130
2364573	Cadmium	84.4	83.1	P/P	70 - 130
2364573	Chromium	90.3	90.6	P/P	70 - 130
2364573	Cobalt	121	122	P/P	70 - 130
2364573	Copper	115	117	P/P	70 - 130
2364573	Lead	100	102	P/P	70 - 130
2364573	Manganese	90.4	92.0	P/P	70 - 130
2364573	Molybdenum	112	113	P/P	70 - 130
2364573	Nickel	125	125	P/P	70 - 130
2364573	Selenium	92.4	93.8	P/P	70 - 130
2364573	Silver	86.9	86.5	P/P	70 - 130
2364573	Thallium	99.0	101	P/P	70 - 130

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P421683

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2364673	Ammonia-N	99.6	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P421641

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365100	Kjeldahl Nitrogen	90.4	98.1	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P421694

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365212	Kjeldahl Nitrogen	102	99.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Batch ID: P421718

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2364840	NO2NO3-N	104	104	P/P	90 - 110

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P421568

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2364841	Total-P	99.5	99.1	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P421665

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365150	Fluoride	97.5	98.2	P/P	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P422187

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2366264	Organic Carbon	90.0	91.7	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P421472

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2365325	Turbidity	12.2	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P421663

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2364573	Calcium	0.998	Spike	P	0 - 20
2364573	Iron	0.816	Spike	P	0 - 20
2364573	Magnesium	2.54	Spike	P	0 - 20
2364573	Strontium	0.0356	Spike	P	0 - 20
2364573	Tin	3.55	Spike	P	0 - 20
2364573	Titanium	1.01	Spike	P	0 - 20
2364573	Vanadium	5.27	Spike	P	0 - 20
2364573	Zinc	1.35	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P421663

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2364573	Aluminum	1.96	Spike	P	0 - 20
2364573	Antimony	0.368	Spike	P	0 - 20
2364573	Arsenic	1.02	Spike	P	0 - 20
2364573	Beryllium	0.881	Spike	P	0 - 20
2364573	Cadmium	1.59	Spike	P	0 - 20
2364573	Chromium	0.319	Spike	P	0 - 20
2364573	Cobalt	0.854	Spike	P	0 - 20
2364573	Copper	2.01	Spike	P	0 - 20
2364573	Lead	1.05	Spike	P	0 - 20
2364573	Manganese	1.60	Spike	P	0 - 20
2364573	Molybdenum	0.888	Spike	P	0 - 20
2364573	Nickel	0.688	Spike	P	0 - 20
2364573	Selenium	1.48	Spike	P	0 - 20
2364573	Silver	0.430	Spike	P	0 - 20
2364573	Thallium	1.98	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P421683

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2364673	Ammonia-N	0.572	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P421641

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2365100	Kjeldahl Nitrogen	7.48	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P421694

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2365212	Kjeldahl Nitrogen	1.68	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P421718

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2364840	NO2NO3-N	0.962	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P421568

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2364841	Total-P	0.403	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P421661

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2365150	Total Alkalinity	0.794	Sample	P	0 - 3.8

Reference Method: SM 4500-F- C-2011
Batch ID: P421665

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2365150	Fluoride	0.483	Spike	P	0 - 1.6

Reference Method: SM 5310 B-2011
Batch ID: P422187

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366264	Organic Carbon	1.38	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A115543

Included Lab Sample IDs: 2364956, 2364958, 2364959, 2364960

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: SM 2320 B-2011

Run ID: A115624

Included Lab Sample IDs: 2364956, 2364958, 2364959, 2364960

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.5	104	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A115624

Included Lab Sample IDs: 2364956, 2364958, 2364959, 2364960

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	103	104	P/P	90 - 110
Fluoride	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A115636

Included Lab Sample IDs: 2364957, 2364961, 2364962, 2364963

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.8	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A115637

Included Lab Sample IDs: 2364957, 2364961, 2364962, 2364963

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.6	99.7	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A115641

Included Lab Sample IDs: 2364975

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	97.9	96.9	P/P	90 - 110
Iron	96.9	92.6	P/P	90 - 110
Magnesium	96.7	92.6	P/P	90 - 110
Strontium	96.4	98.9	P/P	90 - 110
Tin	93.7	98.8	P/P	90 - 110
Titanium	95.3	99.8	P/P	90 - 110
Vanadium	96.6	98.7	P/P	90 - 110
Zinc	91.3	97.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A115654

Included Lab Sample IDs: 2364957, 2364961, 2364962, 2364963

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A115705

Included Lab Sample IDs: 2364975

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	103	103	P/P	90 - 110
Antimony	97.5	97.8	P/P	90 - 110
Arsenic	103	103	P/P	90 - 110
Beryllium	99.8	100	P/P	90 - 110
Cadmium	97.9	98.4	P/P	90 - 110
Chromium	95.3	95.8	P/P	90 - 110
Cobalt	104	104	P/P	90 - 110
Copper	102	103	P/P	90 - 110
Lead	95.7	97.1	P/P	90 - 110
Manganese	97.5	97.6	P/P	90 - 110
Molybdenum	98.9	99.5	P/P	90 - 110
Nickel	103	105	P/P	90 - 110
Selenium	99.7	101	P/P	90 - 110
Silver	100	101	P/P	90 - 110
Thallium	96.4	95.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A115712

Included Lab Sample IDs: 2364957, 2364963

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	109	105	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A115722

Included Lab Sample IDs: 2364961, 2364962

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	103	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A115847

Included Lab Sample IDs: 2364957, 2364961, 2364962, 2364963

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	93.4	95.6	P/P	90 - 110
Organic Carbon	98.6	93.4	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity	102				12.2	
EPA 200.7 Rev. 4.4	Calcium	102					0.998
	Iron	105	101	99.8			0.816
	Magnesium	102					2.54
	Strontium	101					0.0356
	Tin	102	78.7	81.6			3.55
	Titanium	101	101	102			1.01
	Vanadium	101	107	113			5.27
	Zinc	102	97.7	99.0			1.35
EPA 200.8 Rev. 5.4	Aluminum	98.7	115	118			1.96
	Antimony	102	93.5	93.9			0.368
	Arsenic	100	108	109			1.02
	Beryllium	89.4	105	106			0.881
	Cadmium	99.0	84.4	83.1			1.59
	Chromium	98.2	90.3	90.6			0.319
	Cobalt	101	121	122			0.854
	Copper	97.7	115	117			2.01
	Lead	96.1	100	102			1.05
	Manganese	99.8	90.4	92.0			1.60
	Molybdenum	97.9	112	113			0.888
	Nickel	99.1	125	125			0.688
	Selenium	98.2	92.4	93.8			1.48
	Silver	101	86.9	86.5			0.430
	Thallium	95.2	99.0	101			1.98
EPA 350.1 Rev. 2.0	Ammonia-N	98.8	99.6	100			0.572
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	99.8	90.4	98.1			7.48
	Kjeldahl Nitrogen	105	102	99.6			1.68
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	104	104			0.962
EPA 365.1 Rev. 2.0	Total-P	106	99.5	99.1			0.403
SM 2320 B-2011	Total Alkalinity	102				0.794	
SM 2540 D-2015	TSS	98.1					
SM 4500-F- C-2011	Fluoride	99.8	97.5	98.2			0.483
SM 5310 B-2011	Organic Carbon	98.3	90.0	91.7			1.38

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2364956, 2364958, 2364959, 2364960
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2364975
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2364975
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2364957, 2364961, 2364962, 2364963
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2364957, 2364961, 2364962, 2364963
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2364957, 2364961, 2364962, 2364963
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2364957, 2364961, 2364962, 2364963
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2364956, 2364958, 2364959, 2364960
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2364956, 2364958, 2364959, 2364960
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2364956, 2364958, 2364959, 2364960
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2364957, 2364961, 2364962, 2364963

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/26/2022			10/26/2022 14:20	Anna M. Plaviak	2364956
	10/26/2022			10/26/2022 14:21	Anna M. Plaviak	2364958, 2364959
	10/26/2022			10/26/2022 14:22	Anna M. Plaviak	2364960
EPA 200.7 Rev. 4.4	10/26/2022	10/31/2022 11:10	George D Taylor	10/31/2022 20:52	Betina Topolski	2364975
	10/26/2022	10/31/2022 11:10	George D Taylor	10/31/2022 21:00	Betina Topolski	2364975
EPA 200.8 Rev. 5.4	10/26/2022	10/31/2022 11:10	George D Taylor	11/02/2022 22:58	Emily M Philpot	2364975
	10/26/2022	10/31/2022 11:10	George D Taylor	11/03/2022 00:15	Emily M Philpot	2364975
EPA 350.1 Rev. 2.0	10/26/2022			10/31/2022 13:10	Ping Hua	2364957
	10/26/2022			10/31/2022 13:11	Ping Hua	2364961
	10/26/2022			10/31/2022 13:13	Ping Hua	2364962
	10/26/2022			10/31/2022 13:14	Ping Hua	2364963
EPA 351.2 Rev. 2.0	10/26/2022	10/31/2022 14:05	Samantha L Bates	11/03/2022 11:24	Samantha L Bates	2364961
	10/26/2022	10/31/2022 14:05	Samantha L Bates	11/03/2022 11:26	Samantha L Bates	2364962
	10/26/2022	11/01/2022 11:59	Alexandra J Mattheus	11/02/2022 15:13	Samantha L Bates	2364957
	10/26/2022	11/01/2022 11:59	Alexandra J Mattheus	11/02/2022 15:15	Samantha L Bates	2364963
EPA 353.2 Rev. 2.0	10/26/2022			11/01/2022 10:42	Beverly Y. Sanders	2364957
	10/26/2022			11/01/2022 10:44	Beverly Y. Sanders	2364961
	10/26/2022			11/01/2022 10:45	Beverly Y. Sanders	2364962
	10/26/2022			11/01/2022 10:46	Beverly Y. Sanders	2364963
EPA 365.1 Rev. 2.0	10/26/2022	10/28/2022 12:34	Adam P Silver	10/31/2022 12:21	Simonne.V. Calhoun	2364957
	10/26/2022	10/28/2022 12:34	Adam P Silver	10/31/2022 12:22	Simonne.V. Calhoun	2364961, 2364962
	10/26/2022	10/28/2022 12:34	Adam P Silver	10/31/2022 12:23	Simonne.V. Calhoun	2364963
SM 2320 B-2011	10/26/2022			10/28/2022 03:47	Dale L. Simmons	2364956
	10/26/2022			10/28/2022 03:59	Dale L. Simmons	2364958
	10/26/2022			10/28/2022 04:12	Dale L. Simmons	2364959
	10/26/2022			10/28/2022 04:24	Dale L. Simmons	2364960
SM 2540 D-2015	10/26/2022			10/28/2022 15:58	Yijie Li	2364956, 2364958, 2364959, 2364960
SM 4500-F- C-2011	10/26/2022			10/27/2022 23:57	Dale L. Simmons	2364956
	10/26/2022			10/28/2022 00:02	Dale L. Simmons	2364958
	10/26/2022			10/28/2022 00:39	Dale L. Simmons	2364959
	10/26/2022			10/28/2022 00:44	Dale L. Simmons	2364960
SM 5310 B-2011	10/26/2022			11/10/2022 00:53	Khloe J Berg	2364957
	10/26/2022			11/10/2022 01:11	Khloe J Berg	2364961
	10/26/2022			11/10/2022 01:59	Khloe J Berg	2364962
	10/26/2022			11/10/2022 02:15	Khloe J Berg	2364963