

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave, Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab B95341

2022-01-17-31
Project Name: RQ-2021

Project Run/Location: San Pedro Creek

Laboratory Submission #:

S22010360

Station
ID

Surface Water
Sample Matrix*
(Fresh / Marine)
Sample Type

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G3SD0159
G3SD0159

F / M / Grab
F / M / Grab

E.coli / Entero / F.coliform
E.coli / Entero / F.coliform

Date & Time: 01/18/22 0925
Date & Time: 01/18/22 1125

1
2

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

F / M / Grab

E.coli / Entero / F.coliform

Date & Time:

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 22°C

1. "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), soil surface water (SSW), soil sediment (SDMT), or sludge (SLDG).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.
5. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
6. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
7. All bottles not containing preservative may be mixed with appropriate sample prior to collection.
8. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collector:	Date:	Time:	Received By:	Date:	Time:
1	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: