

Login Checklist

RQ- 2022-02-14-25

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 02/16/22 @ 9:05

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
3.3				12		X			5225 5543 7933

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ZR

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ✓ No _____ NA _____ Init: ZR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: ZR

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ZR

Date: 02/16/22 Event contains NCRs (Y/N)? N

2022 SMP : Highland Lakes
Event ID: SO-DIST-2022-02-16-01 (SMP)

Date Received: 16-FEB-2022 09:05

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	#4 Temp Gun EXP:10/19/2022
pH Test Strips 0 – 6	N/A
pH Paper 0 – 3	N/A
pH Paper 0 – 13	222420 EXP:08/01/2023
Chlorine Test Strips	0261 EXP:05/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 2/15/2022
Customer: SO-DIST
RQ: RQ-2022-02-14-25
Collected By: Thomas Baker, Monica Jaeger
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
LAKE CARRIE NEAR NORTHEAST SHORE	 G4SD0212
Lake Francis	 G4SD0187
Lake Apthorpe	 G4SD0185
GRASSY CREEK @ CR 621 E	 G4SD0165

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 2/15/2022
1600 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:



Rec'd/Inspected
Date:

2-16-2022



RQ-2022-02-14-25	Collected By: Thomas Baker, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Thomas Baker, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4SD0212	Comments:

Location:
Location: LAKE CARRIE NEAR NORTHEAST SHORE

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)		
2/15/2022 1125	8.53	90.1	18	7.03	0.3	0.9	4.1	111.3	0.05		
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group	
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*		
		Lot #	SA1105060		Exp:	04/30/22		X	<2	1	B
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD		Ice		HNO3*		
		Lot #			Exp:				<2		
Filtered Nutrients (P125ML)	X	W-PO4-F	X	Field Filtered 0.45 µm Filter		X	Ice			1	B
		Filter Lot #	17162587	Syringe Lot #	1091364						
BOD (BP-1L)		OV-BODUNIN					Ice				
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	B
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice			1	B
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY					Ice				
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin				
Periphyton (PT-50ML)		ALGAE-ID					Ice				
Microbiology (Contract Lab Bottle)	X	E Coli		F Coli		Enterococci	X	Ice		1	B
		Contract Lab									
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3		Ice				
		PCR-GULL2		PCR-GFD							
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice				
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#		
		W-PCL-TQ-R	W-CAR8-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R						
		W-TR-SQ-R		W-PC8-TQ-R							
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice				



RQ-2022-02-14-25	Collected By: Thomas Baker, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Thomas Baker, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID: WIN ID/Field ID: G4SD0187	Comments:

Location:
Location: Lake Francis

Matrix: Fresh

(Check One)

☒ Grab

☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
2/15/2022 1211	9.11	96	17.8	7.43	0.3	1.4	5.7	167.4	0.08

Parameter Suite	Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	
		Lot #	SA1105060		Exp:	04/30/22		X	<2
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2
		Lot #			Exp:				
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 µm Filter				
		Filter Lot #	17162587	Syringe Lot #	1091364		X	Ice	1
BOD (BP-1L)		OV-BODUNIN				Ice			
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice	1	A
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				X	Ice	1	A
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				Ice			
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin		
Periphyton (PT-50ML)		ALGAE-ID				Ice			
Microbiology (Contract Lab Bottle)		E Coli	F Coli	Enterococci		Ice			
		Contract Lab							
Molecular (QPCR-P-500ML)		PCR-HF183	PCR-BacR	PCR-DG3		Ice			
		PCR-GULL2	PCR-GFD						
Tracers (BG-500ML)		W-E8321-DI	W-E8321-MS				Ice		
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS	W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#	
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	W-CT-CL-R					
		W-TR-SQ-R	W-PCB-TQ-R						
Phytoplankton		DTY-QN-C	PKD-QN-BV				Ice		



RQ-2022-02-14-25

Customer: FDEP

Project ID: SMP

Collected By: Thomas Baker, Monica Jaeger

Field Report Prepared by: Thomas Baker, Monica Jaeger

Sampling Agency: FDEP

Comments:

WIN ID/Field ID:



WIN ID/Field ID: G4SD0185

Location:

Location: Lake Apthorpe

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
2/15/2022 1300	8.64	91.6	18.2	7.24	0.3	2.4	8.4	190.2	0.09

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	1	A
		Lot # SA1105060		Exp:	04/30/22			<2		
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*			
		Lot #		Exp:			<2			
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 um Filter		X	Ice	1	A
		Filter Lot #	17162587	Syringe Lot #	1091364					
BOD (BP-1L)		OV-80DUNIN					Ice			
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice		1	A
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS				X	Ice		1	A
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY					Ice			
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin				
Periphyton (PT-50ML)		ALGAE-ID					Ice			
Microbiology (Contract Lab Bottle)		E Coli		F Coli		Enterococci		Ice		
		Contract Lab								
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3		Ice			
		PCR-GULL2		PCR-GFD						
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice			
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ			MCAA Exp.	MCAA Lot#	
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R		Ice			
		W-TR-SQ-R		W-PCB-TQ-R						
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice			



RQ-2022-02-14-25	Collected By: Thomas Baker, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Thomas Baker, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4SD0165	Comments:

Location:

Location: GRASSY CREEK @ CR 621 E

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
2/15/2022 1410	8.27	91.1	20.1	6.39	0.15	0.2	0.2	156.9	0.07

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	Ice H2SO4*	<2				
	Lot # Exp:						
Metals (P-500ML)	W-ICPMS W-ICP W-HARD	Ice HNO3*	<2				
	Lot # Exp:						
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 µm Filter	Ice					
	Filter Lot # Syringe Lot #						
BOD (BP-1L)	OV-BODUNIN	Ice					
Chlorophyll (BP-1L)	CHLSUITE-W	Ice					
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W- TDS	Ice					
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	Ice					
Macroinvertebrates (PJ-2L)	MI-FW-QLDC Formalin Lot #	Formalin					
Periphyton (PT-50ML)	ALGAE-ID	Ice					
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci	x Ice				1	C
	Contract Lab						
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3	Ice					
	PCR-GULL2 PCR-GFD						
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice					
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#			
	W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R						
	W-TR-SQ-R W-PCB-TQ-R						
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice					

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B95341

2022-12-14-25 BEAS Sample Receipt Temp. 2.5 °C

Project Name: RQ-2021-

Project Run/Location: Highways 1A with Temperature Gun ID #7

Checked at Benchmark EA South E85086

Laboratory Submission #:

522020468

Station ID	Surface Water Sample Matrix* (Fresh / Marine)	Sample Type	Enterococci		Laboratory Sample #
			E.coli (SM9223B Quantitray)		
E14SD0212	F / M / Grab	E. coli / Enterococci	Date & Time: 2/15/22		1125
			Date & Time: 2/15/22		
E14SD0105	F / M / Grab	E. coli / Enterococci	Date & Time: 2/15/22		1410
			Date & Time: 2/15/22		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		
	F / M / Grab	E. coli / Enterococci	Date & Time:		
			Date & Time:		

Date of Request: 24-JAN-2022
 Created By: MULLEN_W On: 24-JAN-2022
 Modified By: JASROTIA_P On: 26-JAN-2022
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Event Description: 2022 SMP : Highland Lakes

Send Coolers To:

Phone: 239-344-5716
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Cooler Ship EMail: William.Mullen@FloridaDEP.gov

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 26-JAN-2022
 Biology Request Reviewed By: JASROTIA_P On: 26-JAN-2022
 Sampling Kit Required: YES Ship on: 04-FEB-2022
 Sampling Kit Shipped: YES On: 31-JAN-2022
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 14-FEB-2022
 Logged In By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Report Notification EMail:
 Nicole.Reistad@FloridaDEP.gov; Kirby.Wolfe@dep.state.fl.us; William.Mullen@FloridaDEP.gov; Monica.Jaeger@FloridaDEP.gov; Thomas.J.Baker@FloridaDEP.gov

Comments: Group A: (Francis, Apthorpe) Freshwater Nutrients
 Group B: (Carrie, G4SD0184) Freshwater Nutrients, E. coli
 Group C: (G4SD0165) E. coli

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) E. coli by Colilert/QT by BEA South in North Port
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) E. coli by Colilert/QT by BEA South in North Port

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.