RQ-20 22-06-20-51

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 6/22/2022 9:10

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO_3	Formalin		Yes	No	Yes	No	
1.8				7		✓			5225 5547 9091
0.1				10		✓			5225 5547 9070
0.2				& 9		✓			5225 5547 9080

COOLER CHECK

***All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.**

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____
- If coolers or samples are received late; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA ✓ Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes ✓ No _____

Caps on tight? Yes ✓ No _____

Sufficient Sample Volume: Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? *(Blue dot on container)* Yes ✓ No _____ Init: IM

Chlorine detected? *(One container checked per Field ID)* Yes _____ No ✓ Init: IM

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK *(EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")*

**Acid Preserved Samples: pH< 2.0? Yes ✓ No _____ NA _____ Init: IM

**W-1-4-DIOX *(Green dot on container)* preserved to pH<4.0? Yes _____ No _____ NA ✓ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM **Date:** 6/22/2022 **Event contains NCRs (Y/N)?** N

Event ID: 2022 SMP : Okee Canals
SO-DIST-2022-06-22-01 (SMP)
Date Received: 22-JUN-2022 09:10

Login Checklist

Login Preservation Equipment	Lot # & Exp: Date
Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/19/22
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	210620 exp: 4/15/23
Chlorine Test Strips	0070 exp: 02/2023

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ Init:_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 6/21/2022
Customer: SO-DIST
RQ: RQ-2022-06-20-51
Collected By: Nicole Reistad, Thomas Baker
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 3 **Delivery Method:** FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Indian Prairie Canal @ SR 70	G4SD0174
L-49	G4SD0190
L-61W At Old LakeportRd	G4SD0217
L-61W	G4SD0194
C-19 CANAL	G3SD0162

RELINQUISHED BY(SIGNATURE):

DATE/TIME: 6/21/2022
1500 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: IM
Rec'd/Inspected Date: 6/22/22

RQ-2022-06-20-51	**Collected By**: Nicole Reistad, Thomas Baker
Customer: FDEP	**Field Report Prepared by**: Nicole Reistad, Thomas Baker
Project ID: SMP	**Sampling Agency**: FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G4SD0174	**Comments**: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: Indian Prairie Canal @ SR 70

Matrix: Fresh — (Check One) ✓Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/21/2022 930	4.37	57.2	29.7	6.59	0.2	0.4	0.4	545	0.26

Parameter Suite	Parameter Methods	Preservation	pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # SA1308030 Exp: 12/01/22	X Ice X H2SO4*	X	<2	1	C
Metals (P-500ML)	W-ICPMS W-ICP W-HARD Lot # Exp:	Ice HNO3*		<2		
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 um Filter Filter Lot # Syringe Lot #	Ice				
BOD (BP-1L)	OV-BODUNIN	Ice				
Chlorophyll (BP-1L)	x CHLSUITE-W	x Ice			1	C
Physical/Aggregate (Fresh) (P-1L)	X Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	x Ice			1	C
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice				
Macroinvertebrates (PJ-2L)	MI-FW-QLDC **Formalin Lot #**	Formalin				
Periphyton (PT-50ML)	ALGAE-ID	Ice				
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci X Contract Lab	x Ice			1	C
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3 PCR-GULL2 PCR-GFD	Ice				
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice				
Pesticides (BG-500ML) (BG-1L)	X W-E8321-DI X W-E8321-MS X W-PSNP-TQ X W-PCL-TQ-R X W-CARB-AA (5 ml of MCAA Buffer Solution) X W-CT-CL-R W-TR-SQ-R X W-PCB-TQ-R	x Ice MCAA Exp. 02/04/23 MCAA Lot# 128343			10 or 6	C
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice				

RQ-2022-06-20-51	**Collected By**: Nicole Reistad, Thomas Baker
Customer: FDEP	**Field Report Prepared by**: Nicole Reistad, Thomas Baker
Project ID: SMP	**Sampling Agency**: FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G4SD0190	**Comments**: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: L-49

Matrix: Fresh | (Check One) ✓Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/21/2022 1015	4.39	57.9	29.6	7.74	0.3	1	1	750	0.36

Parameter Suite	Parameter Methods	Preservation	pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # SA1308030 Exp: 12/01/22	X Ice X H2SO4*	X	<2	1	A
Metals (P-500ML)	W-ICPMS W-ICP W-HARD Lot # Exp:	Ice HNO3*		<2		
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 um Filter Filter Lot # Syringe Lot #	Ice				
BOD (BP-1L)	OV-BODUNIN	Ice				
Chlorophyll (BP-1L)	x CHLSUITE-W	x Ice			1	A
Physical/Aggregate (Fresh) (P-1L)	X Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	x Ice			1	A
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice				
Macroinvertebrates (PJ-2L)	MI-FW-QLDC **Formalin Lot #**	Formalin				
Periphyton (PT-50ML)	ALGAE-ID	Ice				
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci X Contract Lab	x Ice			1	A
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3 PCR-GULL2 PCR-GFD	Ice				
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice				
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R W-TR-SQ-R W-PCB-TQ-R	Ice MCAA Exp.	MCAA Lot#			
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice				

RQ-2022-06-20-51	**Collected By:** Nicole Reistad, Thomas Baker
Customer: FDEP	**Field Report Prepared by:** Nicole Reistad, Thomas Baker
Project ID: SMP	**Sampling Agency:** FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G4SD0217	**Comments:** Microbiology sample(s) submitted to contract laboratory.

Location:
Location: L-61W At Old LakeportRd

Matrix: Fresh — (Check One) ✓Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/21/2022 1125	5.54	74.4	30.8	7.39	0.15	0.3	0.3	368.1	0.17

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # · Exp:	Ice, H2SO4*	<2		
Metals (P-500ML)	x W-ICPMS, X W-ICP, X W-HARD Lot # NA1286110 Exp: 11/16/22	X Ice, X HNO3*	X <2	1	E
Filtered Nutrients (P125ML)	W-PO4-F, Field Filtered 0.45 um Filter Filter Lot # · Syringe Lot #	Ice			
BOD (BP-1L)	OV-BODUNIN	Ice			
Chlorophyll (BP-1L)	CHLSUITE-W	Ice			
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	Ice			
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice			
Macroinvertebrates (PJ-2L)	MI-FW-QLDC, Formalin Lot #	Formalin			
Periphyton (PT-50ML)	ALGAE-ID	Ice			
Microbiology (Contract Lab Bottle)	X E Coli, F Coli, Enterococci X Contract Lab	x Ice		1	E
Molecular (QPCR-P-500ML)	PCR-HF183, PCR-BacR, PCR-DG3 PCR-GULL2, PCR-GFD	Ice			
Tracers (BG-500ML)	W-E8321-DI, W-E8321-MS	Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI, W-E8321-MS, W-PSNP-TQ W-PCL-TQ-R, W-CARB-AA (5 ml of MCAA Buffer Solution), W-CT-CL-R W-TR-SQ-R, W-PCB-TQ-R	Ice; MCAA Exp.; MCAA Lot#			
Phytoplankton	DTY-QN-C, PKD-QN-BV	Ice			

RQ-2022-06-20-51	**Collected By**: Nicole Reistad, Thomas Baker
Customer: FDEP	**Field Report Prepared by**: Nicole Reistad, Thomas Baker
Project ID: SMP	**Sampling Agency**: FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G4SD0194	**Comments**: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: L-61W

Matrix: Fresh | (Check One) ✓Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/21/2022 1135	4.01	51.9	28.6	7.24	0.15	0.3	0.3	391.1	0.19

Parameter Suite	Parameter Methods	Preservation	pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # SA1308030 Exp: 12/01/22	X Ice X H2SO4*	X	<2	1	B
Metals (P-500ML)	W-ICPMS W-ICP W-HARD Lot # Exp:	Ice HNO3*		<2		
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 um Filter Filter Lot # Syringe Lot #	Ice				
BOD (BP-1L)	OV-BODUNIN	Ice				
Chlorophyll (BP-1L)	X CHLSUITE-W	X Ice			1	B
Physical/Aggregate (Fresh) (P-1L)	X Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	X Ice			1	B
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice				
Macroinvertebrates (PJ-2L)	MI-FW-QLDC **Formalin Lot #**	Formalin				
Periphyton (PT-50ML)	ALGAE-ID	Ice				
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci X Contract Lab	X Ice			1	B
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3 PCR-GULL2 PCR-GFD	Ice				
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice				
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R W-TR-SQ-R W-PCB-TQ-R	Ice MCAA Exp.	MCAA Lot#			
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice				

RQ-2022-06-20-51	**Collected By**: Nicole Reistad, Thomas Baker
Customer: FDEP	**Field Report Prepared by**: Nicole Reistad, Thomas Baker
Project ID: SMP	**Sampling Agency**: FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G3SD0162	**Comments**: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: C-19 CANAL

Matrix: Fresh | (Check One) ✓Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/21/2022 1215	2.07	27.7	30.2	7.32	0.3	0.7	1.8	579	0.28

Parameter Suite	Parameter Methods	Preservation	pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # SA1308030 Exp: 12/01/22	x Ice x H2SO4*	X	<2	1	D
Metals (P-500ML)	W-ICPMS W-ICP W-HARD Lot # Exp:	Ice HNO3*		<2		
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 um Filter Filter Lot # Syringe Lot #	Ice				
BOD (BP-1L)	OV-BODUNIN	Ice				
Chlorophyll (BP-1L)	x CHLSUITE-W	x Ice			1	D
Physical/Aggregate (Fresh) (P-1L)	X Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	x Ice			1	D
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice				
Macroinvertebrates (PJ-2L)	MI-FW-QLDC **Formalin Lot #**	Formalin				
Periphyton (PT-50ML)	ALGAE-ID	Ice				
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci X Contract Lab	x Ice			1	D
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3 PCR-GULL2 PCR-GFD	Ice				
Tracers (BG-500ML)	X W-E8321-DI X W-E8321-MS	x Ice			1	D
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ X W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) X W-CT-CL-R W-TR-SQ-R X W-PCB-TQ-R	x Ice MCAA Exp. MCAA Lot#			2	D
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice				

Sanders Laboratories
Environmental Testing Services

CHAIN OF CUSTODY RECORD

Project # (Lab Use Only)

Project Name: SMP

Client: Florida Dept. of Environmental Protection

Address: 2600 Blairstone Rd. Tallahassee, FL 32399

Phone: ~~850-245-8085~~ 239-470-0873

Fax:

Report To: DEP-OverflowMicro@dep.state.fl.us

Bill to: Carina Tull

P.O. # LAB ~~#039~~ B96338

Preservative: HCL = H, HNO_3 = N, $Na_2S_2O_3$ = ST, H_2SO_4 = S, NaOH = SH, NH_4Cl = NH

Project Location: Okee Canals

Customer Type: Florida DEP - South ROC

Kit #:

Requested Due Date:

Sampled By (PRINT): Thomas Baker

Sampler Signature: Thomas Baker

Matrix	Sample Description	Sample Date	Sample Time	Sample Type	pH	Ice	S					E. coli	Entero	Fecal									Sample ID # (Lab Use Only)
F	G4SD0174	06/21/22	0930	Grab		X						X											
F	G4SD0190	06/21/22	1015	Grab		X						X											
F	G4SD0217	06/21/22	1125	Grab		X						X											
F	G4SD0194	06/21/22	1135	Grab		X						X											
F	G3SD0162	06/21/22	1215	Grab		X						X											

Preservatives: pH, Ice, S

Analysis Requested: E. coli, Entero, Fecal

Bottle Lot #

Samples are ambient water

RQ-~~2019-~~ 2022-06-20-51

Okay to Run As Is...

Client Initial: [signature]

Samples On Ice: Yes No

Relinquished By/Affiliation	Date	Time	Accepted By/Affiliation	Date	Time
[signature]	06/21/22	1357			

1050 Endeavor Ct, Nokomis, FL 34275-3623 (941) 488-8103 fax(941) 484-6774 10090 Bavaria Rd., Fort Myers, FL 33913 (239) 590-0337 fax (239) 590-0536

Form #: RCF -02 Approved by: KS 7/11/2016

RQ-2022-06-20-51

Date of Request: 01-JUN-2022
Created By: MULLEN_W On: 01-JUN-2022
Modified By: JASROTIA_P On: 01-JUN-2022
Customer: SO-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: South District
Event Description: 2022 SMP : Okee Canals

Send Coolers To:

Phone: 239-344-5716
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: William Mullen
Cooler Ship EMail: William.Mullen@FloridaDEP.gov

Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: AYRES_J On: 01-JUN-2022
Biology Request Reviewed By: JASROTIA_P On: 01-JUN-2022
Sampling Kit Required: YES Ship on: 10-JUN-2022
Sampling Kit Shipped: YES On: 08-JUN-2022
Sampling Kit Packed By: MCCOY_I
Preservatives Needed: YES
Date to Receive Samples: 20-JUN-2022
Logged In By:

Send Final Report To:

FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: William Mullen
Report Notification EMail:
Nicole.Reistad@FloridaDEP.gov;Kirby.Wolfe@dep.state.fl.us;William.Mullen@FloridaDEP.gov;Monica.Jaeger@FloridaDEP.gov;Thomas.J.Baker@FloridaDEP.gov

Comments:
Group A: (L-49) Freshwater Nutrients, E. coli
Group B: (G4SD0194) Freshwater Nutrients, E.coli
Group C: (Indian Prairie) Freshwater Nutrients, E. coli, Pesticides
Group D: (C-19 Canal) Freshwater Nutrients, E.coli, Tracers, W-CT-Cl-R, W-PCB-TQR, W-PCL-TQ-R
Group E: (G4SD0217) Metals, E.coli

##########

Buffer Solution for W-CARB-AA Bottle Needed

##########
W-TR-SQ-R (sunscreen)

Wash your hands thoroughly and wear gloves. Refrain from using sunscreens on the day of sample collection.

##########

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE

SD-SND-ECQ	Template: DEFAULT	(Colilert-18) E. coli by Colilert-18/QT by Sanders in Fort Myers

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE

SD-SND-ECQ	Template: DEFAULT	(Colilert-18) E. coli by Colilert-18/QT by Sanders in Fort Myers

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE

SD-SND-ECQ	Template: DEFAULT	(Colilert-18) E. coli by Colilert-18/QT by Sanders in Fort Myers

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH2ClCOOH and Ice

W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS

Bottle Type: BG-500ML FILL TO Number of Bottles: 4 Preserved With: ICE

W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template:	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE

W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE

W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template:	(EPA 8270E) Analysis of Sunscreen Compounds in Water by GC/MS-SIM

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE

SD-SND-ECQ	Template: DEFAULT	(Colilert-18) E. coli by Colilert-18/QT by Sanders in Fort Myers

Bottle Type: BG-500ML FILL TO Number of Bottles: 2 Preserved With: ICE

W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template:	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE

W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE

SD-SND-ECQ	Template: DEFAULT	(Colilert-18) E. coli by Colilert-18/QT by Sanders in Fort Myers

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3

W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
Hardness		
W-ICP	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Strontium		
Tin		
Titanium		
Vanadium		
Zinc		
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3

W-ICPMS Template: DEFAULT (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel
Selenium
Silver
Thallium

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.