

Bill to: Frances Moore
P.O. #: Lab B1697A

3653

COEFFS

2025-05-27

090080151

Laboratory
Sample #

10

Journal of Management Inquiry

"Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SD/M/T), or sludge (SL/DG). "Container Type" is used to indicate whether the container is plastic (P) or glass (G).

"Container Type" is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

1. All bottles not containing preservative may be tilted with appropriate sample prior to collection.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Collector:	<i>Torvald Kels</i>	Date:	<i>08/31/22</i>
Insp.	<i>346</i>	Received by:	<i>M. M. McIntosh - BEAS</i>

Relinquished by:	Date:	Time:	Received By:	Date:
------------------	-------	-------	--------------	-------

[illegible]

3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
---	------------------	-------	-------	--------------	-------	-------

Time:	Date:	Received By:	Time:	Date:
Relinquished by:				

[illegible]

Relinquished by:	Date:	Time:	Received By:	Date:	Time:
------------------	-------	-------	--------------	-------	-------

Laboratory Sample Acceptability:
pH < 2.0. BEAS Temperature: 21.8°C