

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 9/14/2022
Customer: SO-DIST
RQ: RQ-2022-09-05-45
Collected By: Nicole Reistad, Gary Snorek
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
MYAKKA CUTOFF (WESTERN PORTION)	 G3SD0073
TRAILER PARK CANAL	 G3SD0072
Tippecanoe Bay South	 G3SD0217
Tippecanoe Bay North	 G3SD0218

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 9/14/2022
1500 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

**Rec'd/Inspected
Date:**



RQ-2022-09-05-45	Collected By: Nicole Reistad, Gary Snorek
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Gary Snorek
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SD0073	Comments: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: MYAKKA CUTOFF (WESTERN PORTION)

Matrix: Marine (Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT _h)															
9/14/2022 1120	3.41	46	29.2	7.19	0.3	0.6	0.8	10919	6.15															
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab		Bottle Group												
Preserved Nutrients (P-500ML)		X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*		X	<2	1	B									
		Lot #		SA2145160		Exp:		06/02/23																
Metals (P-500ML)			W-ICPMS			W-ICP		Ice		HNO3*			<2											
		Lot #				Exp:																		
Filtered Nutrients (P125ML)			W-PO4-F			Field Filtered 0.45 µm Filter			Ice															
		Filter Lot #				Syringe Lot #																		
BOD (BP-1L)			OV-BODUNIN					Ice																
Chlorophyll (BP-1L)		X	CHLSUITE-W				X	Ice									1	B						
Physical/Aggregate (Fresh) (P-1L)			Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS					Ice																
Physical/Aggregate (Marine) (P-1L)		X	Alkalinity / W-F / W-TSS / TURBIDITY				X	Ice									1	B						
Macroinvertebrates (PJ-2L)			MI-FW-QLDC		Formalin Lot #			Formalin																
Periphyton (PT-50ML)			ALGAE-ID					Ice																
Microbiology (Contract Lab Bottle)			E Coli		X	F Coli		X	Enterococci								X		Ice		2		B	
		X	Contract Lab																					
Molecular (QPCR-P-500ML)			PCR-HF183			PCR-BacR			PCR-DG3										Ice					
			PCR-GULL2			PCR-GFD																		
Tracers (BG-500ML)			W-E8321-DI			W-E8321-MS			Ice															
Pesticides (BG-500ML) (BG-1L)			W-E8321-DI		W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#													
			W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R																	
		W-TR-SQ-R		W-PCB-TQ-R																				
Phytoplankton			DTY-QN-C		PKD-QN-BV		Ice																	

WIN ID/Field ID:  WIN ID/Field ID: G3SD0072	Comments: Microbiology sample(s) submitted to contract laboratory.
---	---

Location: TRAILER PARK CANAL

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH									
9/14/2022 1055	2.82	37.7	29.5	7.18	0.3	0.4	0.8	6789	3.69									
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab		Bottle Group						
Preserved Nutrients (P-500ML)		W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice		H2SO4*			<2							
		Lot #				Exp:												
Metals (P-500ML)		X	W-ICPMS		X	W-ICP			W-HARD	X	Ice		X	HNO3*	X	<2	1	A
		Lot #		NA1286110		Exp:		11/16/22										
Filtered Nutrients (P125ML)		W-PO4-F			Field Filtered 0.45 µm Filter				Ice									
		Filter Lot #				Syringe Lot #												
BOD (BP-1L)		OV-BODUNIN				Ice												
Chlorophyll (BP-1L)		CHLSUITE-W				Ice												
Physical/Aggregate (Fresh) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-C / W-COLOR / W-SO4-IC / W- TDS				Ice												
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY				Ice												
Macroinvertebrates (PJ-2L)		MI-FW-QLDC		Formalin Lot #				Formalin										
Periphyton (PT-50ML)		ALGAE-ID				Ice												
Microbiology (Contract Lab Bottle)		E Coli		X	F Coli		X	Enterococci		x					Ice		2	A
		X Contract Lab																
Molecular (QPCR-P-500ML)		PCR-HF183			PCR-BacR			PCR-DG3		Ice								
		PCR-GULL2			PCR-GFD													
Tracers (BG-500ML)		W-E8321-DI			W-E8321-MS				Ice									
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI			W-E8321-MS		X	W-PSNP-TQ		x	Ice	MCAA Exp.	MCAA Lot#	4 or 2	A			
		W-PCL-TQ-R			W-CARB-AA (5 ml of MCAA Buffer Solution)			W-CT-CL-R										
		X	W-TR-SQ-R			W-PCB-TQ-R												
Phytoplankton		DTY-QN-C			PKD-QN-BV				Ice									



RQ-2022-09-05-45	Collected By: Nicole Reistad, Gary Snorek
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Gary Snorek
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SD0217	Comments: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: Tippecanoe Bay South

Matrix: Marine (Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH						
9/14/2022 1150	3.23	42.8	28.7	7.2	0.3	0.7	1.1	7884	4.34						
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group					
Preserved Nutrients (P-500ML)		W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice		<2							
		Lot #		Exp:											
Metals (P-500ML)		W-ICPMS / W-ICP / W-HARD				Ice		<2							
		Lot #		Exp:											
Filtered Nutrients (P125ML)		W-PO4-F / Field Filtered 0.45 µm Filter				Ice									
		Filter Lot #	Syringe Lot #												
BOD (BP-1L)		OV-BODUNIN				Ice									
Chlorophyll (BP-1L)		CHLSUITE-W				Ice									
Physical/Aggregate (Fresh) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				Ice									
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY				Ice									
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin									
Periphyton (PT-50ML)		ALGAE-ID				Ice									
Microbiology (Contract Lab Bottle)		E Coli	X	F Coli	X	Enterococci	x		2	C					
		Contract Lab				Ice									
Molecular (QPCR-P-500ML)		PCR-HF183 / PCR-BacR / PCR-DG3				Ice									
		PCR-GULL2 / PCR-GFD													
Tracers (BG-500ML)		W-E8321-DI / W-E8321-MS				Ice									
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS			Ice	MCAA Exp.	MCAA Lot#							
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)												
		W-TR-SQ-R	W-PCB-TQ-R												
Phytoplankton		DTY-QN-C / PKD-QN-BV				Ice									

WIN ID/Field ID:  WIN ID/Field ID: G3SD0218	Comments: Microbiology sample(s) submitted to contract laboratory.
---	---

Location: Tippecanoe Bay North

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH									
9/14/2022 1205	3.42	44.6	28.1	7.15	0.3	0.5	0.9	6517	3.54									
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group							
Preserved Nutrients (P-500ML)		X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	B					
		Lot #		SA2145160		Exp:		06/02/23										
Metals (P-500ML)			W-ICPMS			W-ICP			Ice		HNO3*		<2					
		Lot #				Exp:												
Filtered Nutrients (P125ML)			W-PO4-F			Field Filtered 0.45 µm Filter				Ice								
		Filter Lot #				Syringe Lot #												
BOD (BP-1L)			OV-BODUNIN					Ice										
Chlorophyll (BP-1L)		X	CHLSUITE-W				X	Ice							1	B		
Physical/Aggregate (Fresh) (P-1L)		X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-C / W-COLOR / W-SO4-IC / W- TDS				X	Ice							1	B		
Physical/Aggregate (Marine) (P-1L)			Alkalinity / W-F / W-TSS / TURBIDITY					Ice										
Macroinvertebrates (PJ-2L)			MI-FW-QLDC		Formalin Lot #					Formalin								
Periphyton (PT-50ML)			ALGAE-ID					Ice										
Microbiology (Contract Lab Bottle)			E Coli		X	F Coli		X	Enterococci						X	Ice	2	B
		X	Contract Lab															
Molecular (QPCR-P-500ML)			PCR-HF183			PCR-BacR			PCR-DG3			Ice						
			PCR-GULL2			PCR-GFD												
Tracers (BG-500ML)			W-E8321-DI			W-E8321-MS				Ice								
Pesticides (BG-500ML) (BG-1L)			W-E8321-DI			W-E8321-MS		X	W-PSNP-TQ		X	Ice	MCAA Exp.	MCAA Lot#	2	B		
			W-PCL-TQ-R			W-CARB-AA (5 ml of MCAA Buffer Solution)			W-CT-CL-R									
		X	W-TR-SQ-R			W-PCB-TQ-R												
Phytoplankton			DTY-QN-C			PKD-QN-BV				Ice								

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970
B95341

239-470-0873
dep-overflowmicro@dep.state.fl.us

2022-09-05-45

Project Name: RQ-2020-

Project Run/Location: Charlotte Harbor

Station ID

Laboratory Submission #:

522090327

Project Run/Location: Charlotte Harbor		Station ID	Enterococci E.coli (SM9223B Quantitray)		Laboratory Sample #
Surface Water Sample Matrix* (Fresh / Marine)		Sample Type	E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL		
G3SD0072	F / M / Grab	E.coli	Enterococci	09/14/22 1055	1 a/b
G3SD0073	F / M / Grab	E.coli	Enterococci	09/14/22 1120	2 a/b
G3SD0217	F / M / Grab	E.coli	Enterococci	09/14/22 1150	3 a/b
G3SD0218	F / M / Grab	E.coli	Enterococci	09/14/22 1205	4 a/b
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococci		
	F / M / Grab	E.coli	Enterococ		

E Coli = 250 mL ; Enterococci = 120 mL ; Fecal Coliform = 120 mL

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), saline surface water (SSW), soil sediment (SDMT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample Temp is refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative" list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, preservation instructions contained in the bottle, sample type, client ID, and instrument for analysis.

2. The following information should be called out on each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles and containing preservative must be used with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on this sample container form.

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 2.6°C

1	Collection	Date: 09/14/22	Time: 1313	Received By: Brooke Klatenich	Date: 9/14/22	Time: 1313
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 2.6 °C

Checked at Benchmark EA South E85086
Client: Frances Moore ID: #7