

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab 495344
COOEFs

Project Name: RQ-2021-2022-10-24-56

Project Run/Location: MYAKKA

Station ID

Laboratory Submission #:

Enterococci

E.coli (SM9223B Quantitray)

Laboratory Sample #

E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G38D0090

10/24/22 0935

E.coli / Entero / F.coliform

Date & Time:

E.coli / Entero / F.coliform

Date & Time:

E.coli / Entero / F.coliform

Date & Time:

E.coli / Entero / F.coliform

Date & Time:

E.coli / Entero / F.coliform

Date & Time:

E.coli / Entero / F.coliform

Date & Time:

E.coli / Entero / F.coliform

Date & Time:

E.coli / Entero / F.coliform

Date & Time:

"Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

"Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SLOG).

"Container Type" is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative" list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be mixed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please use special sampling events on the sample custody form.

Laboratory Sample Acceptability:

pH < 2 : 0 BEAS Temperature: 3.8 °C

Collector: *[Signature]*

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Received By:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

Date:

BEAS Sample Receipt Temp. 3.8 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7