

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B95341

Project Name: RQ-2021-

Project Run/Location: Smp: Charlotte Harbor

Laboratory Submission #:

522100783

Station
ID

Surface Water
Sample Matrix*
(Fresh / Marine)
Sample Type

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

E Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G3SD 0072

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time: 10/31/22 935

G3SD 0073

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time: 10/31/22 955

G3SD 0217

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time: 10/31/22 1015

G3SD 0218

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time: 10/31/22 1033

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time:

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time:

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time:

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time:

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time:

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time:

F / M / Grab

E. coli / Enterococci / Fecal coliform

Date & Time:

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

- Instructions:
- Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.
 - The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
 - All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
 - The client is responsible for documentation of the sampling event. Please note special sampling events on this sample custody form.

Laboratory Sample Acceptability:

pH < 2.0 BEAS Temperature: 18°C

Collector: Monica Jaeger

Date: 10/31/22

Time: 1432

Received By: Melinda Merchant

Date: 10/31/22

Time: 1432

Relinquished by:

Date:

Time:

Received By:

Date:

Time:

Relinquished by:

Date:

Time:

Received By:

Date:

Time:

Relinquished by:

Date:

Time:

Received By:

Date:

Time:

Relinquished by:

Date:

Time:

Received By:

Date:

Time: