

Biological Analysis Report

NW-DIST-2022-07-26-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Hogtown Car Run**
Request ID: **RQ-2022-05-23-26**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 18-AUG-2022 14:19



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Hogtown Drain above Chat Holly Rd

Collection Date/Time: 07/25/2022 11:25

Field ID: G3NW0241

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2343773	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.2	U	ug/L	P417382	
		Phaeophytin-a	3.5	U	ug/L	P417382	
		Chlorophyll-a, Uncorrected	2.7	I	ug/L	P417382	
2343940	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	41		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Hogtown Drainage at Churchill Bayou Road

Collection Date/Time: 07/25/2022 12:05

Field ID: G3NW0038

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2343774	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.8	U	ug/L	P417382	
		Phaeophytin-a	5.2	U	ug/L	P417382	
		Chlorophyll-a, Uncorrected	3.5	U	ug/L	P417382	
2343935	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	462		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Drain to Musset Bayou upstream of Don Bishop Rd

Collection Date/Time: 07/25/2022 12:26

Field ID: G3NW0240

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2343775	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4	U	ug/L	P417382	
		Phaeophytin-a	3.8	U	ug/L	P417382	
		Chlorophyll-a, Uncorrected	2.5	U	ug/L	P417382	
2343939	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	448		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Direct Runoff to Bay off of Roberts Rd

Collection Date/Time: 07/25/2022 12:55

Field ID: G3NW0239

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2343776	SM 10200 H (mod.)	Chlorophyll-a, Corrected	No Result	0	ug/L	P417176	
		Phaeophytin-a	No Result	0	ug/L	P417176	
		Chlorophyll-a, Uncorrected	No Result	0	ug/L	P417176	
2343938	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	41		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Refer to Non-Conformance Report #9487

Sample Location: Drain to Hewett Bayou

Collection Date/Time: 07/25/2022 13:25

Field ID: G3NW0238

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2343777	SM 10200 H (mod.)	Chlorophyll-a, Corrected	9.6	U	ug/L	P417382	

Field ID: G3NW0238

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2343777	SM 10200 H (mod.)	Phaeophytin-a	10	U	ug/L	P417382	
		Chlorophyll-a, Uncorrected	7.0	U	ug/L	P417382	
2343937	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	20		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Drain to Mack Bayou at Mack Bayou Rd

Collection Date/Time: 07/25/2022 13:50

Field ID: G3NW0237

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2343772	SM 10200 H (mod.)	Chlorophyll-a, Corrected	11		ug/L	P417382	
		Phaeophytin-a	7.3		ug/L	P417382	
		Chlorophyll-a, Uncorrected	16		ug/L	P417382	
2343928	SM 9222 D	Fecal Coliforms-Membrane Filter	360	Q	cfu/100 mL	P417362	
2343934	Enterolert/QT	Enterococci-Quanti-Tray	5475		MPN/100 mL		
2343936	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	275		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Laboratory duplicate result is 120 Z. Precision data for this duplicate is unavailable due to the colony count falling outside of method acceptable range.

Non-Conformance Report

NCR ID: 9487

Event(s)

NW-DIST-2022-07-26-01

Job(s)

TLH-2022-07-26-47

Sample(s)

2343776

Test(s)

NCR Type: ANALYSIS

NCR Category: Analysis Not Performed

Observation: Sample #2343776 was lost due to a spill.

Resolution: The sample was reported as "No Result" with an "O" qualifier. Customers Christopher Slade and Myranda Butler have been notified.

Authorized by/Date: Cheryl A. Swanson 7/29/2022

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.

Please address questions to:

Chemistry Colin Wright (850) 245-8085
Biology Cheryl Swanson (850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P417382

Component	Result	Code	Units
Chlorophyll-a, Corrected	2.4	U	ug/L
Chlorophyll-a, Uncorrected	1.8	U	ug/L
Phaeophytin-a	2.6	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 9222 D
Batch ID: P417362

Component	Result	Code	Units
Fecal Coliforms-Membrane Filter	2	U	cfu/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P417382

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	87.6		P	84 - 116

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	87.6				

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by UWF in Pensacola	2343934
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2343772, 2343773, 2343774, 2343775, 2343776, 2343777
SM 9222 D	Fecal coliforms by membrane filter method - non-chlorinated water systems	2343928
SM 9223 B Quanti-Tray	E. coli by Colilert-18/QT by UWF in Pensacola	2343935, 2343936, 2343937, 2343938, 2343939, 2343940

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	07/25/2022	07/25/2022 16:10		07/26/2022 16:38	UWF Lab	2343934
SM 10200 H (mod.)	07/26/2022	07/26/2022 16:02	Carina A. Tull	07/26/2022 16:02	Carina A. Tull	2343776
	07/26/2022	07/26/2022 16:02	Carina A. Tull	07/27/2022 13:55	Jillian G Hanley	2343772, 2343773, 2343774, 2343775, 2343777
SM 9222 D	07/26/2022	07/26/2022 15:40	Amber S. Eells	07/27/2022 13:54	Amber S. Eells	2343928
SM 9223 B Quanti-Tray	07/25/2022	07/25/2022 17:00		07/26/2022 13:00	UWF Lab	2343935, 2343936, 2343937, 2343938, 2343939, 2343940