

Chemical Analysis Report

SE-DIST-2022-03-23-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Basinger - March 2022**

Request ID: **RQ-2022-03-14-47**

Customer: **SE-DIST**

Project ID: **SMP**

Send Reports to:


FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Drew Liddick

For additional information please contact

Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 14-APR-2022 13:49

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals, Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Chandler Slough @ NW 190th

Collection Date/Time: 03/22/2022 10:45

Field ID: G4SE0136

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2314128	EPA 8321B	2,4-D	0.0041	I	ug/L	P411506	
		Acesulfame K	0.10	U	ug/L	P411448	
		2,4,5-T	0.0040	U	ug/L	P411506	
		AMPA	0.16	I	ug/L	P411448	
		Acetaminophen	0.0080	U	ug/L	P411506	
		Acetamiprid	0.0020	U	ug/L	P411506	
		Endothall	0.25	U	ug/L	P411448	
		Glufosinate	0.10	U	ug/L	P411448	
		Glyphosate	0.10	U	ug/L	P411448	
		Afidopyropen	0.0020	U	ug/L	P411506	
		Bentazon	0.026		ug/L	P411506	
		Sucralose	0.010	U	ug/L	P411448	
		Benzovindiflupyr	0.0020	U	ug/L	P411506	
		Carbamazepine	8.0E-04	U	ug/L	P411506	
		Clothianidin	0.0022	I	ug/L	P411506	
		Dinotefuran	0.0020	U	ug/L	P411506	
		Diuron	0.0020	U	ug/L	P411506	RPD
		Fenuron	0.016	U	ug/L	P411506	
		Fluridone	8.0E-04	U	ug/L	P411506	
		Imazapyr	0.69		ug/L	P411506	
		Hydrocodone	0.0020	U	ug/L	P411506	
		Ibuprofen	0.020	U	ug/L	P411506	
		Imidacloprid	0.042		ug/L	P411506	MS
		Linuron	0.0040	U	ug/L	P411506	
		Mandestrobin	0.0020	U	ug/L	P411506	
		MCPP	0.0020	U	ug/L	P411506	
		Naproxen	0.0080	U	ug/L	P411506	
		Primidone	0.0040	U	ug/L	P411506	
		Pyraclostrobin	0.0020	U	ug/L	P411506	
		Silvex	0.0040	U	ug/L	P411506	
		Thiamethoxam	0.041		ug/L	P411506	MS
		Tolfenpyrad	0.0020	U	ug/L	P411506	
		Triclopyr	0.0040	U	ug/L	P411506	

Ref. Method and Comment:

EPA 8321B: MS accuracy for bentazon could not be assessed due to a high concentration of parameters in the spiked sample.

Sample Location: Oak Creek @ 68

Collection Date/Time: 03/22/2022 09:45

Field ID: G4SE0080

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2314075	DEP SOP: NU-094-1	Color (true)**	85		PCU	P411491	
	EPA 180.1 Rev. 2.0	Turbidity	8.6		NTU	P411501	
	EPA 300.0 Rev. 2.1	Chloride	34		mg Cl/L	P411618	
		Sulfate	20		mg SO4/L	P411620	
	SM 2320 B-2011	Total Alkalinity	17		mg CaCO3/L	P411603	
	SM 2540 C-2011	TDS	146	A	mg/L	P411801	
	SM 2540 D-2011	TSS	12	AJ	mg/L	P411687	RPD
	SM 4500 F-C-2011	Fluoride	0.13		mg F/L	P411606	
2314076	EPA 350.1 Rev. 2.0	Ammonia-N	0.13		mg N/L	P411554	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.6		mg N/L	P411769	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.039		mg N/L	P411612	
	EPA 365.1 Rev. 2.0	Total-P	0.21		mg P/L	P411515	
	SM 5310 B-2011	Organic Carbon	14		mg C/L	P411676	
2314089	EPA 8321B	2,4-D	0.0020	U	ug/L	P411506	
		Acesulfame K	0.10	U	ug/L	P411448	
		2,4,5-T	0.0040	U	ug/L	P411506	
		AMPA	0.10	U	ug/L	P411448	
		Acetaminophen	0.0080	U	ug/L	P411506	
		Acetamiprid	0.0020	U	ug/L	P411506	
		Endothall	0.25	U	ug/L	P411448	
		Glufosinate	0.10	U	ug/L	P411448	
		Glyphosate	0.10	U	ug/L	P411448	
		Afidopyropen	0.0020	U	ug/L	P411506	
		Bentazon	0.0016	I	ug/L	P411506	
		Sucralose	0.010	U	ug/L	P411448	
		Benzovindiflupyr	0.0020	U	ug/L	P411506	
		Carbamazepine	8.0E-04	U	ug/L	P411506	
		Clothianidin	0.0020	U	ug/L	P411506	
		Dinotefuran	0.0020	U	ug/L	P411506	
		Diuron	0.0020	U	ug/L	P411506	RPD
		Fenuron	0.016	U	ug/L	P411506	
		Fluridone	8.0E-04	U	ug/L	P411506	
		Imazapyr	0.027		ug/L	P411506	
		Hydrocodone	0.0020	U	ug/L	P411506	
		Ibuprofen	0.020	U	ug/L	P411506	
		Imidacloprid	0.014		ug/L	P411506	MS
		Linuron	0.0040	U	ug/L	P411506	
		Mandestrobin	0.0020	U	ug/L	P411506	
		MCP	0.0020	U	ug/L	P411506	
		Naproxen	0.0080	U	ug/L	P411506	
		Primidone	0.0040	U	ug/L	P411506	
		Pyraclostrobin	0.0020	U	ug/L	P411506	
		Silvex	0.0040	U	ug/L	P411506	
		Thiamethoxam	0.0020	U	ug/L	P411506	MS

Field ID: G4SE0080

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2314089	EPA 8321B	Tolfenpyrad	0.0020	U	ug/L	P411506	
		Triclopyr	0.0040	U	ug/L	P411506	
2314091	EPA 200.7 Rev. 4.4	Calcium	14.1		mg/L	P411510	
		Iron	790		ug/L	P411510	
		Magnesium	4.74		mg/L	P411510	
		Potassium	3.5		mg/L	P411510	
		Sodium	16.6		mg/L	P411510	
		Strontium	309		ug/L	P411510	
		Tin	3.0	U	ug/L	P411510	
		Titanium	1.8	I	ug/L	P411510	
		Vanadium	2.0	U	ug/L	P411510	
		Zinc	5.0	U	ug/L	P411510	
	EPA 200.8 Rev. 5.4	Aluminum	224		ug/L	P411510	
		Antimony	0.053	I	ug/L	P411510	
		Arsenic	0.65		ug/L	P411510	
		Barium	22.1		ug/L	P411510	
		Beryllium	0.023	I	ug/L	P411510	
		Boron**	34.4		ug/L	P411510	
		Cadmium	0.020	U	ug/L	P411510	
		Chromium	0.79	I	ug/L	P411680	
		Cobalt	0.116		ug/L	P411510	
		Copper	0.59	I	ug/L	P411510	
		Lead	0.34	I	ug/L	P411510	
		Manganese	19.0		ug/L	P411510	
		Molybdenum	0.15	U	ug/L	P411680	
		Nickel	0.50	U	ug/L	P411680	
		Selenium	0.20	U	ug/L	P411510	
		Silver	0.010	U	ug/L	P411510	
		Thallium	0.10	U	ug/L	P411510	
	SM 2340B	Hardness	54.8		mg/L	P411510	

Ref. Method and Comment:

SM 2540 D-2011: Refer to the Lab Analysis Report for an explanation of QC Codes.

EPA 8321B: MS accuracy for bentazon could not be assessed due to a high concentration of parameters in the spiked sample.

Sample Location: FB

Collection Date/Time: 03/22/2022 10:00

Field ID: FB_03222022

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2314078	DEP SOP: NU-094-1	Color (true)**	2.5	U	PCU	P411491	
	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P411501	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P411618	
		Sulfate	0.20	U	mg SO4/L	P411620	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P411603	
	SM 2540 C-2011	TDS	15	U	mg/L	P411801	
	SM 2540 D-2011	TSS	2	U	mg/L	P411687	RPD
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P411606	
2314079	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P411495	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P411769	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P411612	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P411515	
	SM 5310 B-2011	Organic Carbon	0.50	U	mg C/L	P411676	
2314080	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P411497	
2314090	EPA 8321B	2,4-D	0.0020	U	ug/L	P411506	
		Acesulfame K	0.10	U	ug/L	P411448	
		2,4,5-T	0.0040	U	ug/L	P411506	
		AMPA	0.10	U	ug/L	P411448	
		Acetaminophen	0.0080	U	ug/L	P411506	
		Acetamiprid	0.0020	U	ug/L	P411506	
		Endothall	0.25	U	ug/L	P411448	
		Glufosinate	0.10	U	ug/L	P411448	
		Glyphosate	0.10	U	ug/L	P411448	
		Afidopyrophen	0.0020	U	ug/L	P411506	
		Bentazon	8.0E-04	U	ug/L	P411506	
		Sucralose	0.010	U	ug/L	P411448	
		Benzovindiflupyr	0.0020	U	ug/L	P411506	
		Carbamazepine	8.0E-04	U	ug/L	P411506	
		Clothianidin	0.0020	U	ug/L	P411506	
		Dinotefuran	0.0020	U	ug/L	P411506	
		Diuron	0.0020	U	ug/L	P411506	RPD
		Fenuron	0.016	U	ug/L	P411506	
		Fluridone	8.0E-04	U	ug/L	P411506	
		Imazapyr	0.0040	U	ug/L	P411506	
		Hydrocodone	0.0020	U	ug/L	P411506	
		Ibuprofen	0.020	U	ug/L	P411506	
		Imidacloprid	0.0020	U	ug/L	P411506	MS
		Linuron	0.0040	U	ug/L	P411506	
		Mandestrobin	0.0020	U	ug/L	P411506	
		MCPP	0.0020	U	ug/L	P411506	
		Naproxen	0.0080	U	ug/L	P411506	
		Primidone	0.0040	U	ug/L	P411506	
		Pyraclostrobin	0.0020	U	ug/L	P411506	

Field ID: FB_03222022

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2314090	EPA 8321B	Silvex	0.0040	U	ug/L	P411506	
		Thiamethoxam	0.0020	U	ug/L	P411506	MS
		Tolfenpyrad	0.0020	U	ug/L	P411506	
		Triclopyr	0.0040	U	ug/L	P411506	
2314092	EPA 200.7 Rev. 4.4	Calcium	0.075	U	mg/L	P411510	
		Iron	30	U	ug/L	P411510	
		Magnesium	0.040	U	mg/L	P411510	
		Potassium	0.30	U	mg/L	P411510	
		Sodium	0.50	U	mg/L	P411510	
		Strontium	2.0	U	ug/L	P411510	
		Tin	3.0	U	ug/L	P411510	
		Titanium	0.75	U	ug/L	P411510	
		Vanadium	2.0	U	ug/L	P411510	
		Zinc	5.0	U	ug/L	P411510	
	EPA 200.8 Rev. 5.4	Aluminum	5.0	U	ug/L	P411510	
		Antimony	0.050	U	ug/L	P411510	
		Arsenic	0.050	U	ug/L	P411510	
		Barium	0.20	U	ug/L	P411510	
		Beryllium	0.010	U	ug/L	P411510	
		Boron**	97.9		ug/L	P411510	
		Cadmium	0.020	U	ug/L	P411510	
		Chromium	0.40	U	ug/L	P411680	
		Cobalt	0.020	U	ug/L	P411510	
		Copper	0.40	U	ug/L	P411510	
	SM 2340B	Lead	0.20	U	ug/L	P411510	
		Manganese	0.10	U	ug/L	P411510	
		Molybdenum	0.15	U	ug/L	P411680	
		Nickel	0.50	U	ug/L	P411680	
		Selenium	0.20	U	ug/L	P411510	
		Silver	0.010	U	ug/L	P411510	
		Thallium	0.10	U	ug/L	P411510	
		Hardness	0.35	U	mg/L	P411510	

Ref. Method and Comment:

EPA 8321B: MS accuracy for bentazon could not be assessed due to a high concentration of parameters in the spiked sample.

EPA 200.8 Rev. 5.4: The boron result was confirmed in the undigested sample on 03/25/2022.

Sample Location: Gore Branch @ 724

Collection Date/Time: 03/22/2022 10:30

Field ID: G4SE0130

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2314127	EPA 8321B	2,4-D	0.0045	I	ug/L	P411506	
		Acesulfame K	0.10	U	ug/L	P411448	
		2,4,5-T	0.0040	U	ug/L	P411506	
		AMPA	0.10	U	ug/L	P411448	
		Acetaminophen	0.0080	U	ug/L	P411506	
		Acetamiprid	0.0020	U	ug/L	P411506	
		Endothall	0.25	U	ug/L	P411448	
		Glufosinate	0.10	U	ug/L	P411448	
		Glyphosate	0.10	U	ug/L	P411448	
		Afidopyropen	0.0020	U	ug/L	P411506	
		Bentazon	0.0017	I	ug/L	P411506	
		Sucralose	0.019	I	ug/L	P411448	
		Benzovindiflupyr	0.0020	U	ug/L	P411506	
		Carbamazepine	8.0E-04	U	ug/L	P411506	
		Clothianidin	0.0020	U	ug/L	P411506	
		Dinotefuran	0.0020	U	ug/L	P411506	
		Diuron	0.0020	U	ug/L	P411506	RPD
		Fenuron	0.016	U	ug/L	P411506	
		Fluridone	0.046		ug/L	P411506	
		Imazapyr	0.12		ug/L	P411506	
		Hydrocodone	0.0020	U	ug/L	P411506	
		Ibuprofen	0.020	U	ug/L	P411506	
		Imidacloprid	0.0024	I	ug/L	P411506	MS
		Linuron	0.0040	U	ug/L	P411506	
		Mandestrobin	0.0020	U	ug/L	P411506	
		MCPP	0.0020	U	ug/L	P411506	
		Naproxen	0.0080	U	ug/L	P411506	
		Primidone	0.0040	U	ug/L	P411506	
		Pyraclostrobin	0.0020	U	ug/L	P411506	
		Silvex	0.0040	U	ug/L	P411506	
		Thiamethoxam	0.0020	U	ug/L	P411506	MS
		Tolfenpyrad	0.0020	U	ug/L	P411506	
		Triclopyr	0.0040	U	ug/L	P411506	

Ref. Method and Comment:

EPA 8321B: MS accuracy for bentazon could not be assessed due to a high concentration of parameters in the spiked sample.

Quality Assurance Report Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P411491

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P411501

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P411510

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Strontium	2.0	U	ug/L
Tin	3.0	U	ug/L
Titanium	0.75	U	ug/L
Vanadium	2.0	U	ug/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Barium	0.20	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Cobalt	0.020	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Manganese	0.10	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Component	Result	Code	Units
Chromium	0.40	U	ug/L
Molybdenum	0.15	U	ug/L
Nickel	0.50	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411618

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411620

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411495

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411554

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411769

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P411612

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411515

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P411497

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P411448

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 8321B

Batch ID: P411448

Component	Result	Code	Units
Glyphosate	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Reference Method: EPA 8321B

Batch ID: P411506

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
2,4,5-T	0.0040	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.022	I	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Silvex	0.0040	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: SM 2320 B-2011

Batch ID: P411603

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-2011

Batch ID: P411801

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011

Batch ID: P411687

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 4500 F-C-2011
Batch ID: P411606

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P411676

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P411491

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	98.6		P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P411501

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	96.1		P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P411510

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	105		P	85 - 115
Iron	107		P	85 - 115
Magnesium	108		P	85 - 115
Potassium	106		P	85 - 115
Sodium	107		P	85 - 115
Strontium	105		P	85 - 115
Tin	104		P	85 - 115
Titanium	103		P	85 - 115
Vanadium	96.6		P	85 - 115
Zinc	105		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	103		P	85 - 115
Antimony	101		P	85 - 115
Arsenic	100		P	85 - 115
Barium	102		P	85 - 115
Beryllium	100		P	85 - 115
Boron	106		P	85 - 115
Cadmium	100		P	85 - 115
Cobalt	101		P	85 - 115
Copper	99.7		P	85 - 115
Lead	97.9		P	85 - 115
Manganese	98.0		P	85 - 115
Selenium	101		P	85 - 115
Silver	99.8		P	85 - 115
Thallium	100		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chromium	97.9		P	85 - 115
Molybdenum	97.7		P	85 - 115
Nickel	102		P	85 - 115

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411618

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411620

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411495

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.0		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411554

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	95.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411769

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	94.2		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P411612

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411515

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P411497

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P411448

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	110		P	40 - 150
AMPA	109		P	40 - 150
Endothall	126		P	40 - 150
Glufosinate	121		P	40 - 150

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P411448

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Glyphosate	114		P	40 - 150
Sucralose	119		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P411506

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	47.7		P	30 - 160
2,4,5-T	40.3		P	30 - 160
Acetaminophen	90.6		P	30 - 150
Acetamiprid	75.6		P	30 - 160
Afidopyropen	45.7		P	30 - 160
Bentazon	77.9		P	30 - 150
Benzovindiflupyr	76.0		P	30 - 160
Carbamazepine	59.9		P	30 - 160
Clothianidin	98.1		P	30 - 160
Dinotefuran	90.4		P	30 - 160
Diuron	64.3		P	30 - 160
Fenuron	122		P	30 - 160
Fluridone	66.4		P	30 - 160
Hydrocodone	92.2		P	30 - 160
Ibuprofen	68.8		P	30 - 160
Imazapyr	95.6		P	30 - 160
Imidacloprid	84.8		P	30 - 160
Linuron	69.1		P	30 - 160
Mandestrobin	62.2		P	30 - 160
MCPP	58.9		P	30 - 160
Naproxen	84.3		P	30 - 160
Primidone	83.3		P	30 - 160
Pyraclostrobin	66.7		P	30 - 160
Silvex	35.4		P	30 - 160
Thiamethoxam	98.5		P	30 - 160
Tolfenpyrad	42.5		P	30 - 160
Triclopyr	43.1		P	30 - 160

Reference Method: SM 2320 B-2011
Batch ID: P411603

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.9		P	94 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P411606

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.2		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P411676

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P411510

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314047	Calcium	103		P	80 - 120
2314047	Iron	99.2	103	P/P	80 - 120
2314047	Magnesium	103	108	P/P	80 - 120
2314047	Potassium	96.9	102	P/P	80 - 120
2314047	Sodium	93.3	101	P/P	80 - 120
2314047	Strontium	100	104	P/P	80 - 120
2314047	Tin	101	104	P/P	80 - 120
2314047	Titanium	96.1	99.2	P/P	80 - 120
2314047	Vanadium	94.9	98.6	P/P	80 - 120
2314047	Zinc	100	104	P/P	80 - 120
2314048	Calcium	105		P	80 - 120
2314048	Iron	107		P	80 - 120
2314048	Magnesium	108		P	80 - 120
2314048	Potassium	103		P	80 - 120
2314048	Sodium	102		P	80 - 120
2314048	Strontium	104		P	80 - 120
2314048	Tin	102		P	80 - 120
2314048	Titanium	102		P	80 - 120
2314048	Vanadium	97.5		P	80 - 120
2314048	Zinc	102		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314047	Aluminum	103	104	P/P	80 - 120
2314047	Antimony	100	100	P/P	80 - 120
2314047	Arsenic	101	101	P/P	80 - 120
2314047	Barium	101	102	P/P	80 - 120
2314047	Beryllium	97.5	102	P/P	80 - 120
2314047	Boron	104	103	P/P	80 - 120
2314047	Cadmium	99.6	101	P/P	80 - 120
2314047	Cobalt	99.3	100	P/P	80 - 120
2314047	Copper	97.4	97.6	P/P	80 - 120
2314047	Lead	97.7	98.4	P/P	80 - 120
2314047	Manganese	90.9	93.2	P/P	80 - 120
2314047	Selenium	99.3	98.3	P/P	80 - 120
2314047	Silver	97.8	97.5	P/P	80 - 120
2314047	Thallium	103	104	P/P	80 - 120
2314048	Aluminum	107		P	80 - 120
2314048	Antimony	105		P	80 - 120
2314048	Arsenic	102		P	80 - 120
2314048	Barium	108		P	80 - 120
2314048	Beryllium	99.9		P	80 - 120
2314048	Boron	110		P	80 - 120
2314048	Cadmium	102		P	80 - 120
2314048	Cobalt	103		P	80 - 120
2314048	Copper	103		P	80 - 120
2314048	Lead	100		P	80 - 120
2314048	Manganese	104		P	80 - 120
2314048	Selenium	102		P	80 - 120
2314048	Silver	100		P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314048	Thallium	105		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314860	Chromium	95.9		P	80 - 120
2314860	Molybdenum	98.5		P	80 - 120
2314860	Nickel	93.3		P	80 - 120
2314863	Chromium	98.3	97.7	P/P	80 - 120
2314863	Molybdenum	102	101	P/P	80 - 120
2314863	Nickel	99.8	99.4	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411618

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313658	Chloride	97.8		P	90 - 110
2313881	Chloride	98.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411620

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313658	Sulfate	98.0		P	90 - 110
2313881	Sulfate	98.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411495

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313628	Ammonia-N	98.0	98.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411554

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314156	Ammonia-N	96.8	99.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411769

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313441	Kjeldahl Nitrogen	105	108	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P411612

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313959	NO2NO3-N	99.0	99.0	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P411515

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313959	Total-P	93.2	96.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P411497

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313960	O-Phosphate-P	99.2	100	P/P	90 - 110

Reference Method: EPA 8321B

Batch ID: P411448

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313467	Acesulfame K	143	140	P/P	40 - 150
2313467	AMPA	75.1	102	P/P	40 - 150
2313467	Endothall	83.1	83.7	P/P	40 - 150
2313467	Glufosinate	96.8	119	P/P	40 - 150
2313467	Glyphosate	71.9	95.4	P/P	40 - 150
2313467	Sucralose	112	117	P/P	40 - 150

Reference Method: EPA 8321B

Batch ID: P411506

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313467	2,4-D	85.3	78.7	P/P	30 - 160
2313467	2,4,5-T	59.9	69.4	P/P	30 - 160
2313467	Acetaminophen	107	92.2	P/P	30 - 150
2313467	Acetamiprid	104	98.0	P/P	30 - 160
2313467	Afidopyropen	78.9	66.1	P/P	30 - 160
2313467	Benzovindiflupyr	82.4	87.3	P/P	30 - 160
2313467	Carbamazepine	80.3	74.7	P/P	30 - 160
2313467	Clothianidin	128	127	P/P	30 - 160
2313467	Dinotefuran	135	130	P/P	30 - 160
2313467	Diuron	61.7	43.1	P/P	30 - 160
2313467	Fenuron	110	124	P/P	30 - 160
2313467	Fluridone	75.0	67.3	P/P	30 - 160
2313467	Hydrocodone	117	108	P/P	30 - 160
2313467	Ibuprofen	87.8	82.0	P/P	30 - 160
2313467	Imazapyr	138	134	P/P	30 - 160
2313467	Imidacloprid	235	211	F/F	30 - 160
2313467	Linuron	98.1	78.7	P/P	30 - 160
2313467	Mandestrobin	68.4	64.7	P/P	30 - 160
2313467	MCPP	88.1	77.4	P/P	30 - 160
2313467	Naproxen	75.7	68.0	P/P	30 - 160
2313467	Primidone	125	110	P/P	30 - 160
2313467	Pyraclostrobin	79.8	79.9	P/P	30 - 160
2313467	Silvex	64.0	66.3	P/P	30 - 160
2313467	Thiamethoxam	190	170	F/F	30 - 160
2313467	Tolfenpyrad	46.0	39.7	P/P	30 - 160
2313467	Triclopyr	62.6	63.9	P/P	30 - 160

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P411606

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313609	Fluoride	97.4	96.3	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P411676

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313887	Organic Carbon	99.4	103	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P411491

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314102	Color (true)	0.163	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P411501

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314155	Turbidity	12.9	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P411510

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314047	Calcium	5.21	Spike	P	0 - 20
2314047	Iron	3.46	Spike	P	0 - 20
2314047	Magnesium	3.79	Spike	P	0 - 20
2314047	Potassium	3.74	Spike	P	0 - 20
2314047	Sodium	4.07	Spike	P	0 - 20
2314047	Strontium	3.77	Spike	P	0 - 20
2314047	Tin	3.59	Spike	P	0 - 20
2314047	Titanium	2.96	Spike	P	0 - 20
2314047	Vanadium	3.82	Spike	P	0 - 20
2314047	Zinc	3.58	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314047	Aluminum	0.788	Spike	P	0 - 20
2314047	Antimony	0.0934	Spike	P	0 - 20
2314047	Arsenic	0.0465	Spike	P	0 - 20
2314047	Barium	0.856	Spike	P	0 - 20
2314047	Beryllium	4.02	Spike	P	0 - 20
2314047	Boron	0.719	Spike	P	0 - 20
2314047	Cadmium	1.61	Spike	P	0 - 20
2314047	Cobalt	1.19	Spike	P	0 - 20
2314047	Copper	0.235	Spike	P	0 - 20
2314047	Lead	0.724	Spike	P	0 - 20
2314047	Manganese	1.81	Spike	P	0 - 20
2314047	Selenium	1.07	Spike	P	0 - 20
2314047	Silver	0.320	Spike	P	0 - 20
2314047	Thallium	0.695	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314863	Chromium	0.609	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P411680

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314863	Molybdenum	0.817	Spike	P	0 - 20
2314863	Nickel	0.372	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P411618

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313658	Chloride	0.519	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P411620

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313658	Sulfate	0.120	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P411495

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313628	Ammonia-N	0.0	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P411554

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314156	Ammonia-N	2.19	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P411769

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313441	Kjeldahl Nitrogen	2.40	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0

Batch ID: P411612

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313959	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P411515

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313959	Total-P	2.65	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P411497

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313960	O-Phosphate-P	1.10	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P411448

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313467	Acesulfame K	2.20	Spike	P	0 - 30
2313467	AMPA	26.5	Spike	P	0 - 30
2313467	Endothall	0.772	Spike	P	0 - 30
2313467	Glufosinate	20.8	Spike	P	0 - 30
2313467	Glyphosate	23.0	Spike	P	0 - 30
2313467	Sucralose	4.19	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P411506

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313467	2,4-D	7.58	Spike	P	0 - 30
2313467	2,4,5-T	14.6	Spike	P	0 - 30
2313467	Acetaminophen	14.6	Spike	P	0 - 30
2313467	Acetamiprid	5.66	Spike	P	0 - 30
2313467	Afidopyropen	17.7	Spike	P	0 - 30
2313467	Bentazon	6.70	Spike	P	0 - 30
2313467	Benzovindiflupyr	5.82	Spike	P	0 - 30
2313467	Carbamazepine	7.23	Spike	P	0 - 30
2313467	Clothianidin	0.659	Spike	P	0 - 30
2313467	Dinotefuran	3.66	Spike	P	0 - 30
2313467	Diuron	35.5	Spike	F	0 - 30
2313467	Fenuron	12.2	Spike	P	0 - 30
2313467	Fluridone	8.64	Spike	P	0 - 30
2313467	Hydrocodone	8.08	Spike	P	0 - 30
2313467	Ibuprofen	6.90	Spike	P	0 - 30
2313467	Imazapyr	0.694	Spike	P	0 - 30
2313467	Imidacloprid	10.7	Spike	P	0 - 30
2313467	Linuron	21.9	Spike	P	0 - 30
2313467	Mandestrobin	5.53	Spike	P	0 - 30
2313467	MCPP	13.0	Spike	P	0 - 30
2313467	Naproxen	10.7	Spike	P	0 - 30
2313467	Primidone	12.8	Spike	P	0 - 30
2313467	Pyraclostrobin	0.116	Spike	P	0 - 30
2313467	Silvex	3.47	Spike	P	0 - 30
2313467	Thiamethoxam	10.9	Spike	P	0 - 30
2313467	Tolfenpyrad	14.7	Spike	P	0 - 30
2313467	Triclopyr	2.19	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: SM 2320 B-2011
Batch ID: P411603

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313609	Total Alkalinity	1.25	Sample	P	0 - 5.2

Reference Method: SM 2540 C-2011
Batch ID: P411801

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314075	TDS	8.22	Sample	P	0 - 10

Reference Method: SM 2540 D-2011
Batch ID: P411687

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314075	TSS	12.9	Sample	F	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P411606

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313609	Fluoride	0.968	Spike	P	0 - 2.1

Reference Method: SM 5310 B-2011
Batch ID: P411676

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313887	Organic Carbon	2.14	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2314089
Field Sample ID: G4SE0080

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	77.5	P	30 - 160
EPA 8321B	Acetaminophen-d4	92.4	P	30 - 160
EPA 8321B	Carbamazepine-d10	88.1	P	30 - 160
EPA 8321B	Diuron-d6	59.4	P	30 - 160
EPA 8321B	Endothall-d6	75.3	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	76.2	P	30 - 160
EPA 8321B	Ibuprofen-d3	61.6	P	30 - 160
EPA 8321B	Primidone-d5	127	P	30 - 160
EPA 8321B	Sucralose-d6	97.0	P	30 - 160

Lab Sample ID: 2314090
Field Sample ID: FB_03222022

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	70.3	P	30 - 160
EPA 8321B	Acetaminophen-d4	87.7	P	30 - 160
EPA 8321B	Carbamazepine-d10	79.6	P	30 - 160
EPA 8321B	Diuron-d6	59.4	P	30 - 160
EPA 8321B	Endothall-d6	108	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	106	P	30 - 160
EPA 8321B	Ibuprofen-d3	69.6	P	30 - 160
EPA 8321B	Primidone-d5	120	P	30 - 160
EPA 8321B	Sucralose-d6	129	P	30 - 160

Lab Sample ID: 2314127
Field Sample ID: G4SE0130

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	92.7	P	30 - 160
EPA 8321B	Acetaminophen-d4	100	P	30 - 160
EPA 8321B	Carbamazepine-d10	83.4	P	30 - 160
EPA 8321B	Diuron-d6	55.4	P	30 - 160
EPA 8321B	Endothall-d6	79.4	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	73.6	P	30 - 160
EPA 8321B	Ibuprofen-d3	42.2	P	30 - 160
EPA 8321B	Primidone-d5	132	P	30 - 160
EPA 8321B	Sucralose-d6	101	P	30 - 160

Lab Sample ID: 2314128
Field Sample ID: G4SE0136

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	83.2	P	30 - 160
EPA 8321B	Acetaminophen-d4	88.2	P	30 - 160
EPA 8321B	Carbamazepine-d10	88.2	P	30 - 160
EPA 8321B	Diuron-d6	62.5	P	30 - 160
EPA 8321B	Endothall-d6	76.5	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	65.3	P	30 - 160
EPA 8321B	Ibuprofen-d3	61.7	P	30 - 160
EPA 8321B	Primidone-d5	141	P	30 - 160
EPA 8321B	Sucralose-d6	100	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A111070

Included Lab Sample IDs: 2314075, 2314078

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.6	99.0	P/P	90 - 110
Sulfate	100	99.4	P/P	90 - 110

Reference Method: DEP SOP: NU-094-1

Run ID: A111109

Included Lab Sample IDs: 2314075, 2314078

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	96.9	101	P/P	85 - 115

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A111115

Included Lab Sample IDs: 2314079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.9	98.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A111117

Included Lab Sample IDs: 2314080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	101	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A111119

Included Lab Sample IDs: 2314075, 2314078

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	100	P/P	95 - 105

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A111133

Included Lab Sample IDs: 2314076

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.4	97.8	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A111156

Included Lab Sample IDs: 2314075, 2314078

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.3	96.1	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A111156

Included Lab Sample IDs: 2314075, 2314078

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	102	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A111159

Included Lab Sample IDs: 2314076, 2314079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A111169

Included Lab Sample IDs: 2314089, 2314090, 2314127, 2314128

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
AMPA	106	104	P/P	60 - 160
Glufosinate	103	106	P/P	60 - 160
Glyphosate	102	106	P/P	60 - 160

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A111171

Included Lab Sample IDs: 2314091, 2314092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	103	102	P/P	90 - 110
Calcium	97.8	102	P/P	95 - 105
Iron	103	102	P/P	90 - 110
Iron	98.0	102	P/P	95 - 105
Magnesium	103	102	P/P	90 - 110
Magnesium	97.8	102	P/P	95 - 105
Potassium	105	104	P/P	90 - 110
Potassium	99.8	103	P/P	95 - 105
Sodium	102	102	P/P	90 - 110
Sodium	97.5	101	P/P	95 - 105
Strontium	95.5	97.6	P/P	95 - 105
Strontium	97.7	98.2	P/P	90 - 110
Tin	96.1	97.7	P/P	95 - 105
Tin	98.0	97.5	P/P	90 - 110
Titanium	95.3	97.1	P/P	95 - 105
Titanium	97.4	97.6	P/P	90 - 110
Vanadium	95.3	97.3	P/P	95 - 105
Vanadium	97.3	97.1	P/P	90 - 110
Zinc	101	99.0	P/P	90 - 110
Zinc	97.8	99.4	P/P	95 - 105

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A111172

Included Lab Sample IDs: 2314091, 2314092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	100	101	P/P	90 - 110
Aluminum	100	101	P/P	90 - 110
Antimony	95.8	96.4	P/P	90 - 110
Antimony	97.2	99.3	P/P	90 - 110
Arsenic	101	98.9	P/P	90 - 110
Arsenic	98.0	98.5	P/P	90 - 110
Barium	98.5	99.1	P/P	90 - 110
Barium	99.3	100	P/P	90 - 110
Beryllium	97.6	97.4	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A111172

Included Lab Sample IDs: 2314091, 2314092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Beryllium	99.6	99.3	P/P	90 - 110
Boron	100	101	P/P	90 - 110
Boron	99.7	100	P/P	90 - 110
Cadmium	98.4	99.8	P/P	90 - 110
Cadmium	98.6	98.9	P/P	90 - 110
Cobalt	100	100	P/P	90 - 110
Cobalt	97.9	97.8	P/P	90 - 110
Copper	102	100	P/P	90 - 110
Copper	98.2	98.3	P/P	90 - 110
Lead	94.4	95.2	P/P	90 - 110
Lead	96.4	96.1	P/P	90 - 110
Manganese	95.8	97.5	P/P	90 - 110
Manganese	98.5	99.2	P/P	90 - 110
Selenium	98.8	98.0	P/P	90 - 110
Selenium	98.8	98.8	P/P	90 - 110
Silver	95.0	95.8	P/P	90 - 110
Silver	95.7	96.0	P/P	90 - 110
Thallium	100	99.8	P/P	90 - 110
Thallium	98.0	97.8	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A111179

Included Lab Sample IDs: 2314089, 2314090, 2314127, 2314128

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	104	96.7	P/P	60 - 160
Endothall	101	113	P/P	60 - 160
Sucralose	111	107	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A111189

Included Lab Sample IDs: 2314089, 2314090, 2314127, 2314128

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	91.1	87.7	P/P	50 - 150
2,4-D	95.4	91.1	P/P	50 - 150
2,4,5-T	83.8	91.0	P/P	50 - 150
2,4,5-T	91.0	88.2	P/P	50 - 150
Acetaminophen	114	109	P/P	60 - 160
Acetaminophen	118	114	P/P	60 - 160
Acetamiprid	102	108	P/P	50 - 150
Acetamiprid	108	97.2	P/P	50 - 150
Afidopyropen	64.1	86.9	P/P	50 - 150
Afidopyropen	86.9	95.3	P/P	50 - 150
Bentazon	82.2	90.4	P/P	50 - 160
Bentazon	83.8	82.2	P/P	50 - 160
Benzovindiflupyr	102	105	P/P	50 - 160
Benzovindiflupyr	96.2	102	P/P	50 - 160
Carbamazepine	86.8	91.2	P/P	60 - 150
Carbamazepine	91.4	86.8	P/P	60 - 150
Clothianidin	109	100	P/P	60 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A111189

Included Lab Sample IDs: 2314089, 2314090, 2314127, 2314128

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Clothianidin	124	109	P/P	60 - 150
Dinotefuran	113	99.1	P/P	50 - 150
Dinotefuran	116	113	P/P	50 - 150
Diuron	66.0	80.8	P/P	60 - 160
Diuron	80.8	78.2	P/P	60 - 160
Fenuron	103	100	P/P	60 - 150
Fenuron	107	103	P/P	60 - 150
Fluridone	87.6	91.5	P/P	60 - 160
Fluridone	91.5	80.4	P/P	60 - 160
Hydrocodone	107	110	P/P	60 - 150
Hydrocodone	110	107	P/P	60 - 150
Ibuprofen	105	72.3	P/P	50 - 160
Ibuprofen	119	105	P/P	50 - 160
Imazapyr	104	92.0	P/P	50 - 150
Imazapyr	92.0	111	P/P	50 - 150
Imidacloprid	100	108	P/P	60 - 150
Imidacloprid	108	93.3	P/P	60 - 150
Linuron	87.0	94.0	P/P	60 - 150
Linuron	94.0	66.7	P/P	60 - 150
Mandestrobin	69.8	77.0	P/P	50 - 150
Mandestrobin	77.0	76.3	P/P	50 - 150
MCPP	79.8	71.3	P/P	50 - 150
MCPP	80.2	79.8	P/P	50 - 150
Naproxen	62.5	69.3	P/P	50 - 160
Naproxen	93.7	62.5	P/P	50 - 160
Primidone	104	124	P/P	60 - 150
Primidone	124	89.4	P/P	60 - 150
Pyraclostrobin	95.5	95.1	P/P	60 - 150
Pyraclostrobin	97.9	95.5	P/P	60 - 150
Silvex	66.2	89.7	P/P	50 - 150
Silvex	82.0	66.2	P/P	50 - 150
Thiamethoxam	103	110	P/P	50 - 150
Thiamethoxam	124	103	P/P	50 - 150
Tolfenpyrad	80.0	102	P/P	60 - 150
Tolfenpyrad	81.3	80.0	P/P	60 - 150
Triclopyr	74.8	79.1	P/P	50 - 150
Triclopyr	79.1	76.7	P/P	50 - 150

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A111193

Included Lab Sample IDs: 2314076

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	101	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A111201

Included Lab Sample IDs: 2314076, 2314079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A111207

Included Lab Sample IDs: 2314079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A111218

Included Lab Sample IDs: 2314091, 2314092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chromium	100	99.2	P/P	90 - 110
Chromium	99.9	99.1	P/P	90 - 110
Molybdenum	101	100	P/P	90 - 110
Molybdenum	101	99.6	P/P	90 - 110
Nickel	99.2	98.5	P/P	90 - 110
Nickel	99.2	98.9	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A111296

Included Lab Sample IDs: 2314076, 2314079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.0	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
DEP SOP: NU-094-1	Color (true)	98.6					0.163	
EPA 180.1 Rev. 2.0	Turbidity	96.1					12.9	
EPA 200.7 Rev. 4.4	Calcium	105	103	105				5.21
	Iron	107	99.2	103	107			3.46
	Magnesium	108	103	108	108			3.79
	Potassium	106	96.9	102	103			3.74
	Sodium	107	93.3	101	102			4.07
	Strontium	105	100	104	104			3.77
	Tin	104	101	104	102			3.59
	Titanium	103	96.1	99.2	102			2.96
	Vanadium	96.6	94.9	98.6	97.5			3.82
	Zinc	105	100	104	102			3.58
EPA 200.8 Rev. 5.4	Aluminum	103	103	104	107			0.788
	Antimony	101	100	100	105			0.0934
	Arsenic	100	101	101	102			0.0465
	Barium	102	101	102	108			0.856
	Beryllium	100	97.5	102	99.9			4.02
	Boron	106	104	103	110			0.719
	Cadmium	100	99.6	101	102			1.61
	Chromium	97.9	98.3	97.7	95.9			0.609
	Cobalt	101	99.3	100	103			1.19
	Copper	99.7	97.4	97.6	103			0.235
	Lead	97.9	97.7	98.4	100			0.724
	Manganese	98.0	90.9	93.2	104			1.81
	Molybdenum	97.7	102	101	98.5			0.817
	Nickel	102	99.8	99.4	93.3			0.372
	Selenium	101	99.3	98.3	102			1.07
	Silver	99.8	97.8	97.5	100			0.320
	Thallium	100	103	104	105			0.695
EPA 300.0 Rev. 2.1	Chloride	98.7	97.8	98.3			0.519	
	Sulfate	99.4	98.0	98.2			0.120	
EPA 350.1 Rev. 2.0	Ammonia-N	97.0	98.0	98.0				0.0
	Ammonia-N	95.8	96.8	99.2				2.19
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	94.2	105	108				2.40
EPA 353.2 Rev. 2.0	NO2NO3-N	100	99.0	99.0				0.0
EPA 365.1 Rev. 2.0	Total-P	101	93.2	96.4				2.65
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	99.2	100				1.10
EPA 8321B	2,4-D	47.7	85.3	78.7				7.58
	2,4,5-T	40.3	59.9	69.4				14.6
	Acesulfame K	110	143	140				2.20
	Acetaminophen	90.6	107	92.2				14.6
	Acetamiprid	75.6	104	98.0				5.66
	Afidopyropen	45.7	78.9	66.1				17.7
	AMPA	109	75.1	102				26.5
	Bentazon	77.9						6.70
	Benzovindiflupyr	76.0	82.4	87.3				5.82
	Carbamazepine	59.9	80.3	74.7				7.23
	Clothianidin	98.1	128	127				0.659
	Dinotefuran	90.4	135	130				3.66
	Diuron	64.3	61.7	43.1				35.5
	Endothall	126	83.1	83.7				0.772
	Fenuron	122	110	124				12.2
	Fluridone	66.4	75.0	67.3				8.64
	Glufosinate	121	96.8	119				20.8

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 8321B	Glyphosate	114	71.9	95.4		23.0
	Hydrocodone	92.2	117	108		8.08
	Ibuprofen	68.8	87.8	82.0		6.90
	Imazapyr	95.6	138	134		0.694
	Imidacloprid	84.8	235	211		10.7
	Linuron	69.1	98.1	78.7		21.9
	Mandestrobin	62.2	68.4	64.7		5.53
	MCPP	58.9	88.1	77.4		13.0
	Naproxen	84.3	75.7	68.0		10.7
	Primidone	83.3	125	110		12.8
	Pyraclostrobin	66.7	79.8	79.9		0.116
	Silvex	35.4	64.0	66.3		3.47
	Sucralose	119	112	117		4.19
	Thiamethoxam	98.5	190	170		10.9
	Tolfenpyrad	42.5	46.0	39.7		14.7
	Triclopyr	43.1	62.6	63.9		2.19
SM 2320 B-2011	Total Alkalinity	98.9			1.25	
SM 2540 C-2011	TDS				8.22	
SM 2540 D-2011	TSS				12.9	
SM 4500 F-C-2011	Fluoride	98.2	97.4	96.3		0.968
SM 5310 B-2011	Organic Carbon	94.4	99.4	103		2.14

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2314075, 2314078
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2314075, 2314078
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2314091, 2314092
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2314091, 2314092
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2314075, 2314078
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2314075, 2314078
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2314076, 2314079
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2314076, 2314079
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2314076, 2314079
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2314076, 2314079
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2314080
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2314089, 2314090, 2314127, 2314128
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2314075, 2314078
SM 2340B	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3	2314091, 2314092
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2314075, 2314078
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2314075, 2314078
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2314075, 2314078
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2314076, 2314079

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	03/23/2022			03/23/2022 12:24	Samantha L Bates	2314075
	03/23/2022			03/23/2022 12:25	Samantha L Bates	2314078
EPA 180.1 Rev. 2.0	03/23/2022			03/23/2022 14:06	Anna M. Plaviak	2314075
	03/23/2022			03/23/2022 14:09	Anna M. Plaviak	2314078
EPA 200.7 Rev. 4.4	03/23/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 16:43	Josef B Mick	2314092
	03/23/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 20:23	Josef B Mick	2314091
EPA 200.8 Rev. 5.4	03/23/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 13:43	Alexander Thompson	2314092
	03/23/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 18:03	Alexander Thompson	2314091
	03/23/2022	03/29/2022 10:33	Megan Whitefoot	03/29/2022 17:06	Emily M Philpot	2314092
	03/23/2022	03/29/2022 10:33	Megan Whitefoot	03/29/2022 20:58	Emily M Philpot	2314091
	03/23/2022			03/24/2022 21:31	James L Waggeberby	2314075
EPA 300.0 Rev. 2.1	03/23/2022			03/24/2022 21:43	James L Waggeberby	2314078
	03/23/2022			03/23/2022 13:10	Ping Hua	2314079
EPA 350.1 Rev. 2.0	03/23/2022			03/24/2022 13:33	Judith K. Clark	2314076
	03/23/2022	03/31/2022 11:24	Samantha L Bates	04/04/2022 14:14	Alexandra J Mattheus	2314076
EPA 351.2 Rev. 2.0	03/23/2022	03/31/2022 11:24	Samantha L Bates	04/04/2022 14:16	Alexandra J Mattheus	2314079
	03/23/2022			03/24/2022 18:17	Nathaniel J Jones	2314076
EPA 353.2 Rev. 2.0	03/23/2022			03/24/2022 18:18	Nathaniel J Jones	2314079
	03/23/2022	03/25/2022 16:35	Simonne.V. Calhoun	03/28/2022 13:47	Sarah A Nixon	2314076
EPA 365.1 Rev. 2.0	03/23/2022	03/25/2022 16:35	Simonne.V. Calhoun	03/28/2022 16:46	James L Waggeberby	2314079
	03/23/2022			03/23/2022 14:13	James L Waggeberby	2314080
EPA 365.1 Rev. 2.0 dissolved EPA 8321B	03/23/2022	03/24/2022 09:30	June Rhew	03/27/2022 03:42	Juyoung Kim	2314089
	03/23/2022	03/24/2022 09:30	June Rhew	03/27/2022 04:17	Juyoung Kim	2314090
	03/23/2022	03/24/2022 09:30	June Rhew	03/27/2022 04:52	Juyoung Kim	2314127
	03/23/2022	03/24/2022 09:30	June Rhew	03/27/2022 06:01	Juyoung Kim	2314128
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/25/2022 21:43	Manjita Shrestha	2314089
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/25/2022 21:56	Manjita Shrestha	2314090
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/25/2022 22:09	Manjita Shrestha	2314127
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/25/2022 22:21	Manjita Shrestha	2314128
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/26/2022 07:37	Manjita Shrestha	2314089
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/26/2022 07:51	Manjita Shrestha	2314090
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/26/2022 08:06	Manjita Shrestha	2314127
	03/23/2022	03/24/2022 15:00	Manjita Shrestha	03/26/2022 08:21	Manjita Shrestha	2314128
	03/23/2022			03/25/2022 05:25	Dale L. Simmons	2314075
	03/23/2022			03/25/2022 05:34	Dale L. Simmons	2314078
	03/23/2022			03/25/2022 16:43	Josef B Mick	2314092
	03/23/2022			03/25/2022 20:23	Josef B Mick	2314091
SM 2320 B-2011	03/23/2022			03/25/2022 16:08	Yijie Li	2314075, 2314078
SM 2340B	03/23/2022			03/25/2022 16:08	Yijie Li	2314075, 2314078
SM 2540 C-2011	03/23/2022			03/25/2022 05:25	Dale L. Simmons	2314075
SM 2540 D-2011	03/23/2022					
SM 4500 F-C-2011	03/23/2022					

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 4500 F-C-2011	03/23/2022			03/25/2022 05:34	Dale L. Simmons	2314078
SM 5310 B-2011	03/23/2022			03/25/2022 19:33	Khloe J Berg	2314076
	03/23/2022			03/25/2022 19:48	Khloe J Berg	2314079