

Chemical Analysis Report

SE-DIST-2022-09-27-04

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Wellington South Resample**
Request ID: **RQ-2022-09-26-33**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Andrew Luering

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 17-OCT-2022 13:24



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ACME (South Sector) @ 50th St. S

Collection Date/Time: 09/26/2022 11:35

Field ID: G3SE0061

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2359619	DEP SOP: NU-094-1	Color (true)	79		PCU	P420178	
	EPA 180.1 Rev. 2.0	Turbidity	4.1		NTU	P420183	
	EPA 300.0 Rev. 2.1	Chloride	65		mg Cl/L	P420332	
		Sulfate	18		mg SO4/L	P420335	
	SM 2320 B-2011	Total Alkalinity	188		mg CaCO3/L	P420554	
	SM 2540 C-2011	TDS	366		mg/L	P420666	
	SM 2540 D-2011	TSS	4	I	mg/L	P420671	
	SM 4500-F- C-2011	Fluoride	0.11		mg F/L	P420558	MS
2359623	EPA 350.1 Rev. 2.0	Ammonia-N	0.33		mg N/L	P420516	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.7		mg N/L	P420271	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.062		mg N/L	P420499	
	EPA 365.1 Rev. 2.0	Total-P	0.084		mg P/L	P420287	
	SM 5310 B-2011	Organic Carbon	17		mg C/L	P420538	

Ref. Method and Comment:

SM 2320 B-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: ACME (South Sector) @ 40th St. S

Collection Date/Time: 09/26/2022 11:50

Field ID: G3SE0060

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2359620	DEP SOP: NU-094-1	Color (true)	68		PCU	P420178	
	EPA 180.1 Rev. 2.0	Turbidity	9.1		NTU	P420183	
	EPA 300.0 Rev. 2.1	Chloride	63		mg Cl/L	P420332	
		Sulfate	18		mg SO4/L	P420335	
	SM 2320 B-2011	Total Alkalinity	159		mg CaCO3/L	P420554	
	SM 2540 C-2011	TDS	293		mg/L	P420666	
	SM 2540 D-2011	TSS	13		mg/L	P420671	
	SM 4500-F- C-2011	Fluoride	0.13		mg F/L	P420558	MS
2359624	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P420516	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.8		mg N/L	P420271	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P420499	
	EPA 365.1 Rev. 2.0	Total-P	0.12		mg P/L	P420287	
	SM 5310 B-2011	Organic Carbon	16		mg C/L	P420538	

Ref. Method and Comment:

SM 2320 B-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: ACME South

Collection Date/Time: 09/26/2022 12:05

Field ID: G3SE0038

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2359621	DEP SOP: NU-094-1	Color (true)	57		PCU	P420178	
	EPA 180.1 Rev. 2.0	Turbidity	2.4		NTU	P420183	
	EPA 300.0 Rev. 2.1	Chloride	44		mg Cl/L	P420332	
		Sulfate	13		mg SO4/L	P420335	
	SM 2320 B-2011	Total Alkalinity	126		mg CaCO3/L	P420554	
	SM 2540 C-2011	TDS	223		mg/L	P420666	
	SM 2540 D-2011	TSS	2	I	mg/L	P420671	
	SM 4500-F- C-2011	Fluoride	0.097	I	mg F/L	P420558	MS
2359625	EPA 350.1 Rev. 2.0	Ammonia-N	0.24		mg N/L	P420516	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P420271	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.008	I	mg N/L	P420499	
	EPA 365.1 Rev. 2.0	Total-P	0.41		mg P/L	P420287	
	SM 5310 B-2011	Organic Carbon	13		mg C/L	P420538	

Ref. Method and Comment:

SM 2320 B-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: ACME (South Sector) @ Lake Worth

Collection Date/Time: 09/26/2022 11:15

Field ID: G3SE0016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2359622	DEP SOP: NU-094-1	Color (true)	32	A	PCU	P420178	
	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P420183	
	EPA 300.0 Rev. 2.1	Chloride	36		mg Cl/L	P420332	
		Sulfate	29		mg SO4/L	P420335	
	SM 2320 B-2011	Total Alkalinity	163		mg CaCO3/L	P420554	
	SM 2540 C-2011	TDS	277		mg/L	P420666	
	SM 2540 D-2011	TSS	29		mg/L	P420671	
	SM 4500-F- C-2011	Fluoride	0.16		mg F/L	P420558	MS
2359626	EPA 350.1 Rev. 2.0	Ammonia-N	0.13		mg N/L	P420516	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.7		mg N/L	P420271	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.083		mg N/L	P420499	
	EPA 365.1 Rev. 2.0	Total-P	0.12		mg P/L	P420287	
	SM 5310 B-2011	Organic Carbon	9.4		mg C/L	P420538	

Ref. Method and Comment:

SM 2320 B-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P420178

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P420183

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420332

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420335

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P420516

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P420271

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P420499

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P420287

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P420554

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 C-2011
Batch ID: P420666

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P420671

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P420558

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P420538

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P420178

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	102		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P420183

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420332

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	103		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420335

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P420516

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P420271

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P420499

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P420287

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	107		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P420554

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	100		P	94 - 106

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 4500-F- C-2011
Batch ID: P420558

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	96 - 104

Reference Method: SM 5310 B-2011
Batch ID: P420538

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420332

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2359639	Chloride	99.3		P	90 - 110
2359640	Chloride	99.6		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420335

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2359639	Sulfate	96.6		P	90 - 110
2359640	Sulfate	96.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P420516

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2359644	Ammonia-N	102	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P420499

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2359623	NO2NO3-N	100	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P420287

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2359644	Total-P	105	102	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P420558

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2359458	Fluoride	105	104	F/F	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P420538

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2359642	Organic Carbon	102	103	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P420178

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359622	Color (true)	0.0348	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P420183

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359597	Turbidity	7.38	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420332

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359639	Chloride	0.329	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P420335

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359639	Sulfate	0.132	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P420516

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359644	Ammonia-N	0.974	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P420271

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359612	Kjeldahl Nitrogen	4.46	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P420499

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359623	NO2NO3-N	0.758	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P420287

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359644	Total-P	1.21	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2540 C-2011
Batch ID: P420666

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359597	TDS	7.64	Sample	P	0 - 10

Reference Method: SM 4500-F- C-2011
Batch ID: P420558

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359458	Fluoride	0.948	Spike	P	0 - 1.6

Reference Method: SM 5310 B-2011
Batch ID: P420538

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2359642	Organic Carbon	0.395	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: DEP SOP: NU-094-1

Run ID: A114965

Included Lab Sample IDs: 2359619, 2359620, 2359621, 2359622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	103	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A114967

Included Lab Sample IDs: 2359619, 2359620, 2359621, 2359622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A114999

Included Lab Sample IDs: 2359619, 2359620, 2359621, 2359622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	101	P/P	90 - 110
Chloride	101	102	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A115077

Included Lab Sample IDs: 2359623, 2359624, 2359625, 2359626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110
Total-P	102	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A115124

Included Lab Sample IDs: 2359623, 2359624, 2359625, 2359626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	105	P/P	90 - 110
Kjeldahl Nitrogen	99.3	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A115137

Included Lab Sample IDs: 2359623, 2359624, 2359625, 2359626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A115139

Included Lab Sample IDs: 2359623, 2359624, 2359625, 2359626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.8	99.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-2011

Run ID: A115145

Included Lab Sample IDs: 2359623, 2359624, 2359625, 2359626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.8	99.2	P/P	90 - 110
Organic Carbon	99.2	99.4	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A115150

Included Lab Sample IDs: 2359619, 2359620, 2359621, 2359622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	95.7	102	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A115150

Included Lab Sample IDs: 2359619, 2359620, 2359621, 2359622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	103	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
DEP SOP: NU-094-1	Color (true)	102			0.0348	
EPA 180.1 Rev. 2.0	Turbidity	101			7.38	
EPA 300.0 Rev. 2.1	Chloride	103	99.3	99.6	0.329	
	Sulfate	102	96.6	96.7	0.132	
EPA 350.1 Rev. 2.0	Ammonia-N	97.6	102	103		0.974
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104				4.46
EPA 353.2 Rev. 2.0	NO2NO3-N	102	100	101		0.758
EPA 365.1 Rev. 2.0	Total-P	107	105	102		1.21
SM 2320 B-2011	Total Alkalinity	100				
SM 2540 C-2011	TDS				7.64	
SM 4500-F- C-2011	Fluoride	101	105	104		0.948
SM 5310 B-2011	Organic Carbon	98.6	102	103		0.395

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2359619, 2359620, 2359621, 2359622
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2359619, 2359620, 2359621, 2359622
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2359619, 2359620, 2359621, 2359622
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2359619, 2359620, 2359621, 2359622
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2359623, 2359624, 2359625, 2359626
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2359623, 2359624, 2359625, 2359626
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2359623, 2359624, 2359625, 2359626
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2359623, 2359624, 2359625, 2359626
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2359619, 2359620, 2359621, 2359622
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2359619, 2359620, 2359621, 2359622
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2359619, 2359620, 2359621, 2359622
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2359619, 2359620, 2359621, 2359622
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2359623, 2359624, 2359625, 2359626

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	09/27/2022			09/27/2022 15:36	Anna M. Plaviak	2359619, 2359620
	09/27/2022			09/27/2022 15:37	Anna M. Plaviak	2359621
	09/27/2022			09/27/2022 15:38	Anna M. Plaviak	2359622
EPA 180.1 Rev. 2.0	09/27/2022			09/27/2022 15:28	Chandler E Cox	2359619
	09/27/2022			09/27/2022 15:29	Chandler E Cox	2359620
	09/27/2022			09/27/2022 15:36	Chandler E Cox	2359621
EPA 300.0 Rev. 2.1	09/27/2022			09/27/2022 15:38	Chandler E Cox	2359622
	09/27/2022			09/30/2022 06:19	Anna M. Plaviak	2359619
	09/27/2022			09/30/2022 06:34	Anna M. Plaviak	2359620
EPA 350.1 Rev. 2.0	09/27/2022			09/30/2022 06:49	Anna M. Plaviak	2359621
	09/27/2022			09/30/2022 07:34	Anna M. Plaviak	2359622
	09/27/2022			10/05/2022 13:12	Ping Hua	2359623
EPA 351.2 Rev. 2.0	09/27/2022			10/05/2022 13:13	Ping Hua	2359624
	09/27/2022			10/05/2022 13:15	Ping Hua	2359625
	09/27/2022			10/05/2022 13:16	Ping Hua	2359626
EPA 353.2 Rev. 2.0	09/27/2022	09/29/2022 11:16	Simonne.V. Calhoun	10/04/2022 15:02	Samantha L Bates	2359623
	09/27/2022	09/29/2022 11:16	Simonne.V. Calhoun	10/04/2022 15:03	Samantha L Bates	2359624
	09/27/2022	09/29/2022 11:16	Simonne.V. Calhoun	10/04/2022 15:05	Samantha L Bates	2359625
EPA 365.1 Rev. 2.0	09/27/2022	09/29/2022 11:16	Simonne.V. Calhoun	10/04/2022 15:10	Samantha L Bates	2359626
	09/27/2022			10/05/2022 09:51	Beverly Y. Sanders	2359623
	09/27/2022			10/05/2022 09:57	Beverly Y. Sanders	2359624
SM 2320 B-2011	09/27/2022			10/05/2022 09:58	Beverly Y. Sanders	2359625
	09/27/2022			10/05/2022 09:59	Beverly Y. Sanders	2359626
	09/27/2022			10/03/2022 10:16	James L Waggeberby	2359623
SM 2540 C-2011	09/27/2022	09/30/2022 12:23	Adam P Silver	10/03/2022 10:17	James L Waggeberby	2359624
	09/27/2022	09/30/2022 12:23	Adam P Silver	10/03/2022 10:18	James L Waggeberby	2359625
	09/27/2022	09/30/2022 12:23	Adam P Silver	10/03/2022 10:22	James L Waggeberby	2359626
SM 2540 D-2011	09/27/2022			10/06/2022 04:34	Dale L. Simmons	2359619
	09/27/2022			10/06/2022 04:47	Dale L. Simmons	2359620
	09/27/2022			10/06/2022 04:59	Dale L. Simmons	2359621
SM 4500-F- C-2011	09/27/2022			10/06/2022 05:11	Dale L. Simmons	2359622
	09/27/2022			09/30/2022 16:11	Yijie Li	2359619, 2359620, 2359621, 2359622
	09/27/2022			09/30/2022 16:11	Yijie Li	2359619, 2359620, 2359621, 2359622
SM 5310 B-2011	09/27/2022			10/06/2022 04:34	Dale L. Simmons	2359619
	09/27/2022			10/06/2022 04:47	Dale L. Simmons	2359620
	09/27/2022			10/06/2022 04:59	Dale L. Simmons	2359621
	09/27/2022			10/06/2022 05:11	Dale L. Simmons	2359622
	09/27/2022			10/05/2022 06:26	Touraj Touran	2359623
	09/27/2022			10/05/2022 07:08	Touraj Touran	2359624
	09/27/2022			10/05/2022 07:21	Touraj Touran	2359625

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 5310 B-2011	09/27/2022			10/05/2022 07:35	Touraj Touran	2359626