

RQ- 2023-03-27-31

Login Checklist

Login Station ID: #3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 04/07/23 @ 0930

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.8 1.2				65		x			585942344551 585942344562
						X			

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 °C (above 10.0 °C for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes X No _____ Init: BKK

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: BKK

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes X No _____ NA _____ Init: BKK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: BKK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: BKK

Date: 04/07/23

Event contains NCRs (Y/N)? N

2023 SMP : Land O' Lakes

Event ID: SO-DIST-2023-04-07-01 (SMP)

Date Received: 07-APR-2023 09:30

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #3 Exp:10/17/2023
pH Test Strips 0 – 6	Lot#223819AV Exp:8/30/23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#210620 Exp:4/15/23
Chlorine Test Strips	Lot#1196 Exp:2/24

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 4/6/2023
Customer: SO-DIST
RQ: RQ-2023-03-27-31

Collected By: Nicole Reistad, Monica Jaeger
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
BONNET CREEK AT SR 64	 G4SD0107
RED WATER LAKE AT MID	 G4SD0224
LAKE JUNE IN WINTER	 G4SD0186
LAKEPLACIDOUTLETATSR70W	 G4SD0213
LAKE GLENADA	 G4SD0179

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 4/6/2023 1500
EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Brian Kneuch

Rec'd/Inspected

Date:

4/7/23 0930



RQ-2023-03-27-31	Collected By: Nicole Reistad, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID:  WIN ID/Field ID: G4SD0107	Comments: Microbiology sample(s) submitted to contract laboratory.
---	--

Location: BONNET CREEK AT SR 64

Matrix: Fresh	(Check One) ☒ Grab ☐ Composite
---------------	---

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)
4/6/2023 1000	6.14	71.4	22.6	6.17	0.1	0.2	0.2	217.9	0.1

Parameter Suite	Parameter Methods						Preservation			pH Check		# Bottles sent to Lab	Bottle Group				
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					X	Ice	X	H2SO4*	X	<2	1	D			
		Lot #		SA3013020		Exp:	1/25/24										
Metals (P-500ML)		W-ICPMS			W-ICP		W-HARD		Ice		HNO3*		<2				
		Lot #				Exp:											
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter				Ice									
		Filter Lot #		Syringe Lot #													
BOD (BP-1L)		OV-BODUNIN						Ice									
Chlorophyll (BP-1L)	X	CHLSUITE-W					X	Ice							1	D	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS					X	Ice							1	D	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY						Ice									
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin										
Periphyton (PT-50ML)		ALGAE-ID						Ice									
Microbiology (Contract Lab Bottle)	X	E Coli			F Coli		Enterococci	X	Ice						1	D	
	X	Contract Lab															
Molecular (QPCR-P-500ML)	X	PCR-HF183		X	PCR-BacR		X	PCR-DG3		X	Ice			1	D		
		PCR-GULL2			PCR-GFD												
Tracers (BG-500ML)	X	W-E8321-DI		X	W-E8321-MS			X	Ice			1	D				
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#							
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R											
		W-TR-SQ-R		W-PCB-TQ-R													
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice										
DOC		W-DOC			Field Filtered 0.45 um Filter			Ice		H2SO4*		<2					
			Acid Preservative Expiration Date														
			Acid Preservative Lot Number														



RQ-2023-03-27-31	Collected By: Nicole Reistad, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G4SD0224

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: RED WATER LAKE AT MID

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)							
4/6/2023 1210	8.3	104.1	27	7.91	0.3	1.2	4.7	201.9	0.09							
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group					
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	B			
		Lot #		SA3013020		Exp:	1/25/24									
Metals (P-500ML)		W-ICPMS		W-ICP		W-HARD			Ice		HNO3*		<2			
		Lot #				Exp:										
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter					Ice							
		Filter Lot #			Syringe Lot #											
BOD (BP-1L)		OV-BODUNIN					Ice									
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice	1	B							
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice	1	B							
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice									
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin									
Periphyton (PT-50ML)		ALGAE-ID					Ice									
Microbiology (Contract Lab Bottle)	X	E Coli		F Coli		Enterococci		X	Ice						1	B
	X	Contract Lab														
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3			Ice							
		PCR-GULL2		PCR-GFD					Ice							
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS					Ice							
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI			W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#					
		W-PCL-TQ-R			W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R									
		W-TR-SQ-R		W-PCB-TQ-R												
Phytoplankton		DTY-QN-C		PKD-QN-BV					Ice							
DOC		W-DOC	Field Filtered 0.45 um Filter					Ice		H2SO4*		<2				
	Acid Preservative Expiration Date															
	Acid Preservative Lot Number															



RQ-2023-03-27-31	Collected By: Nicole Reistad, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID:  WIN ID/Field ID: G4SD0186	Comments:
---	-----------

Location: LAKE JUNE IN WINTER

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
4/6/2023 1255	8.63	104.4	26.4	7.73	0.3	2.1	8.8	183.7	0.09

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A	
	Lot #		SA3013020		Exp:		1/25/24						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD		Ice		HNO3*		<2		
	Lot #		Exp:										
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter			Ice						
	Filter Lot #	Syringe Lot #											
BOD (BP-1L)		OV-BODUNIN					Ice						
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice				1	A	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice				1	A	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice						
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin						
Periphyton (PT-50ML)		ALGAE-ID					Ice						
Microbiology (Contract Lab Bottle)		E Coli	F Coli	Enterococci			Ice						
	Contract Lab												
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3		Ice						
	PCR-GULL2		PCR-GFD										
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice						
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS	W-PSNP-TQ			Ice	MCAA Exp.	MCAA Lot#				
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R								
		W-TR-SQ-R	W-PCB-TQ-R										
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice						
DOC		W-DOC	Field Filtered 0.45 µm Filter				Ice		H2SO4*	<2			
	Acid Preservative Expiration Date												
	Acid Preservative Lot Number												

RQ-2023-03-27-31	Collected By: Nicole Reistad, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID:  WIN ID/Field ID: G4SD0213	Comments: Microbiology sample(s) submitted to contract laboratory.
---	---

Location: LAKEPLACIDOUTLETATSR70W

Matrix: Fresh

(Check One)

✓ Grab

☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)						
4/6/2023 1405	2.47	30.3	26.1	6.46	0.05	0.1	0.1	199.4	0.09						
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group				
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	C		
		Lot #		SA3013020		Exp:	1/25/24								
Metals (P-500ML)	X	W-ICPMS		X	W-ICP	X	W-HARD	X	Ice	X	HNO3*	X	<2	1	C
		Lot #		NA1105100		Exp:	6/7/23								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter				Ice							
		Filter Lot #		Syringe Lot #											
BOD (BP-1L)		OV-BODUNIN						Ice							
Chlorophyll (BP-1L)	X	CHLSUITE-W					X	Ice							
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS					X	Ice							
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY						Ice							
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin								
Periphyton (PT-50ML)		ALGAE-ID						Ice							
Microbiology (Contract Lab Bottle)	X	E Coli			F Coli		Enterococci	X	Ice						
	X	Contract Lab													
Molecular (QPCR-P-500ML)		PCR-HF183			PCR-BacR		PCR-DG3		Ice						
		PCR-GULL2			PCR-GFD										
Tracers (BG-500ML)		W-E8321-DI			W-E8321-MS				Ice						
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS			W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#					
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)			W-CT-CL-R								
		W-TR-SQ-R			W-PCB-TQ-R										
Phytoplankton		DTY-QN-C			PKD-QN-BV				Ice						
DOC		W-DOC		Field Filtered 0.45 um Filter				Ice		H2SO 4*		<2			
			Add Preservative Expiration Date												
			Add Preservative Lot Number												



RQ-2023-03-27-31	Collected By: Nicole Reistad, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID: 	Comments:
WIN ID/Field ID: G4SD0179	

Location: LAKE GLENADA

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)			
4/6/2023 1035	8.7	107.7	26.2	8.81	0.3	0.7	5.8	175.7	0.08			
Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A
		Lot #		SA3013020	Exp:	1/25/24						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD		Ice		HNO3*		<2	
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter			Ice					
		Filter Lot #	Syringe Lot #									
BOD (BP-1L)		OV-BODUNIN					Ice					
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice		1	A		
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice		1	A		
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice					
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin					
Periphyton (PT-50ML)		ALGAE-ID					Ice					
Microbiology (Contract Lab Bottle)		E Coli		F Coli		Enterococci	Ice					
		Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3		Ice					
		PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice					
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS	W-PSNP-TQ			Ice	MCAA Exp.	MCAA Lot#			
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R							
		W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice					
DOC		W-DOC	Field Filtered 0.45 µm Filter			Ice		H2SO4*		<2		
		Acid Preservative Expiration Date										
		Acid Preservative Lot Number										

Benchmark Enviro-Analytical, Inc.
1001 Corporate Ave., Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Project Name: RQ-2024-
Project Run/Location: SMP/Land O' Lakes

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL 32399
Phone: (239) 344-5710
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab-495344
CODE: ES

Laboratory Submission #

523040144

Enterococci
E. coli (SM9223B Quantity)

Laboratory Sample #

Station Name Sample Matrix (Fresh / Marine)	Sample Type	Enterococci E. coli (SM9223B Quantitray)	E. coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL	Date & Time	Count	Laboratory Sample #
G4SD0107	F / M / <u>Grab</u>	<u>E. coli</u> / Enteroc / Fecal coliform		4/6/23	1000	1
G4SD0224	F / M / <u>Grab</u>	<u>E. coli</u> / Enteroc / Fecal coliform		4/6/23	1210	2
G4SD0213	F / M / <u>Grab</u>	<u>E. coli</u> / Enteroc / Fecal coliform		4/6/23	485 / 445	3
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time		
	F / M / Grab	E. coli / Enteroc / Fecal coliform		Date & Time	</	

Laboratory Sample Acceptability:
pH < 9 BEAS Temperature 4.9°C

1. Sample (1) is used to indicate whether the sample was a grab (G) or a filter (F) and a composite (C).
2. Sample (1) is used to indicate whether the sample was a grab (G) or a filter (F) and a composite (C).
3. Sample (1) is used to indicate whether the sample was a grab (G) or a filter (F) and a composite (C).
4. Sample (1) is used to indicate whether the sample was a grab (G) or a filter (F) and a composite (C).
5. Sample (1) is used to indicate whether the sample was a grab (G) or a filter (F) and a composite (C).
6. The filter is responsible for the detection of the sample matrix. If the filter is not used, the sample matrix is not detected.
7. The filter is responsible for the detection of the sample matrix. If the filter is not used, the sample matrix is not detected.
8. The filter is responsible for the detection of the sample matrix. If the filter is not used, the sample matrix is not detected.
9. The filter is responsible for the detection of the sample matrix. If the filter is not used, the sample matrix is not detected.
10. The filter is responsible for the detection of the sample matrix. If the filter is not used, the sample matrix is not detected.

1	Collected By: <i>[Signature]</i>	Date: 4/6/23	Time: 1531	Received By: <i>[Signature]</i>	Date: 4/6/23	Time: 1531
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished By:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished By:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished By:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp: 4.9 °C
Checked at Benchmark EA South E85085
With Temperature Gun ID #7

Date of Request: 14-MAR-2023
 Created By: MULLEN_W On: 14-MAR-2023
 Modified By: JASROTIA_P On: 20-MAR-2023
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Event Description: 2023 SMP : Land O' Lakes

Send Coolers To:

Phone: 239-344-5716
 FLDEP South District Office
 2295 Victoria Ave. Suite 314
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Cooler Ship EMail: William.Mullen@FloridaDEP.gov

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 20-MAR-2023
 Biology Request Reviewed By: JASROTIA_P On: 20-MAR-2023
 Sampling Kit Required: YES Ship on: 24-MAR-2023
 Sampling Kit Shipped: YES On: 21-MAR-2023
 Sampling Kit Packed By: PENDLETO_C
 Preservatives Needed: NO
 Date to Receive Samples: 27-MAR-2023
 Logged In By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 314
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Report Notification EMail:
 Nicole.Reistad@FloridaDEP.gov;John.Barrington@FloridaDEP.gov;William.Mullen@FloridaDEP.gov;Monica.Jaeger@FloridaDEP.gov

Comments: Group A: (Lake Glendada, Lake June) Freshwater Nutrients
 Group B: (Red Water) Fresh nutrients, E. coli
 Group C: (Placid Outlet) Fresh Nutrients, Metals, E. coli
 Group D: (Bonnet Creek) Fresh Nutrients, E. coli, Markers, Tracers

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) E. coli by Colilert/QT by BEA South in North Port
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) E. coli by Colilert/QT by BEA South in North Port
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
Hardness		
W-ICP	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Strontium		
Tin		
Titanium		
Vanadium		
Zinc		
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Aluminum		
Antimony		
Arsenic		
Barium		
Beryllium		
Boron		
Cadmium		
Chromium		
Cobalt		
Copper		
Lead		
Manganese		
Molybdenum		
Nickel		
Selenium		
Silver		
Thallium		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML		Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-1L		Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices	
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)	
Color (true)			
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: BP-1L		Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L		Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices	
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)	
Color (true)			
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: BP-1L		Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: QPCR-P-500ML		Number of Bottles: 1	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	
PCR-DG3	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	
Bottle Type: P-250ML-WI-THI		Number of Bottles: 1	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) E. coli by Colilert/QT by BEA South in North Port	
Bottle Type: BG-500ML		Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	
Bottle Type: P-500ML		Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

