

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab B95341
CLETB

Project Name: RQ-2023-01-03-51
Project Run/Location: SMC / later gator

Laboratory Submission #:

523070114

Station ID

Surface Water Sample Matrix? (Fresh / Marine)
Sample Type

Enterococci
E. coli (SM9223B Quantitray)

Laboratory Sample #

E. Coli = 250 mL : Entero = 120 mL : Fecal Coliform = 120 mL

G3SD0100	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time: 7/6/23	920	1
G3SD0091	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time: 7/6/23	1020	2
G2SD0032	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time: 7/6/23	1115	3
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:		

Sample Type: is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix: is used to indicate whether the sample is being submitted to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), solid sediment (SDM), or sludge (SLD).

Sample Type: is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in ice after collection. The maximum temperature during storage should be 4°C (41°F). Under "Preservative," list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, preservation method, container type, client ID, and preservative for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.

3. All bottles containing preservative may be stored with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 2.6°C

1	Collector: Monica Decker	Date: 7/6/23	Time: 1203	Received By: Dante Rytelich	Date: 7/6/23	Time: 1203
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 2.6 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7