

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab 000005
C/ECB

Project Name: RQ-2023-08-1419
Project Run/Location: SWP/CHAR HAR

Station ID		Laboratory Submission #:	
		523080440	
Surface Water Sample Matrix* (Fresh / Marine) Sample Type		Enterococci E.coli (SM9223B Quantitray)	
G35D0219		E. coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL	
F / M / Grab	Enteroc	Date & Time: 8/15/23	910
F / M / Grab	Fecal coliform	Date & Time: 8/15/23	1 alb
F / M / Grab	Enteroc	Date & Time: 8/15/23	945
F / M / Grab	Fecal coliform	Date & Time:	2 alb
F / M / Grab	Enteroc	Date & Time:	
F / M / Grab	Fecal coliform	Date & Time:	
F / M / Grab	Enteroc	Date & Time:	
F / M / Grab	Fecal coliform	Date & Time:	
F / M / Grab	Enteroc	Date & Time:	
F / M / Grab	Fecal coliform	Date & Time:	
F / M / Grab	Enteroc	Date & Time:	
F / M / Grab	Fecal coliform	Date & Time:	
F / M / Grab	Enteroc	Date & Time:	
F / M / Grab	Fecal coliform	Date & Time:	
F / M / Grab	Enteroc	Date & Time:	
F / M / Grab	Fecal coliform	Date & Time:	
F / M / Grab	Enteroc	Date & Time:	
F / M / Grab	Fecal coliform	Date & Time:	

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 4°C (41°F). Under "Preservative" list any preservatives that were added to the sample container.

Each bottle has a label identifying sample ID, preservative, preservative contained in the bottle, sample type, client ID, and parameters for analysis.

The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

The client is responsible for documentation of the sampling event. Please note special sampling event on the sample canopy form.

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 4.7°C

1	Collector: Monica Jaeger	Date: 8/15/23	Time: 1048	Received By: Brooke Kryniah	Date: 8/15/23	Time: 1048
2	Relinquished by:	Date:	Time:	Received By: Brooke Kryniah	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 4.7 °C

Checked at Benchmark EA South E85088
With Temperature Gun ID #7