

Benchmark EnviroAnalytical, Inc.

1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399

Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab CIEFCB

Project Name: RQ-2023-10-16-38
Project Run/Location: SMO HyAKKA

Station ID

Surface Water Sample Matrix* (Fresh / Marine)
Sample Type

Enterococci
E.coli (SM9223B Quantitray)

Laboratory Sample #

Laboratory Submission #:

E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G35D0201	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time: 0910 10/16/23	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform	Date & Time:	

*Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

1. "Sample Matrix" is used to indicate whether the sample is being submitted to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SBMNT), or sludge (SLDG).
2. "Composite Type" is used to indicate whether the composite was a grab (G) or a pool (P).
3. "Sample" must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 4°C (41.8°F). Under "Preservative" list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, preservative, reservoir, container, in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be stored with appropriate sample prior to collection.

1. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

pH < 2.0 BEAS Temperature: 2.8°C

1	Collector: Samantha Collins	Date: 10/16/23	Time: 1312	Received By: Gabriel Friren	Date: 10/16/23	Time: 1312
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: