



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STRATEGIC MONITORING PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes ☒ No ☐

WIN Station Name:		LAKE JACKSON				Sample Date:		5/30/2023	
WIN / Field ID:	G4NW0014	ORG ID:	21FLPNS	ENR:		Latitude:	30.98839		
County:	WALTON	WBID:	38A	LAKE	3F	Longitude:	-86.33047		
Receiving Body of Water:						-	RQ-	2023-05-29-10	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Frank Butera	x	x	x		
Brook Olin		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
x	Syringe		Pole
Syringe Lot# 136514		Filter Lot# 17460495	
Secchi Equipment ID:		Secchi -1	
Collection Method			
	Wading		Canoe/Kayak
	From Shore		Electric Motor
		x	Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	NA
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	Yes
Meter ID:	155077 (ProDSS)
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
CEN	1150	3.3	0.3	9.39	119	27	6.43	1.4	30.6	0.01
	1156		2	9.44	118	26.3	7.01		30.6	0.01
	1200		2.8	9.16	114	26.1	6.82		30.6	0.01

Biological Samples Collected:

HA LVI

SBIO Visit ID: 86866

HA ID: 18456

RPS ID: N/A

Macrophyte ID: 12441

LIMS Sample ID Entered

Into The Macrophyte Module: 2413432

Parameter Suite	Parameter Methods (LIMS Test Codes)			Preservation				
				Type	Lot#	Expiration Date	pH Check	
Microbiology								
Chlorophyll	CHLSUITE-W			ICE				
Physical/Aggregate Nutrients	ALKALINITY, TURBIDITY, W-F, W-TSS W-CL-IC, W-COLOR, W-SO4-IC, W-TDS			ICE				
Filtered Nutrients	W-PO4-F	Field Filtered 0.45 µm Filter		ICE	Syringe Lot#:136514; Filter Lot#:17460495			
Acid Preserved Nutrients	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			ICE	H2SO4*	SA3013020	01/25/2024	H2SO4 pH<2
Metals	W-ICPMS	W-ICP	W-HARD	ICE	HNO3**	NA2126030	06/02/2023	HNO3 pH<2
Organics (LC)	W-E8321-DI	W-E8321-MS						
Macroinvertebrates								
Organics (GC)	W-PSNP-TQ	W-TR-SQ-R		Ice	*2.0 ml of H2SO4 Used Unless Noted Otherwise **2.0 ml of HNO3 Used Unless Noted Otherwise			
Molecular								
Periphyton								
Phytoplankton								
BOD								
DOC								
Other(s)					SyringeLot#		FilterLot#	
Field Comments:								
Comments on COC:								
Relinquish Date:	05/30/2023	Signature:						

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____

(Initials/Date)

QC Station ID, Field Parameters In LIMS DMT: _____

(Initials/Date)

Save Field Sheets on Network: _____

(Initials/Date)

Migrate Data to WIN: _____

(Initials/Date)

Site Name Lake Jackson

Date: 05/30/2023

WIN-ID G4NW0014

Field ID G4NW0014

Project: SMP/TMDL Studies

Visit ID 86866

RQ: 2023-05-29-10

Macro ID 12441

LIMS ID: 2413432

HA ID 18456

WBID: 38A

☒ LVI

☒ Sample Site Created in SBIO

☒ Phys/Chem in SBIO

Initial/Date FB 6/1/23

☒ Date and Initial QA: 7/14/23 BO

☒ HA entered in SBIO

Initial FB 6/1/23

☒ Date and Initial QA: 7/14/23 BO HA Score 75

☒ LVI entered in SBIO

Initial FB 6/1/23

☒ Date and Initial QA: 8/16/23

☒ Plants getting verified

☒ Date submitted: 05/30/23

☒ Plants verified

☒ Date returned: 05/31/23

☒ Macro ID authorized in SBIO

☒ Date and Initial: FB, 8/17/2023

☒ Macro ID score: 72

☒ If SMP, scanned into database

Notes:

06/01/2023. SBIO Macrophyte. Waiting for *Gelsemium rankinii* to be added to Florida Plant List. ✓

DEP FORM FD 9000-31: LAKE OBSERVATION FIELD SHEET

SAMPLE ID: 86866 MACROPHYTE ID: 12441 LATITUDE: N 30.9884
 COUNTY: Walton (Florida) STORET #: G4NW0014 LONGITUDE: W 86.33047
 DATE: 5/29/2023 TIME: 11:50 SAMPLING AGENCY: FL DEP - NWROC
 SITE NAME: Lake Jackson WBID: 38A Basin: Yellow River
 FIELD ID/NAME: G4NW0014 LAKE SIZE: 411 RQ: 2023-05-29-10
 WATERSHED / LAKESIDE FEATURES LIMS ID: 2413432

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category – from GIS) :										LANDSCAPE DEVELOPMENT INTENSITY (100 m buffer)											
Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industrial	Other (Specify)				LDI: <u>N/A</u>										
☐	☐	☐	☐	☒	☒	☐	☒ City Park														
Local Watershed Erosion (select one) : ☐ None ☐ Slight ☒ Moderate ☐ Heavy										Artificially Impounded											
Local Watershed NPS Pollution : ☐ No evidence ☐ Slight ☒ Moderate ☐ Heavy										☐ Yes ☒ No											
STORMWATER INPUTS		Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation			Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place			Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place			Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place										
<u>13</u>		20	19	18	17	16	15	14	<u>13</u>	12	11	10	9	8	7	6	5	4	3	2	1
LAKESIDE ALTERATIONS		Very few man-made structures, roads, or other disturbance adjacent to lake (<10% lakeside affected)			Moderate disturbance visible - structures, roads or other (10%-49% lakeside affected)			Many structures, roads or other human disturbance visible (50%-70% lakeside affected)			Highly developed or disturbed (>70% of lakeside affected)										
<u>12</u>		20	19	18	17	16	15	14	13	<u>12</u>	11	10	9	8	7	6	5	4	3	2	1
BUFFER ZONE		Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer			89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer			50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer			< 29% of shoreline with >18m buffer										
<u>8</u>		20	19	18	17	16	15	14	13	12	11	10	9	<u>8</u>	7	6	5	4	3	2	1

WATER / SUBSTRATE / BIOLOGICAL: SAMPLES AND OBSERVATIONS

Water: Nutrient Sample Taken? ☒ Yes ☐ No Preserved? ☐ Yes ☐ No pH<2 ☐ No Color Sample Taken? ☒ Yes ☐ No Lot # _____ Exp. Date: _____ Alkalinity Sample Taken? ☒ Yes ☐ No Water Level ☐ Low ☒ Normal ☐ High										Water Odors: ☒ Normal ☐ Sewage ☐ Petroleum ☐ Other _____									
Meter Readings: Top: <u>0.3</u> <u>27</u> <u>6.43</u> <u>9.39</u> <u>119</u> <u>30.6</u> <u>0.01</u> Mid-Depth: <u>2.0</u> <u>26.3</u> <u>7.01</u> <u>9.44</u> <u>118</u> <u>30.6</u> <u>0.01</u> Bottom: <u>2.8</u> <u>26.1</u> <u>6.92</u> <u>9.16</u> <u>114</u> <u>30.6</u> <u>0.01</u>										Water Surface Oils: ☒ None ☐ Sheen/Slick ☐ Glob ☐ Other _____									
Meter ID: <u>155077</u>										Clarity: ☐ Clear ☒ Turbid ☐ Slightly Turbid Color: ☐ Clear ☒ Tannic ☐ Green									
Sediment Type: (may check more than one) ☐ Sandy ☐ Organic fibrous (peaty, CPOM) ☒ Sand/Silt ☒ Organic smooth (muck) Sample Taken? ☐ Yes ☒ No ☒ Vegetated ☐ Other (Specify): _____										SECCHI (M) <u>1.4</u> Total Station Depth (M) <u>3.3</u> VOB ☐									
Sediment Odors: ☒ Normal ☐ Anaerobic ☐ Other (Specify): _____										Biological Communities: LVI Conducted? ☒ Yes ☐ No Phytoplankton Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☐ No Lot #: _____ Exp Date: _____ Algal Bloom/Algal ID Sample Taken? Yes ☐ No ☒ Active Vegetation Mgmt? ☐ Yes ☐ No ☒ Don't Know									
Abundance: Absent Rare Common Abundant Periphyton ☐ ☐ ☐ ☒ Nuisance Plants ☐ ☐ ☒ ☐ Submersed Plants ☐ ☐ ☒ ☐ Exotic Apple Snails ☒ ☐ ☐ ☐										Additional Notes: Sampled in 2018 for Status Large Lakes. Storet 53805, LL-12011									
Weather Conditions: <u>Sunny, Mid 80's</u>																			
SAMPLING TEAM: Frank Butera, <u>Bruck Olin</u>										SIGNATURE: <u>Frank Butera</u> DATE: <u>5/30/2023</u>									

DEP Form FD 9000-6: Lake Habitat Assessment Field Sheet

STORET STATION NUMBER: G4NW0014	DATE (M/D/Y) 5/30/23	LAKE NAME Lake Jackson		FIELD ID / NAME G4NW0014	
WBID: 38A	COUNTY: Walton	SAMPLING LOCATION/DESCRIPTION: Launch at park in Alabama, Florala, FL		LAKE SIZE: 411	
PARAMETER	No surface inflow or outflow present, very long water residence time, groundwater seepage dominates	Surface water inflow present, but flow is rare, moderate to long water residence time		Surface water inflow and outflow present (or outflow only), sometimes with visible flow, short water residence time	
HYDROLOGY	☐	☒		☐	
Color	Very clear, uncolored water (benthic sampling appropriate) ☐	Water somewhat tannin stained (benthic sampling appropriate) ☐		Dark, discolored water (water color 20 PCU or higher) ☒	
	Optimal	Suboptimal		Marginal	
Secchi	Secchi >3 m Or VOB	Secchi(m)		Poor	
	20 19 18 17 16	3 2.6 2.2 1.8 1.4		1.0 0.9 0.8 0.7 0.6	
	15 14 13 12 11	10 9 8 7 6		5 4 3 2 1	
Vegetation Quality	Diverse, expected native vegetation (emergent or submersed), less than 5% nuisance taxa	Mostly expected native plants, but moderate growths (6%-20% of lake) of nuisance macrophytes, or more than 50% of lake covered with plants		Large masses (21%-40%) of nuisance macrophytes (e.g., Hydrilla, hyacinth, cattail, etc.) or algal mats	
	20 19 18 17 16	15 14 13 12 11		10 9 8 7 6	
	5 4 3 2 1	5 4 3 2 1		5 4 3 2 1	
Stormwater Inputs	Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation	Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place		Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place	
	20 19 18 17 16	15 14 13 12 11		10 9 8 7 6	
	5 4 3 2 1	5 4 3 2 1		5 4 3 2 1	
Bottom Substrate Quality	Diverse mixture of sand, detritus, with small amounts of CPOM/mud/muck. SAV may be present	Mixture of sand or clay and detritus with higher % CPOM/mud/muck content. SAV may be present		Moderate layer of CPOM/mud/muck or hardpacked sand only, or moderate algal growth (mats or Chara) on bottom	
	20 19 18 17 16	15 14 13 12 11		10 9 8 7 6	
	5 4 3 2 1	5 4 3 2 1		5 4 3 2 1	
Lakeside Adverse Human Alternations	Very few man-made structures, roads, or other disturbance adjacent to lake (<10%)	Moderate disturbance visible (structures, roads or other), 10%-49% lakeside affected		Many structures, roads or other human disturbance visible (50%-70%) lakeside affected	
	20 19 18 17 16	15 14 13 12 11		10 9 8 7 6	
	5 4 3 2 1	5 4 3 2 1		5 4 3 2 1	
Upland Buffer Zone	Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer	89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer		50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer	
	20 19 18 17 16	15 14 13 12 11		10 9 8 7 6	
	5 4 3 2 1	5 4 3 2 1		5 4 3 2 1	
Adverse Watershed Land Use	Score the potential effects from adverse human land uses, based on a continuum of amount and type, with least to most adverse as follows: Native vegetation, Silviculture, Pasture or Citrus, Low Density Residential, Row Crops, Commercial, High Density Residential, Urban, Industrial				
	20 19 18 17 16	15 14 13 12 11		10 9 8 7 6	
	5 4 3 2 1	5 4 3 2 1		5 4 3 2 1	

TOTAL SCORE	7.5	COMMENTS:
-------------	-----	-----------

ANALYSIS DATE: 5/30/23	ANALYST: F. Butera	SIGNATURE: 
------------------------	--------------------	--

SBIO Sample ID: 86866 HA ID: 18456 QC✓: _____

DEP FORM FD 9000-27 LAKE VEGETATION INDEX FIELD SHEET

Waterbody: Lake Jackson					County: Walton					Date: 5/29/2013				
Analyst: F. Butera					Signature: [Signature]					STORET: G4NW0014				
Except where noted as "sp." species level identification required. *Genera that may require lab verification* Plants in bold= FLEPPC invasive exotic. It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.										Lake units sampled (circle one group): 1, 4, 7, 10 2, 5, 8, 11 3, 6, 9, 12				
SBIO ID: 86866		2	5	8	11	Collect ed? (✓)	Macro ID: 12441		2	5	8	11	Collect ed? (✓)	
SPECIES							SPECIES							
Acer rubrum			1	1	1		Habenaria repens							
Alternanthera philoxeroides							Hydrilla verticillata							
Andropogon sp.							Hydrocotyle sp.		1		1			
Azolla filiculoides (A. caroliniana)							Hygrophila polysperma							
Baccharis sp.							*Hypericum fasciculatum		1					
Bacopa caroliniana							*Hypericum hypericoides							
Bacopa monnieri							*Hypericum myrtifolium brachy		1					
Bidens laevis							Ilex cassine							
Bidens mitis							Ipomoea aquatica							
Blechnum serrulatum			1				Ipomoea sagittata							
Boehmeria cylindrica			1				Itea virginica							
Brasenia schreberi							Juncus effusus							
Cabomba caroliniana							*Juncus marginatus							
Casuarina equisetifolia							*Juncus megacephalus							
Centella asiatica							Juncus repens							
Cephalanthus occidentalis			1	1			*Juncus scirpoides							
Ceratophyllum demersum							Lachnanthes caroliniana							
Chara sp.					D		Leersia hexandra							
Cladium jamaicense							Landoltia punctata (Spiro. punctata)							
Cliftonia monophylla				1			Lemna sp.							
Colocasia esculenta					1		Leucothoe racemosa (E. racemosa)							
*Commelina							Limnium spongia							
Crinum americanum							Limnophila sessiliflora							
*Cyperus alternifolius (C. involucratus)							Liquidambar styraciflua							
Cyperus articulatus							*Ludwigia arcuata							
Cyperus haspan							*Ludwigia leptocarpa							
*Cyperus lecontei							*Ludwigia linearis							
*Cyperus polystachyos							*Ludwigia octovalvis							
*Cyperus odoratus							*Ludwigia peruviana							
*Cyperus surinamensis							*Ludwigia repens							
Cyrilla racemiflora			1	1	1		*Ludwigia							
Decodon verticillatus							Luziola fluitans (H. carolinensis)							
Diodia virginiana							Lyonia lucida							
*Echinochloa crus-galli							Magnolia virginiana			1	1	1		
*Echinochloa muricatum							Mayaca fluviatilis			1	1	1		
Echinochloa walteri							Melaleuca quinquenervia							
Eclipta prostrata (E. alba)							Micranthemum glomeratum							
Egeria densa							Micranthemum umbrosum							
Eichhornia crassipes							Mikania scandens							
*Eleocharis baldwinii			1	1			Mimosa pigra							
*Eleocharis virginiana <i>olneyana</i>			1	1		✓	Myrica cerifera			1	1	1		
Eleocharis cellulosa							<i>alnus serrulata</i>			1	1	1		
Eleocharis equisetoides							<i>lycopodium</i>				1	1		
Eleocharis interstincta							<i>hibiscus</i>				1	1		
*Eriocaulon compressum sp.			1	1			<i>claytonia</i>				1	1		
*Eriocaulon decangulare							<i>ligustrum</i>			1		1		
Eupatorium capillifolium							<i>gelsemium</i>							
*Fuirena														
Fuirena scirpoidea														
Gordonia lasianthus														
LIMS ID: 2413432														

FORM FD 9000-27: LAKE VEGETATION INDEX FIELD SHEET

[illegible]

DEP-SOP-001/01
FS 7000 General Biological Community Sampling

Form FD 9000-2: COMPOSITE LAKE SAMPLING SHEET (< 1000 ACRES)

Date: 5/30/23		Name of Lake: Lake Jackson		Gear used: ☒ POMAR ☐ EKMAN ☐ OTHER	
Comments:					
Drop #	Depth (m)	Sediment Type (circle all that apply)	Drop #	Depth (m)	Sediment Type (circle all that apply)
1		sand, silt/clay, CPOM, muck, SAV	7		sand, silt/clay, CPOM, muck, SAV
2	1.2	sand, silt/clay, CPOM, <u>muck</u> , SAV	8		sand, silt/clay, CPOM, muck, SAV
3		sand, silt/clay, CPOM, muck, SAV	9		sand, silt/clay, CPOM, muck, SAV
4		sand, silt/clay, CPOM, muck, SAV	10		sand, silt/clay, CPOM, muck, SAV
5		sand, silt/clay, CPOM, muck, SAV	11		sand, silt/clay, CPOM, muck, SAV
6		sand, silt/clay, CPOM, muck, SAV	12		sand, silt/clay, CPOM, muck, SAV

CPOM = coarse particulate organic matter; SAV = submerged aquatic vegetation

Win ID: G4NW0014

Field ID: G4NW0014

Project: SMP / TMDL Studies

SBIO ID: 86866

WBID: 38A

Paste map here and show location of each dredge drop and where water chemistry parameters were collected.

Revision Date: February 1, 2004

Station: Lake Jackson
 GPS Dec. 30.9884 x -86.33047
 Storet: G4NW0014 WBID 38A
 Sample ID: 86866 Vascular ID: 12441
 RQ-2023-05-29-10

Sampled : 05/30/2023
 Sampled By: F.Butera, B. Olin
 Location: Paxton, Walton Co. / Florida, AL
 Receiving Waters: Yellow River
 LIMS ID: 2413432

	Taxa	2	5	8	11	Coll.	Verified
1	<i>Acer rubrum</i>		1	1	1		
2	<i>Alnus serrulata</i>	1	1	1	1		
3	<i>Boehmeria cylindrica</i>		1				
4	<i>Cephalanthus occidentalis</i>		1	1			
5	<i>Chara</i> sp.				D		
6	<i>Clethra alnifolia</i>		1	1			
7	<i>Cliftonia monophylla</i>			1			
8	<i>Colocasia esculenta</i>				1		
9	<i>Cyrilla racemiflora</i>		1	1	1		
10	<i>Eleocharis baldwinii</i>	1			1		
11	<i>Eleocharis elongata</i>	1	1			Y	A O'Neal
12	<i>Eriocaulon</i> sp.	1	1				
13	<i>Gelsemium rankinii</i>		1				
14	<i>Hibiscus grandiflorus</i>			1			
15	<i>Hydrocotyle</i> sp.	1		1			
16	<i>Hypericum brachyphyllum</i>	1					
17	<i>Hypericum fasciculatum</i>	1					
18	<i>Liquidambar styraciflua</i>	1			1		
19	<i>Lycopus</i> sp.		1	1			
20	<i>Magnolia virginiana</i>		1				
21	<i>Mayaca fluviatilis</i>	1	C	C	1	Y	A O'Neal
22	<i>Myrica cerifera</i>		1	1	1		
23	<i>Myriophyllum</i> sp. Native		1	1		Y	A O'Neal
24	<i>Nymphaea odorata</i>			1			
25	<i>Nymphoides aquatica</i>			1		Y	A O'Neal
26	<i>Osmunda cinnamomoea</i>		1	1	1		
27	<i>Osmunda regalis</i>		1				
28	<i>Panicum hemitomon</i>	1	1	1	1		
29	<i>Panicum repens</i>	1	1	1	1		
30	<i>Pontederia cordata</i>	1	1	1	1		
31	<i>Rhododendron viscosum</i> var. <i>serrulatum</i>	1	1	1			
32	<i>Sacciolepis striata</i>	1	1	1	1		
33	<i>Sapium sebiferum</i>				1		
34	<i>Taxodium</i> sp.	1	1	1	1		
35	<i>Toxicodendron radicans</i>		1	1			
36	<i>Utricularia floridana</i>	D	C	C	1	Y	A O'Neal
37	<i>Websteria confervoides</i>		1				
38	<i>Woodwardia areolata</i>		1	1			
	Taxa per section	16	26	24	17	Herb. Taxa	22
	Exotic Present	1	1	1	3	Woody Taxa	12
	Avg. taxa per section					Ferns	3
	sections with exotics	4				Macro Algae	1
	Exotic Taxa	3	Exotics per Section: 1.5			Total Taxa	38

Station: Lake Jackson
 GPS Dec. 30.9884 x -86.33047
 Storet: G4NW0014 WBID 38A
 Sample ID: 86866 Vascular ID: 12441
 RQ-2023-05-29-10

Sampled : 05/30/2023
 Sampled By: F.Butera, B. Olin
 Location: Paxton, Walton Co. / Florala, AL
 Receiving Waters: Yellow River
 LIMS ID: 2413432


Seen but not counted (Not approp. For LVI or Not in surveyed segment)

Taxon	Section	Section	Section	Section	Exclusion
<i>Ludwigia peruviana</i>	1				Unsurveyed section

Metric	Rep. 1	Rep. 2	Rep. 3	Rep. 4	LVI Average
LVI 2012	83	84	75	46	72
Native Percentage	93.75	96	96	82.35	92.03
FLEPPC Pct (Exotic)	6.25	3.7	4	17.65	7.90
Total Taxa	16	26	24	17	38
C of C over 7.0	25	18.52	8	11.76	15.82
Dominant Taxa	U. floridana	M. fluviatilis, U. floridana	M. fluviatilis, U. floridana	Chara	U. floridana, M. fluviatilis, Chara
C of C Dominant	6.34	7.395	7.395	3.9	6.26

Z1-LL-12011. Jackson Lake (Red)

G4NW0014 (Red) N30.98840, W86.33047



Jackson Lake

WIN ID G4NW0014
Receiving Water Yellow River
Basin, WBID 38A
City, County Florala, Walton
Lake Acreage 411.65
Circumference (M) 5197.524
Seg. Length (M) 433.127

Section	Location	Dec. Latt.	Dec. Long.
8	Storet	30.98840	-86.33047
	A	31.00175	-86.32466
2	B	31.00001	-86.32068
	C	30.99746	-86.31792
	D	30.99419	-86.31749
5	E	30.99113	-86.32022
	F	30.98877	-86.32365
	G	30.98760	-86.32731
8	H	30.98742	-86.33132
	I	30.99036	-86.33344
	J	30.99350	-86.33128
11	K	30.99710	-86.32959
	L	31.00073	-86.32827