

Chemical Analysis Report

NW-DIST-2023-02-14-03

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Hogtown Car Run**
Request ID: **RQ-2023-02-13-25**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 08-MAR-2023 12:38

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light pink rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Hogtown Drainage at Churchill Bayou Road

Collection Date/Time: 02/13/2023 10:50

Field ID: G3NW0038

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2387163	DEP SOP: NU-094-1	Color (true)	140		PCU	P425789	
	EPA 180.1 Rev. 2.0	Turbidity	6.0		NTU	P425794	
	EPA 300.0 Rev. 2.1	Chloride	70		mg Cl/L	P426337	
		Sulfate	12		mg SO4/L	P426651	
	SM 2320 B-2011	Total Alkalinity	29		mg CaCO3/L	P426295	
	SM 2540 C-2015	TDS	198		mg/L	P426459	
	SM 2540 D-2015	TSS	3	I	mg/L	P426313	
	SM 4500-F- C-2011	Fluoride	0.032	I	mg F/L	P426438	
2387164	EPA 350.1 Rev. 2.0	Ammonia-N	0.036		mg N/L	P426244	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.52		mg N/L	P426210	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.026		mg N/L	P425945	
	EPA 365.1 Rev. 2.0	Total-P	0.020		mg P/L	P425992	
	SM 5310 B-2011	Organic Carbon	15		mg C/L	P426023	

Ref. Method and Comment:

SM 2540 C-2015: The reported result is consistent with the conductivity measured in the laboratory, 322 umhos/cm.

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Direct Runoff to Bay off of Roberts Rd

Collection Date/Time: 02/13/2023 11:35

Field ID: G3NW0239

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2387166	DEP SOP: NU-094-1	Color (true)	67		PCU	P425789	
	EPA 180.1 Rev. 2.0	Turbidity	1.2		NTU	P425794	
	EPA 300.0 Rev. 2.1	Chloride	11		mg Cl/L	P426337	
		Sulfate	4.2		mg SO4/L	P426651	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P426295	
	SM 2540 C-2015	TDS	36		mg/L	P426459	
	SM 2540 D-2015	TSS	2	U	mg/L	P426313	
	SM 4500-F- C-2011	Fluoride	0.025	U	mg F/L	P426438	
2387169	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P426244	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.32		mg N/L	P426210	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P425946	
	EPA 365.1 Rev. 2.0	Total-P	0.004	I	mg P/L	P425992	
	SM 5310 B-2011	Organic Carbon	12		mg C/L	P426023	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Drain to Hewett Bayou

Collection Date/Time: 02/13/2023 12:00

Field ID: G3NW0238

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2387167	DEP SOP: NU-094-1	Color (true)	150		PCU	P425790	
	EPA 180.1 Rev. 2.0	Turbidity	2.4		NTU	P425794	
	EPA 300.0 Rev. 2.1	Chloride	23		mg Cl/L	P426337	
		Sulfate	5.2		mg SO4/L	P426651	
	SM 2320 B-2011	Total Alkalinity	24		mg CaCO3/L	P426295	
	SM 2540 C-2015	TDS	105		mg/L	P426459	
	SM 2540 D-2015	TSS	2	I	mg/L	P426313	
2387170	SM 4500-F- C-2011	Fluoride	0.025	U	mg F/L	P426438	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P426244	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.47		mg N/L	P426210	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P425946	
	EPA 365.1 Rev. 2.0	Total-P	0.009		mg P/L	P425992	
	SM 5310 B-2011	Organic Carbon	16		mg C/L	P426023	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P425789

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: DEP SOP: NU-094-1
Batch ID: P425790

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P425794

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P426337

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P426651

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426244

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426210

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425945

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425946

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P425992

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P426295

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2015
Batch ID: P426459

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2015
Batch ID: P426313

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P426438

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P426023

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P425789

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	103		P	90 - 110

Reference Method: DEP SOP: NU-094-1
Batch ID: P425790

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	105		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P425794

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P426337

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	106		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P426651

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	106		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426244

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426210

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.6		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425945

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425946

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P425992

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P426295

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.9		P	94 - 106

Reference Method: SM 2540 C-2015
Batch ID: P426459

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TDS	106		P	89 - 110

Reference Method: SM 2540 D-2015
Batch ID: P426313

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	94.3		P	85 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P426438

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.7		P	96 - 104

Reference Method: SM 5310 B-2011
Batch ID: P426023

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.3		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P426337

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387139	Chloride	102		P	90 - 110
2387167	Chloride	105		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P426651

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387139	Sulfate	103		P	90 - 110
2387167	Sulfate	107		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426244

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387147	Ammonia-N	99.6	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426210

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387170	Kjeldahl Nitrogen	103	110	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425945

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387115	NO2NO3-N	103	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425946

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387169	NO2NO3-N	100	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P425992

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387290	Total-P	100	101	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P426438

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2386877	Fluoride	99.5	100	P/P	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P426023

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2387115	Organic Carbon	95.0	96.1	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P425789

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387113	Color (true)	2.49	Sample	P	0 - 20

Reference Method: DEP SOP: NU-094-1
Batch ID: P425790

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387286	Color (true)	0.187	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P425794

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387057	Turbidity	0.518	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P426337

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387139	Chloride	3.79	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426244

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387147	Ammonia-N	1.59	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426210

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387170	Kjeldahl Nitrogen	4.78	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425945

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387115	NO2NO3-N	0.447	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425946

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387169	NO2NO3-N	1.00	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P425992

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387290	Total-P	0.300	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P426295

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387118	Total Alkalinity	1.32	Sample	P	0 - 3.8

Reference Method: SM 2540 C-2015
Batch ID: P426459

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2386878	TDS	7.32	Sample	P	0 - 10

Reference Method: SM 4500-F- C-2011
Batch ID: P426438

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2386877	Fluoride	0.480	Spike	P	0 - 1.6

Reference Method: SM 5310 B-2011
Batch ID: P426023

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387115	Organic Carbon	0.834	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: DEP SOP: NU-094-1

Run ID: A117435

Included Lab Sample IDs: 2387163, 2387166, 2387167

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	103	P/P	90 - 110
Color (true)	103	103	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A117437

Included Lab Sample IDs: 2387163, 2387166, 2387167

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A117480

Included Lab Sample IDs: 2387164, 2387169, 2387170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A117520

Included Lab Sample IDs: 2387164, 2387169, 2387170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.1	96.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A117576

Included Lab Sample IDs: 2387164, 2387169, 2387170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	97.5	97.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A117599

Included Lab Sample IDs: 2387164, 2387169, 2387170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.7	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A117607

Included Lab Sample IDs: 2387163, 2387166, 2387167

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	107	P/P	90 - 110
Chloride	107	107	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-2011

Run ID: A117622

Included Lab Sample IDs: 2387163, 2387166, 2387167

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.3	99.0	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A117687

Included Lab Sample IDs: 2387163, 2387166, 2387167

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sulfate	97.6	98.4	P/P	90 - 110
Sulfate	99.0	97.6	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A117689

Included Lab Sample IDs: 2387163, 2387166, 2387167

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A117706

Included Lab Sample IDs: 2387164, 2387169, 2387170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.6	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
DEP SOP: NU-094-1	Color (true)	103			2.49	
	Color (true)	105			0.187	
EPA 180.1 Rev. 2.0	Turbidity	102			0.518	
EPA 300.0 Rev. 2.1	Chloride	106	102	105	3.79	
	Sulfate	106	103	107		
EPA 350.1 Rev. 2.0	Ammonia-N	101	99.6	103		1.59
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.6	103	110		4.78
EPA 353.2 Rev. 2.0	NO2NO3-N	102	103	102		0.447
	NO2NO3-N	102	100	99.5		1.00
EPA 365.1 Rev. 2.0	Total-P	101	100	101		0.300
SM 2320 B-2011	Total Alkalinity	98.9			1.32	
SM 2540 C-2015	TDS	106			7.32	
SM 2540 D-2015	TSS	94.3				
SM 4500-F- C-2011	Fluoride	97.7	99.5	100		0.480
SM 5310 B-2011	Organic Carbon	94.3	95.0	96.1		0.834

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2387163, 2387166, 2387167
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2387163, 2387166, 2387167
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2387163, 2387166, 2387167
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2387163, 2387166, 2387167
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2387164, 2387169, 2387170
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2387164, 2387169, 2387170
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2387164, 2387169, 2387170
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2387164, 2387169, 2387170
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2387163, 2387166, 2387167
SM 2540 C-2015	Total Dissolved Solids in aqueous matrices	2387163, 2387166, 2387167
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2387163, 2387166, 2387167
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2387163, 2387166, 2387167
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2387164, 2387169, 2387170

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	02/14/2023			02/14/2023 15:05	Alexis Price	2387163, 2387166
	02/14/2023			02/14/2023 15:09	Alexis Price	2387167
EPA 180.1 Rev. 2.0	02/14/2023			02/14/2023 15:19	Anna M. Plaviak	2387163
	02/14/2023			02/14/2023 15:21	Anna M. Plaviak	2387166
EPA 300.0 Rev. 2.1	02/14/2023			02/14/2023 15:22	Anna M. Plaviak	2387167
	02/14/2023			02/24/2023 04:46	Anna M. Plaviak	2387167
	02/14/2023			02/24/2023 07:46	Anna M. Plaviak	2387163
	02/14/2023			02/24/2023 08:01	Anna M. Plaviak	2387166
	02/14/2023			03/01/2023 12:43	Judith K. Clark	2387167
EPA 350.1 Rev. 2.0	02/14/2023			03/01/2023 15:43	Judith K. Clark	2387163
	02/14/2023			03/01/2023 15:58	Judith K. Clark	2387166
	02/14/2023			02/22/2023 13:05	Khloe J Berg	2387164
	02/14/2023			02/22/2023 13:06	Khloe J Berg	2387169
	02/14/2023			02/22/2023 13:07	Khloe J Berg	2387170
EPA 351.2 Rev. 2.0	02/14/2023	02/22/2023 13:15	Simonne.V. Calhoun	02/28/2023 14:09	Samantha L Bates	2387164
	02/14/2023	02/22/2023 13:15	Simonne.V. Calhoun	02/28/2023 14:10	Samantha L Bates	2387169
	02/14/2023	02/22/2023 13:15	Simonne.V. Calhoun	02/28/2023 14:12	Samantha L Bates	2387170
EPA 353.2 Rev. 2.0	02/14/2023			02/16/2023 11:11	Beverly Y. Sanders	2387164
	02/14/2023			02/16/2023 11:18	Beverly Y. Sanders	2387169
	02/14/2023			02/16/2023 11:24	Beverly Y. Sanders	2387170
EPA 365.1 Rev. 2.0	02/14/2023	02/17/2023 12:21	Adam P Silver	02/21/2023 14:44	James L Waggeberby	2387164
	02/14/2023	02/17/2023 12:21	Adam P Silver	02/21/2023 14:45	James L Waggeberby	2387169
	02/14/2023	02/17/2023 12:21	Adam P Silver	02/21/2023 14:46	James L Waggeberby	2387170
SM 2320 B-2011	02/14/2023			02/23/2023 09:12	Chandler E Cox	2387166
	02/14/2023			02/23/2023 09:25	Chandler E Cox	2387167
	02/14/2023			02/23/2023 10:40	Chandler E Cox	2387163
SM 2540 C-2015	02/14/2023			02/17/2023 15:46	Yijie Li	2387163, 2387166, 2387167
SM 2540 D-2015	02/14/2023			02/17/2023 15:46	Yijie Li	2387163, 2387166, 2387167
SM 4500-F- C-2011	02/14/2023			02/28/2023 05:59	Chandler E Cox	2387166
	02/14/2023			02/28/2023 06:04	Chandler E Cox	2387167
	02/14/2023			02/28/2023 06:15	Chandler E Cox	2387163
SM 5310 B-2011	02/14/2023			02/17/2023 08:30	Elise M. Gillis	2387164
	02/14/2023			02/17/2023 08:44	Elise M. Gillis	2387169
	02/14/2023			02/17/2023 09:02	Elise M. Gillis	2387170