

Biological Analysis Report

NW-DIST-2023-09-06-02

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Lake Powell Continuous Monitoring Recovery**

Request ID: **RQ-2023-08-28-12**

Customer: **NW-DIST**


Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 03-OCT-2023 10:55



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: POWELL LAKE CENTER N OF CAIN RD AREA **Collection Date/Time: 09/05/2023 12:15**

Field ID: G3NW0012

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2434278	SM 10150 B	Chlorophyll-a, Corrected	4.6	J	ug/L	P434746	
		Phaeophytin-a	1.0	UJ	ug/L	P434746	
		Chlorophyll-a, Uncorrected	4.7	J	ug/L	P434746	
2434288	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10150 B: See Non-Conformance Report #10060. Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: LAKE POWELL DRAIN EAST ARM

Collection Date/Time: 09/05/2023 11:40

Field ID: G3NW0009

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2434279	SM 10150 B	Chlorophyll-a, Corrected	17	J	ug/L	P434746	
		Phaeophytin-a	1.9	UJ	ug/L	P434746	
		Chlorophyll-a, Uncorrected	18	J	ug/L	P434746	
2434289	Enterolert/QT	Enterococci-Quanti-Tray	73		MPN/100 mL		

Ref. Method and Comment:

SM 10150 B: See Non-Conformance Report #10060. Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Lake Powell West North of Yolo Park

Collection Date/Time: 09/05/2023 12:40

Field ID: G3NW0250

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2434281	SM 10150 B	Chlorophyll-a, Corrected	6.8	J	ug/L	P434746	
		Phaeophytin-a	1.0	UJ	ug/L	P434746	
		Chlorophyll-a, Uncorrected	6.9	J	ug/L	P434746	

Ref. Method and Comment:

SM 10150 B: See Non-Conformance Report #10060. Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: TUCKER BAYOU E CHOCTAWHATCHEE BAY

Collection Date/Time: 09/05/2023 13:45

Field ID: G3NW0010

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2434280	SM 10150 B	Chlorophyll-a, Corrected	39	J	ug/L	P434746	
		Phaeophytin-a	1.0	UJ	ug/L	P434746	
		Chlorophyll-a, Uncorrected	40	J	ug/L	P434746	
2434287	SM 9222 D	Fecal Coliforms-Membrane Filter	18	BQ	cfu/100 mL	P434786	
2434290	Enterolert/QT	Enterococci-Quanti-Tray	31		MPN/100 mL		

Ref. Method and Comment:

SM 10150 B: See Non-Conformance Report #10060. Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Laboratory duplicate result is 16 B. Precision data for this duplicate is unavailable due to the colony count falling outside of method acceptable range.

Sample Location: Lake Powell West

Collection Date/Time: 09/05/2023 12:55

Field ID: G3NW0251

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2434282	SM 10150 B	Chlorophyll-a, Corrected	11	J	ug/L	P434746	
		Phaeophytin-a	1.0	UJ	ug/L	P434746	
		Chlorophyll-a, Uncorrected	11	J	ug/L	P434746	

Ref. Method and Comment:

SM 10150 B: See Non-Conformance Report #10060. Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Non-Conformance Report

NCR ID: 10060

Event(s)	Job(s)	Sample(s)	Test(s)
NW-DIST-2023-09-06-02	TLH-2023-09-06-37	2434278	CHLSUITE-W
NW-DIST-2023-09-06-02	TLH-2023-09-06-37	2434279	CHLSUITE-W
NW-DIST-2023-09-06-02	TLH-2023-09-06-37	2434280	CHLSUITE-W
NW-DIST-2023-09-06-02	TLH-2023-09-06-37	2434281	CHLSUITE-W
NW-DIST-2023-09-06-02	TLH-2023-09-06-37	2434282	CHLSUITE-W

NCR Type: ANALYSIS

NCR Category: Analytical Measurement

Observation: Field blank sample was run as the duplicate for the batch.

Resolution: Percision data is not available for the batch. Results will be J-qualified. Customers Cheryl Swanson, Gary Snorek, Thomas Baker, Nicole Reistad, John Barrington, Jordan Skaggs, Andrew Luering, Christopher Slade, Myranda Butler, Melynda Brown, Arielle Taylor-Manges, Abrianna Sadler, Matthew Bearden, and Jessie Atchison notified via email.

Authorized by/Date: Cheryl A. Swanson 9/8/2023

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
Please address questions to:

Chemistry Colin Wright (850) 245-8085
Biology Cheryl Swanson (850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: SM 10150 B

Batch ID: P434746

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.96	U	ug/L
Chlorophyll-a, Uncorrected	0.70	U	ug/L
Phaeophytin-a	1.0	U	ug/L

Reference Method: SM 9222 D

Batch ID: P434786

Component	Result	Code	Units
Fecal Coliforms-Membrane Filter	2	U	cfu/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 10150 B
Batch ID: P434746

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	93.9		P	84 - 116

Quality Assurance Report
Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10150 B	Chlorophyll-a, Corrected	93.9				

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by UWF in Pensacola	2434288, 2434289, 2434290
SM 10150 B	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2434278, 2434279, 2434280, 2434281, 2434282
SM 9222 D	Fecal coliforms by membrane filter method - non-chlorinated water systems	2434287

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	09/05/2023	09/05/2023 16:20		09/06/2023 16:45	UWF Lab	2434288, 2434289, 2434290
SM 10150 B	09/06/2023	09/06/2023 11:51	Tynan A Branch	09/06/2023 14:38	Aidan Cronin	2434278, 2434279, 2434280, 2434281, 2434282
SM 9222 D	09/06/2023	09/06/2023 15:58	Megan Higbee	09/07/2023 15:16	Megan Higbee	2434287