

Biological Analysis Report

NW-DIST-2023-11-14-02

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Hogtown Car Run**
Request ID: **RQ-2023-11-06-43**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 27-DEC-2023 11:19



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: HOGTOWN DRAINAGE AT CHURCHILL BAYOU ROAD **Collection Date/Time: 11/13/2023 11:25**

Field ID: G3NW0038

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451178	SM 10150 B	Chlorophyll-a, Corrected	3.0		ug/L	P438613	
		Phaeophytin-a	0.90	U	ug/L	P438613	
		Chlorophyll-a, Uncorrected	2.9		ug/L	P438613	
2451185	SM 9222 D	Fecal Coliforms-Membrane Filter	400	BQ	cfu/100 mL	P437944	
2451188	Enterolert/QT	Enterococci-Quanti-Tray	789		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	723		MPN/100 mL		

Ref. Method and Comment:

SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: 10 mL and 10 mL LD dilutions had confluent growth. Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range.

Sample Location: HOGTOWN DRAIN ABOVE CHAT HOLLY RD **Collection Date/Time: 11/13/2023 11:05**

Field ID: G3NW0241

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451179	SM 10150 B	Chlorophyll-a, Corrected	1.6	I	ug/L	P438613	
		Phaeophytin-a	0.98	U	ug/L	P438613	
		Chlorophyll-a, Uncorrected	1.7	I	ug/L	P438613	
2451189	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	389		MPN/100 mL		

Ref. Method and Comment:

SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: DRAIN TO MUSSET BAYOU UPSTREAM OF DON BISHOP RD **Collection Date/Time: 11/13/2023 11:50**

Field ID: G3NW0240

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451177	SM 10150 B	Chlorophyll-a, Corrected	0.84	I	ug/L	P438613	
		Phaeophytin-a	0.90	U	ug/L	P438613	
		Chlorophyll-a, Uncorrected	0.60	U	ug/L	P438613	
2451187	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	2400		MPN/100 mL		
2451192	SOP-PCR-1.0	HF183-qPCR**	6.8E+03		TSC/100 mL	P437732	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P437732	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P437732	

Ref. Method and Comment:

SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: DRAIN TO HEWETT BAYOU **Collection Date/Time: 11/13/2023 12:35**

Field ID: G3NW0238

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451180	SM 10150 B	Chlorophyll-a, Corrected	2.9	I	ug/L	P438613	
		Phaeophytin-a	3.0	U	ug/L	P438613	
		Chlorophyll-a, Uncorrected	2.3	I	ug/L	P438613	
2451190	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	480		MPN/100 mL		

Field ID: G3NW0238

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Ref. Method and Comment:
SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: DRAIN TO MACK BAYOU AT MACK BAYOU RD Collection Date/Time: 11/13/2023 13:25

Field ID: G3NW0237

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

2451186	SM 9222 D	Fecal Coliforms-Membrane Filter	740	BQ	cfu/100 mL	P437944	
2451191	Enterolert/QT	Enterococci-Quanti-Tray	738		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	1664		MPN/100 mL		

Ref. Method and Comment:
SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range.

Quality Assurance Report
Method Blank Results

Reference Method: SM 10150 B
Batch ID: P438613

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9222 D
Batch ID: P437944

Component	Result	Code	Units
Fecal Coliforms-Membrane Filter	2	U	cfu/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P437732

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P437732

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P437732

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report
Laboratory Control Sample Accuracy

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10150 B
Batch ID: P438613

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	95.6		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P437732

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	94.1	71.1	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P437732

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	98.8	68.5	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P437732

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	105	70.5	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P437732

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2451153	HF183-qPCR	88.4	92.4	P/P	50 - 175
2451192	HF183-qPCR	89.1		P	50 - 175
2451205	HF183-qPCR	100		P	50 - 175
2451206	HF183-qPCR	108		P	50 - 175
2451418	HF183-qPCR	81.5		P	50 - 175
2451419	HF183-qPCR	89.0		P	50 - 175
2451681	HF183-qPCR	85.4		P	50 - 175
2451959	HF183-qPCR	88.7		P	50 - 175
2451985	HF183-qPCR	84.9		P	50 - 175
2452066	HF183-qPCR	75.7		P	50 - 175
2452125	HF183-qPCR	105		P	50 - 175
2452126	HF183-qPCR	88.6		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P437732

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2451153	BacR-qPCR	84.0	89.9	P/P	50 - 175
2451192	BacR-qPCR	95.8		P	50 - 175
2451205	BacR-qPCR	91.8		P	50 - 175
2451206	BacR-qPCR	83.9		P	50 - 175
2451418	BacR-qPCR	64.1		P	50 - 175
2451419	BacR-qPCR	84.6		P	50 - 175
2451681	BacR-qPCR	85.3		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
 Batch ID: P437732

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2451959	BacR-qPCR	78.4		P	50 - 175
2451985	BacR-qPCR	81.0		P	50 - 175
2452066	BacR-qPCR	84.4		P	50 - 175
2452125	BacR-qPCR	81.3		P	50 - 175
2452126	BacR-qPCR	62.8		P	50 - 175

Reference Method: SOP-PCR-1.5
 Batch ID: P437732

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2451153	DG3-qPCR	94.4	100	P/P	50 - 175
2451192	DG3-qPCR	100		P	50 - 175
2451205	DG3-qPCR	106		P	50 - 175
2451206	DG3-qPCR	105		P	50 - 175
2451418	DG3-qPCR	82.5		P	50 - 175
2451419	DG3-qPCR	94.9		P	50 - 175
2451681	DG3-qPCR	99.4		P	50 - 175
2451959	DG3-qPCR	105		P	50 - 175
2451985	DG3-qPCR	104		P	50 - 175
2452066	DG3-qPCR	96.9		P	50 - 175
2452125	DG3-qPCR	91.8		P	50 - 175
2452126	DG3-qPCR	60.6		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
 Batch ID: P437732

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2451153	HF183-qPCR	4.40	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
 Batch ID: P437732

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2451153	BacR-qPCR	6.81	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
 Batch ID: P437732

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2451153	DG3-qPCR	5.88	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2451192
Field Sample ID: G3NW0240

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	97.8	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	108	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	102	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10150 B	Chlorophyll-a, Corrected	95.6							
SOP-PCR-1.0	HF183-qPCR	71.1	94.1	88.4	92.4	89.1			4.40
SOP-PCR-1.4	BacR-qPCR	68.5	98.8	84.0	89.9	95.8			6.81
SOP-PCR-1.5	DG3-qPCR	70.5	105	94.4	100	100			5.88

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by UWF in Pensacola	2451188, 2451191
SM 10150 B	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2451177, 2451178, 2451179, 2451180
SM 9222 D	Fecal coliforms by membrane filter method - non-chlorinated water systems	2451185, 2451186
SM 9223 B Quanti-Tray	E. coli by Colilert-18/QT by UWF in Pensacola	2451187, 2451188, 2451189, 2451190, 2451191
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2451192
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2451192
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2451192

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	11/13/2023	11/13/2023 16:15		11/14/2023 16:40	UWF Lab	2451188, 2451191
SM 10150 B	11/14/2023	11/14/2023 13:07	Julia Herten	11/28/2023 16:04	Tynan A Branch	2451177, 2451178, 2451179, 2451180
SM 9222 D	11/14/2023	11/14/2023 13:37	Megan Higbee	11/15/2023 14:09	Megan Higbee	2451185, 2451186
SM 9223 B Quanti-Tray	11/13/2023	11/13/2023 16:45		11/14/2023 13:10	UWF Lab	2451187, 2451188, 2451189, 2451190, 2451191
SOP-PCR-1.0	11/14/2023	11/14/2023 12:31	Madeline Gruver	12/05/2023 08:47	Roberta Tatti	2451192
SOP-PCR-1.4	11/14/2023	11/14/2023 12:31	Madeline Gruver	12/06/2023 08:50	Roberta Tatti	2451192
SOP-PCR-1.5	11/14/2023	11/14/2023 12:31	Madeline Gruver	12/06/2023 09:50	Roberta Tatti	2451192