

Biological Analysis Report

SE-DIST-2023-10-24-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Melbourne Run**
Request ID: **RQ-2023-10-02-57**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Jordan Skaggs

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Sarah Menz, Environmental Administrator

Date Certified: 30-NOV-2023 14:07

A handwritten signature in black ink, appearing to be 'Sarah Menz', with a long, sweeping horizontal stroke extending to the right.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: SAWGRASS LAKE EAST OF CENTER

Collection Date/Time: 10/23/2023 11:20

Field ID: G3SE0068

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2446712	SM 10150 B	Chlorophyll-a, Corrected	3.7		ug/L	P437209	
		Phaeophytin-a	1.0	U	ug/L	P437209	
		Chlorophyll-a, Uncorrected	3.8		ug/L	P437209	

Ref. Method and Comment:

SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: CRANE CREEK EAST OF RR BRIDGE

Collection Date/Time: 10/23/2023 12:20

Field ID: G3SE0071

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2446714	Enterolert/QT	Enterococci-Quanti-Tray	10.0	Q	MPN/100 mL	P437422	

Ref. Method and Comment:

Enterolert/QT: Laboratory duplicate result is 10.0 U for Entero. Precision data is unavailable due to the small amount of analyte in this QC sample.

Sample Location: KID CREEK AT OLD DIXIE HIGHWAY

Collection Date/Time: 10/23/2023 12:50

Field ID: G5SE0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2446713	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	3076.0	Q	MPN/100 mL	P437422	
2446715	SOP-PCR-1.0	HF183-qPCR**	2.0E+03	I	TSC/100 mL	P436617	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P436617	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P436617	

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

Quality Assurance Report Method Blank Results

Reference Method: Enterolert/QT

Batch ID: P437422

Component	Result	Code	Units
Enterococci-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SM 10150 B

Batch ID: P437209

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.96	U	ug/L
Chlorophyll-a, Uncorrected	0.70	U	ug/L
Phaeophytin-a	1.0	U	ug/L

Reference Method: SM 9223 B Quanti-Tray

Batch ID: P437422

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0
Batch ID: P436617

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P436617

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P436617

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10150 B
Batch ID: P437209

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	106		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P436617

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	89.3	63.8	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P436617

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	95.0	60.0	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P436617

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	94.0	53.0	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P436617

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2445193	HF183-qPCR	82.6	78.2	P/P	50 - 175
2445497	HF183-qPCR	78.0		P	50 - 175
2445616	HF183-qPCR	85.9		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P436617

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2445735	HF183-qPCR	96.5		P	50 - 175
2445736	HF183-qPCR	91.7		P	50 - 175
2445754	HF183-qPCR	82.5		P	50 - 175
2445792	HF183-qPCR	87.8		P	50 - 175
2445881	HF183-qPCR	94.4		P	50 - 175
2446054	HF183-qPCR	88.3		P	50 - 175
2446074	HF183-qPCR	105		P	50 - 175
2446386	HF183-qPCR	71.9		P	50 - 175
2446449	HF183-qPCR	82.1		P	50 - 175
2446715	HF183-qPCR	89.7		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P436617

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2445193	BacR-qPCR	87.7	87.8	P/P	50 - 175
2445497	BacR-qPCR	62.1		P	50 - 175
2445616	BacR-qPCR	60.9		P	50 - 175
2445735	BacR-qPCR	77.8		P	50 - 175
2445736	BacR-qPCR	87.2		P	50 - 175
2445754	BacR-qPCR	72.5		P	50 - 175
2445792	BacR-qPCR	75.4		P	50 - 175
2445881	BacR-qPCR	66.9		P	50 - 175
2446054	BacR-qPCR	77.1		P	50 - 175
2446074	BacR-qPCR	87.7		P	50 - 175
2446386	BacR-qPCR	67.8		P	50 - 175
2446449	BacR-qPCR	61.7		P	50 - 175
2446715	BacR-qPCR	79.8		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P436617

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2445193	DG3-qPCR	91.9	91.4	P/P	50 - 175
2445497	DG3-qPCR	78.2		P	50 - 175
2445616	DG3-qPCR	91.4		P	50 - 175
2445735	DG3-qPCR	91.4		P	50 - 175
2445736	DG3-qPCR	97.1		P	50 - 175
2445754	DG3-qPCR	87.9		P	50 - 175
2445792	DG3-qPCR	88.9		P	50 - 175
2445881	DG3-qPCR	94.1		P	50 - 175
2446054	DG3-qPCR	88.1		P	50 - 175
2446074	DG3-qPCR	102		P	50 - 175
2446386	DG3-qPCR	89.4		P	50 - 175
2446449	DG3-qPCR	89.2		P	50 - 175
2446715	DG3-qPCR	90.0		P	50 - 175

Quality Assurance Report Precision

Quality Assurance Report
Precision

Reference Method: SM 10150 B
Batch ID: P437209

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2446445	Chlorophyll-a, Corrected	3.39	Sample	P	0 - 25
2446445	Chlorophyll-a, Uncorrected	4.73	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P436617

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2445193	HF183-qPCR	5.45	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P436617

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2445193	BacR-qPCR	0.130	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P436617

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2445193	DG3-qPCR	0.605	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report
Surrogates

Lab Sample ID: 2446715
Field Sample ID: G5SE0050

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	62.8	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	89.4	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	65.8	P	50 - 300

Quality Assurance Report
Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision		
							LCS	SMP	MS
SM 10150 B	Chlorophyll-a, Corrected	106						3.39	
	Chlorophyll-a, Uncorrected							4.73	
SOP-PCR-1.0	HF183-qPCR	63.8	89.3	82.6	78.2	78.0			5.45
SOP-PCR-1.4	BacR-qPCR	60.0	95.0	87.7	87.8	62.1			0.130
				60.9					

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision	MS
								SMP	
SOP-PCR-1.5	DG3-qPCR	53.0	94.0	91.9	91.4	78.2			0.605
				91.4					

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
Enterolert/QT	Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems	2446714
SM 10150 B	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2446712
SM 9223 B Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2446713
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2446715
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2446715
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2446715

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	10/24/2023	10/24/2023 13:50	Callie Williams	10/25/2023 13:56	Keanu Thijm	2446714
SM 10150 B	10/24/2023	10/24/2023 14:09	Tynan A Branch	10/31/2023 10:45	Keanu Thijm	2446712
SM 9223 B Quanti-Tray	10/24/2023	10/24/2023 14:53	Callie Williams	10/25/2023 10:54	Julia Herten	2446713
SOP-PCR-1.0	10/24/2023	10/24/2023 14:14	Jennifer Mihalic	11/07/2023 11:39	Roberta Tatti	2446715
SOP-PCR-1.4	10/24/2023	10/24/2023 14:14	Jennifer Mihalic	11/08/2023 09:33	Roberta Tatti	2446715
SOP-PCR-1.5	10/24/2023	10/24/2023 14:14	Jennifer Mihalic	11/09/2023 09:56	Roberta Tatti	2446715