

Chemical Analysis Report

NE-DIST-2024-02-23-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Alachua Lakes**
Request ID: **RQ-2024-02-12-12**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Marek Topolski, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 14-MAR-2024 10:27

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light pink rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ALACHUA SINK AT END OF BOARDWALK

Collection Date/Time: 02/22/2024 11:30

Field ID: G1NE0953					Matrix: W-SURF-FRH		
Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2471434	DEP SOP: NU-094-1	Color (true)	110		PCU	P441889	
	EPA 180.1 Rev. 2.0	Turbidity	4.1	A	NTU	P441895	
	EPA 300.0 Rev. 2.1	Chloride	21		mg Cl/L	P442240	
		Sulfate	11		mg SO4/L	P442243	
	SM 2320 B-2011	Total Alkalinity	40		mg CaCO3/L	P442291	RPD
	SM 2540 C-2015	TDS	120		mg/L	P442318	
	SM 2540 D-2015	TSS	3	I	mg/L	P442117	
	SM 4500-F- C-2011	Fluoride	0.11		mg F/L	P442292	RPD
2471436	EPA 350.1 Rev. 2.0	Ammonia-N	0.024		mg N/L	P442075	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P442021	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.085		mg N/L	P442169	
	EPA 365.1 Rev. 2.0	Total-P	0.19		mg P/L	P442051	
	SM 5310 B-2014	Organic Carbon	19		mg C/L	P442047	

Ref. Method and Comment:
DEP SOP: NU-094-1: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: LAKE ALICE CENTER

Collection Date/Time: 02/22/2024 11:45

Field ID: 20020052

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2471438	DEP SOP: NU-094-1	Color (true)	23		PCU	P441889	
	EPA 180.1 Rev. 2.0	Turbidity	0.75	I	NTU	P441895	
	EPA 300.0 Rev. 2.1	Chloride	23		mg Cl/L	P442240	
		Sulfate	36		mg SO4/L	P442243	
	SM 2320 B-2011	Total Alkalinity	72	AJ	mg CaCO3/L	P442291	RPD
	SM 2540 C-2015	TDS	163		mg/L	P442318	
	SM 2540 D-2015	TSS	3	I	mg/L	P442117	
	SM 4500-F- C-2011	Fluoride	0.29	J	mg F/L	P442292	RPD
2471439	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P442075	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.37		mg N/L	P442021	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P442169	
	EPA 365.1 Rev. 2.0	Total-P	0.38		mg P/L	P442051	
	SM 5310 B-2014	Organic Carbon	6.3		mg C/L	P442047	
2471453	EPA 8270E	Aldrin	0.68	U	ng/L	P441976	
		Alpha-BHC	0.10	U	ng/L	P441976	
		Alpha-Chlordane	0.21	U	ng/L	P441976	
		PCB-1016	2.1	U	ng/L	P441976	
		Beta-BHC	0.10	U	ng/L	P441976	
		PCB-1221	2.1	U	ng/L	P441976	
		Beta-Cyfluthrin	1.3	U	ng/L	P441976	
		PCB-1232	2.1	U	ng/L	P441976	
		Bifenthrin	0.52	U	ng/L	P441976	
		PCB-1242	2.1	U	ng/L	P441976	
		PCB-1248	2.1	U	ng/L	P441976	
		Chlorothalonil	3.7	U	ng/L	P441976	
		PCB-1254	2.1	U	ng/L	P441976	
		Cis-Nonachlor	0.21	U	ng/L	P441976	
		PCB-1260	2.1	U	ng/L	P441976	
		Cypermethrin	1.6	U	ng/L	P441976	
		Dacthal	0.16	U	ng/L	P441976	MS
		DDD-p,p'	0.26	U	ng/L	P441976	
		DDE-p,p'	0.21	U	ng/L	P441976	
		DDT-p,p'	0.83	U	ng/L	P441976	
		Delta-BHC	0.42	U	ng/L	P441976	
		Deltamethrin	1.3	U	ng/L	P441976	
		Dichlobenil	0.26	U	ng/L	P441976	
		Dicofol	1.3	UJ	ng/L	P441976	CCV
		Diieldrin	0.42	U	ng/L	P441976	
		Endosulfan I	0.42	U	ng/L	P441976	
		Endosulfan II	0.94	U	ng/L	P441976	
		Endosulfan Sulfate	0.31	U	ng/L	P441976	
		Endrin	0.94	U	ng/L	P441976	
		Endrin Aldehyde	0.78	U	ng/L	P441976	MS
		Endrin Ketone	0.42	U	ng/L	P441976	RPD

Field ID: 20020052

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2471453	EPA 8270E	Esfenvalerate	0.78	U	ng/L	P441976	
		Ethalfuralin	0.16	U	ng/L	P441976	MS
		Fenpropathrin	0.26	U	ng/L	P441976	
		Gamma-BHC	0.13	U	ng/L	P441976	
		Gamma-Chlordane	0.21	U	ng/L	P441976	
		Heptachlor	0.21	U	ng/L	P441976	
		Heptachlor Epoxide	0.26	U	ng/L	P441976	
		Hexachlorobenzene**	1.0	U	ng/L	P441976	
		Kepone	14	U	ng/L	P441976	
		Lambda-Cyhalothrin	0.78	U	ng/L	P441976	
		Methoprene	0.78	U	ng/L	P441976	
		Methoxychlor	0.31	U	ng/L	P441976	
		MGK-264	0.21	U	ng/L	P441976	
		Mirex	0.36	U	ng/L	P441976	
		Oxychlordane	0.31	U	ng/L	P441976	
		Permethrin	1.7	U	ng/L	P441976	
		Phenothrin	0.94	U	ng/L	P441976	
		Piperonyl Butoxide	0.39	I	ng/L	P441976	
		Prallethrin	2.1	U	ng/L	P441976	
		Tau-Fluvalinate	0.26	U	ng/L	P441976	
		Tetramethrin	0.78	U	ng/L	P441976	
		Trans-Nonachlor	0.21	U	ng/L	P441976	
		Triclosan Methyl	0.16	U	ng/L	P441976	MS
		Trifluralin	0.21	U	ng/L	P441976	
	EPA 8276	Chlordane	2.1	UJ	ng/L	P441976	LCS
		Toxaphene	16	U	ng/L	P441976	

Ref. Method and Comment:
DEP SOP: NU-094-1: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
SM 2320 B-2011: Refer to the Lab Analysis Report for an explanation of QC Codes.
SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
SM 4500-F- C-2011: Refer to the Lab Analysis Report for an explanation of QC Codes.
EPA 8270E: Refer to the Lab Analysis Report for an explanation of QC Codes.
EPA 8276: Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: BIVENS ARM LAKE

Collection Date/Time: 02/22/2024 12:15

Field ID: 20020097

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2471440	DEP SOP: NU-094-1	Color (true)	15		PCU	P441889	
	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P441895	
	EPA 300.0 Rev. 2.1	Chloride	10		mg Cl/L	P442397	
		Sulfate	13		mg SO4/L	P442400	
	SM 2320 B-2011	Total Alkalinity	94		mg CaCO3/L	P442291	RPD
	SM 2540 C-2015	TDS	130		mg/L	P442318	
	SM 2540 D-2015	TSS	21	I	mg/L	P442117	
	SM 4500-F- C-2011	Fluoride	0.14		mg F/L	P442292	RPD
2471442	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P442075	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.1		mg N/L	P442021	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P442169	
	EPA 365.1 Rev. 2.0	Total-P	0.16		mg P/L	P442051	
	SM 5310 B-2014	Organic Carbon	9.7		mg C/L	P442146	

Ref. Method and Comment:
 DEP SOP: NU-094-1: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
 SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample. The PQL was elevated because of sample matrix interference.

Sample Location: UPPER LITTLE HATCHET AT AIRPORT FIELD Collection Date/Time: 02/22/2024 12:20

Field ID: G1NE0949 Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2471435	DEP SOP: NU-094-1	Color (true)	99		PCU	P441889	
	EPA 180.1 Rev. 2.0	Turbidity	2.9		NTU	P441895	
	EPA 300.0 Rev. 2.1	Chloride	13		mg Cl/L	P442240	
		Sulfate	12		mg SO4/L	P442243	
	SM 2320 B-2011	Total Alkalinity	52		mg CaCO3/L	P442291	RPD
	SM 2540 C-2015	TDS	124		mg/L	P442318	
	SM 2540 D-2015	TSS	2	I	mg/L	P442117	
	SM 4500-F- C-2011	Fluoride	0.084	I	mg F/L	P442292	RPD
2471437	EPA 350.1 Rev. 2.0	Ammonia-N	0.017		mg N/L	P442075	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.57		mg N/L	P442021	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.11		mg N/L	P442169	
	EPA 365.1 Rev. 2.0	Total-P	0.026		mg P/L	P442051	
	SM 5310 B-2014	Organic Carbon	18		mg C/L	P442047	

Ref. Method and Comment:
DEP SOP: NU-094-1: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: HAMMOCK LAKE

Collection Date/Time: 02/22/2024 10:45

Field ID: G3NE0002

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2471441	DEP SOP: NU-094-1	Color (true)	38		PCU	P441889	
	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P441895	
	EPA 300.0 Rev. 2.1	Chloride	40		mg Cl/L	P442397	
		Sulfate	9.7		mg SO4/L	P442400	
	SM 2320 B-2011	Total Alkalinity	77		mg CaCO3/L	P442360	
	SM 2540 C-2015	TDS	180		mg/L	P442318	
	SM 2540 D-2015	TSS	9	I	mg/L	P442117	
	SM 4500-F- C-2011	Fluoride	0.20		mg F/L	P442363	
2471443	EPA 350.1 Rev. 2.0	Ammonia-N	0.060		mg N/L	P442075	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.6		mg N/L	P442019	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.019		mg N/L	P442169	
	EPA 365.1 Rev. 2.0	Total-P	0.19		mg P/L	P442121	
	SM 5310 B-2014	Organic Carbon	10		mg C/L	P442147	

Ref. Method and Comment:
DEP SOP: NU-094-1: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P441889

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P441895

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442240

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442243

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442397

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442400

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442075

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442019

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442021

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442169

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442051

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442121

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 8270E
Batch ID: P441976

Component	Result	Code	Units
Aldrin	0.65	U	ng/L
Alpha-BHC	0.10	U	ng/L
Alpha-Chlordane	0.20	U	ng/L
Beta-BHC	0.10	U	ng/L
Beta-Cyfluthrin	1.2	U	ng/L
Bifenthrin	0.50	U	ng/L
Chlorothalonil	3.6	U	ng/L
Cis-Nonachlor	0.20	U	ng/L
Cypermethrin	1.5	U	ng/L
Dacthal	0.15	U	ng/L
DDD-p,p'	0.25	U	ng/L
DDE-p,p'	0.20	U	ng/L
DDT-p,p'	0.80	U	ng/L
Delta-BHC	0.40	U	ng/L
Deltamethrin	1.2	U	ng/L
Dichlobenil	0.25	U	ng/L
Dicofol	1.2	U	ng/L
Dieldrin	0.40	U	ng/L
Endosulfan I	0.40	U	ng/L
Endosulfan II	0.90	U	ng/L
Endosulfan Sulfate	0.30	U	ng/L
Endrin	0.90	U	ng/L
Endrin Aldehyde	0.75	U	ng/L
Endrin Ketone	0.40	U	ng/L
Esfenvalerate	0.75	U	ng/L
Ethalfuralin	0.15	U	ng/L
Fenpropathrin	0.25	U	ng/L
Gamma-BHC	0.12	U	ng/L
Gamma-Chlordane	0.20	U	ng/L
Heptachlor	0.20	U	ng/L
Heptachlor Epoxide	0.25	U	ng/L
Hexachlorobenzene	1.0	U	ng/L
Kepone	14	U	ng/L
Lambda-Cyhalothrin	0.75	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E
Batch ID: P441976

Component	Result	Code	Units
Methoprene	0.75	U	ng/L
Methoxychlor	0.30	U	ng/L
MGK-264	0.20	U	ng/L
Mirex	0.35	U	ng/L
Oxychlordane	0.30	U	ng/L
PCB-1016	2.0	U	ng/L
PCB-1221	2.0	U	ng/L
PCB-1232	2.0	U	ng/L
PCB-1242	2.0	U	ng/L
PCB-1248	2.0	U	ng/L
PCB-1254	2.0	U	ng/L
PCB-1260	2.0	U	ng/L
Permethrin	1.6	U	ng/L
Phenothrin	0.90	U	ng/L
Piperonyl Butoxide	0.15	U	ng/L
Prallethrin	2.0	U	ng/L
Tau-Fluvalinate	0.25	U	ng/L
Tetramethrin	0.75	U	ng/L
Trans-Nonachlor	0.20	U	ng/L
Triclosan Methyl	0.15	U	ng/L
Trifluralin	0.20	U	ng/L

Reference Method: EPA 8276
Batch ID: P441976

Component	Result	Code	Units
Chlordane	2.0	U	ng/L
Toxaphene	15	U	ng/L

Reference Method: SM 2320 B-2011
Batch ID: P442291

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-2011
Batch ID: P442360

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-2015
Batch ID: P442318

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2015
Batch ID: P442117

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 4500-F- C-2011
Batch ID: P442292

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 4500-F- C-2011
Batch ID: P442363

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 5310 B-2014
Batch ID: P442047

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-2014
Batch ID: P442146

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-2014
Batch ID: P442147

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P441889

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P441895

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	104		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442240

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	104		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442243

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	104		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442397

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442400

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442075

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	91.2		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442019

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442021

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.8		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442169

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442051

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442121

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	94.8		P	90 - 110

Reference Method: EPA 8270E
Batch ID: P441976

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aldrin	62.1		P	30 - 96.0
Alpha-BHC	85.6		P	70 - 109
Alpha-Chlordane	95.9		P	45 - 107
Beta-BHC	118		P	64 - 138
Beta-Cyfluthrin	85.8		P	17 - 141
Bifenthrin	91.9		P	10 - 113
Chlorothalonil	34.8		P	26 - 180
Cis-Nonachlor	71.9		P	37 - 102
Cypermethrin	88.7		P	20 - 133
Dacthal	69.6		P	69 - 114
DDD-p,p'	92.2		P	42 - 105
DDE-p,p'	88.7		P	42 - 106
DDT-p,p'	71.2		P	42 - 107
Delta-BHC	78.5		P	67 - 144
Deltamethrin	93.9		P	15 - 149
Dichlobenil	84.9		P	46 - 117
Dicofol	55.2		P	34 - 114
Dieldrin	79.0		P	50 - 108
Endosulfan I	79.1		P	55 - 104
Endosulfan II	87.2		P	51 - 111
Endosulfan Sulfate	95.4		P	56 - 121
Endrin	80.5		P	10 - 106
Endrin Aldehyde	70.7		P	34 - 114
Endrin Ketone	107		P	63 - 177
Esfenvalerate	84.5		P	29 - 143
Ethalfuralin	92.1		P	46 - 96.0
Fenpropathrin	109		P	28 - 115
Gamma-BHC	105		P	65 - 121
Gamma-Chlordane	97.2		P	39 - 103
Heptachlor	91.0		P	39 - 94.0
Heptachlor Epoxide	65.7		P	54 - 104
Hexachlorobenzene	48.1		P	36 - 100
Kepone	99.0		P	10 - 225
Lambda-Cyhalothrin	98.8		P	10 - 135

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: EPA 8270E
Batch ID: P441976

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Methoprene	106		P	10 - 109
Methoxychlor	76.6		P	52 - 112
MGK-264	111		P	44 - 117
Mirex	67.6		P	20 - 90.0
Oxychlordane	87.3		P	44 - 102
PCB-1016	89.3		P	45 - 107
PCB-1260	98.2		P	40 - 118
Permethrin	107		P	18 - 135
Phenothrin	93.1		P	10 - 102
Piperonyl Butoxide	96.9		P	28 - 156
Prallethrin	87.8		P	28 - 113
Tau-Fluvalinate	101		P	10 - 123
Tetramethrin	91.0		P	18 - 158
Trans-Nonachlor	81.8		P	39 - 104
Triclosan Methyl	67.5		P	54 - 108
Trifluralin	95.0		P	46 - 97.0

Reference Method: EPA 8276
Batch ID: P441976

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlordane	122		F	52 - 117
Toxaphene	125		P	44 - 125

Reference Method: SM 2320 B-2011
Batch ID: P442291

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.9		P	92 - 105

Reference Method: SM 2320 B-2011
Batch ID: P442360

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.5		P	92 - 105

Reference Method: SM 2540 C-2015
Batch ID: P442318

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TDS	102		P	85 - 115

Reference Method: SM 2540 D-2015
Batch ID: P442117

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	96.0		P	85 - 115

Reference Method: SM 4500-F- C-2011
Batch ID: P442292

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 4500-F- C-2011
Batch ID: P442292

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	100		P	94 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P442363

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	100		P	94 - 106

Reference Method: SM 5310 B-2014
Batch ID: P442047

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	100		P	85 - 115

Reference Method: SM 5310 B-2014
Batch ID: P442146

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.2		P	85 - 115

Reference Method: SM 5310 B-2014
Batch ID: P442147

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442240

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471341	Chloride	103		P	90 - 110
2471438	Chloride	104		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442243

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471341	Sulfate	103		P	90 - 110
2471438	Sulfate	105		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442397

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471858	Chloride	94.5		P	90 - 110
2471922	Chloride	95.6		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442400

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471858	Sulfate	95.5		P	90 - 110
2471922	Sulfate	96.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442075

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471436	Ammonia-N	95.6	97.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442019

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471165	Kjeldahl Nitrogen	95.1	98.3	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442021

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471288	Kjeldahl Nitrogen	98.0	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442169

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471312	NO2NO3-N	100	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442051

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442051

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471439	Total-P	94.3	92.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442121

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471780	Total-P	104	100	P/P	90 - 110

Reference Method: EPA 8270E
Batch ID: P441976

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471107	PCB-1016	69.6	77.6	P/P	45 - 107
2471107	PCB-1260	64.1	68.4	P/P	40 - 112
2471326	Aldrin	42.7	52.2	P/P	24 - 81.0
2471326	Alpha-BHC	90.8	87.8	P/P	65 - 110
2471326	Alpha-Chlordane	77.8	78.5	P/P	43 - 119
2471326	Beta-BHC	90.2	97.2	P/P	54 - 165
2471326	Beta-Cyfluthrin	87.1	95.1	P/P	27 - 165
2471326	Bifenthrin	66.3	89.2	P/P	17 - 117
2471326	Chlorothalonil	32.2	52.6	P/P	10 - 255
2471326	Cis-Nonachlor	48.3	62.7	P/P	34 - 98.0
2471326	Cypermethrin	88.9	107	P/P	25 - 143
2471326	Dacthal	52.6	57.7	F/P	55 - 139
2471326	DDD-p,p'	42.6	63.4	P/P	30 - 109
2471326	DDE-p,p'	57.2	65.3	P/P	35 - 106
2471326	DDT-p,p'	65.6	70.3	P/P	41 - 101
2471326	Delta-BHC	71.5	88.1	P/P	58 - 165
2471326	Deltamethrin	70.4	113	P/P	10 - 194
2471326	Dichlobenil	54.0	55.1	P/P	22 - 114
2471326	Dicofol	53.6	61.8	P/P	17 - 133
2471326	Dieldrin	56.7	61.2	P/P	45 - 129
2471326	Endosulfan I	62.5	65.5	P/P	49 - 104
2471326	Endosulfan II	73.2	72.5	P/P	37 - 117
2471326	Endosulfan Sulfate	77.5	65.7	P/P	38 - 128
2471326	Endrin	50.7	57.3	P/P	35 - 116
2471326	Endrin Aldehyde	17.9	13.1	F/F	19 - 108
2471326	Endrin Ketone	130	73.1	P/P	44 - 134
2471326	Esfenvalerate	105	125	P/P	27 - 176
2471326	Ethalfuralin	84.8	101	P/F	49 - 100
2471326	Fenpropathrin	97.7	104	P/P	34 - 117
2471326	Gamma-BHC	89.2	95.7	P/P	59 - 129
2471326	Gamma-Chlordane	95.1	88.3	P/P	33 - 107
2471326	Heptachlor	77.1	88.8	P/P	37 - 94.0
2471326	Heptachlor Epoxide	45.9	50.6	P/P	38 - 118
2471326	Hexachlorobenzene	39.5	46.2	P/P	35 - 97.0
2471326	Kepone	81.0	91.0	P/P	10 - 221
2471326	Lambda-Cyhalothrin	100	107	P/P	23 - 190
2471326	Methoprene	97.1	93.3	P/P	21 - 109
2471326	Methoxychlor	76.8	73.4	P/P	46 - 118
2471326	MGK-264	106	96.6	P/P	39 - 122
2471326	Mirex	46.8	56.8	P/P	25 - 90.0

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8270E
Batch ID: P441976

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471326	Oxychlordane	68.4	78.0	P/P	42 - 100
2471326	Permethrin	97.8	86.9	P/P	33 - 181
2471326	Phenothrin	70.7	88.5	P/P	12 - 125
2471326	Piperonyl Butoxide	42.4	51.8	P/P	10 - 178
2471326	Prallethrin	68.6	76.1	P/P	24 - 122
2471326	Tau-Fluvalinate	124	151	P/P	13 - 151
2471326	Tetramethrin	84.1	93.3	P/P	16 - 172
2471326	Trans-Nonachlor	53.0	58.0	P/P	39 - 100
2471326	Triclosan Methyl	41.9	44.7	F/P	43 - 110
2471326	Trifluralin	77.4	81.8	P/P	45 - 94.0

Reference Method: EPA 8276
Batch ID: P441976

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471107	Chlordane	94.2	83.3	P/P	43 - 123
2471107	Toxaphene	107	98.6	P/P	27 - 156

Reference Method: SM 4500-F- C-2011
Batch ID: P442292

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471438	Fluoride	94.9	98.2	P/P	94 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P442363

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472557	Fluoride	97.6	96.0	P/P	94 - 106

Reference Method: SM 5310 B-2014
Batch ID: P442047

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471289	Organic Carbon	91.0	92.9	P/P	85 - 115

Reference Method: SM 5310 B-2014
Batch ID: P442146

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471005	Organic Carbon	92.2	92.9	P/P	85 - 115

Reference Method: SM 5310 B-2014
Batch ID: P442147

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2471443	Organic Carbon	99.2	100	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P441895

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471434	Turbidity	10.9	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442240

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471341	Chloride	0.136	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442243

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471341	Sulfate	0.257	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442397

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471858	Chloride	0.398	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442400

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471858	Sulfate	1.45	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442075

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471436	Ammonia-N	1.39	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442019

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471165	Kjeldahl Nitrogen	2.03	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442021

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471288	Kjeldahl Nitrogen	3.45	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442169

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471312	NO2NO3-N	0.995	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442051

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471439	Total-P	1.10	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442121

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471780	Total-P	3.51	Spike	P	0 - 20

Reference Method: EPA 8270E
Batch ID: P441976

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471107	PCB-1016	11.0	Spike	P	0 - 25
2471107	PCB-1260	6.40	Spike	P	0 - 30
2471326	Aldrin	20.0	Spike	P	0 - 41
2471326	Alpha-BHC	3.42	Spike	P	0 - 25
2471326	Alpha-Chlordane	0.834	Spike	P	0 - 32
2471326	Beta-BHC	7.49	Spike	P	0 - 33
2471326	Beta-Cyfluthrin	8.79	Spike	P	0 - 43
2471326	Bifenthrin	29.5	Spike	P	0 - 52
2471326	Chlorothalonil	48.2	Spike	P	0 - 82
2471326	Cis-Nonachlor	26.0	Spike	P	0 - 33
2471326	Cypermethrin	18.7	Spike	P	0 - 51
2471326	Dacthal	9.23	Spike	P	0 - 27
2471326	DDD-p,p'	33.2	Spike	P	0 - 39
2471326	DDE-p,p'	13.3	Spike	P	0 - 31
2471326	DDT-p,p'	6.84	Spike	P	0 - 29
2471326	Delta-BHC	20.9	Spike	P	0 - 35
2471326	Deltamethrin	46.9	Spike	P	0 - 100
2471326	Dichlobenil	2.04	Spike	P	0 - 40
2471326	Dicofol	14.1	Spike	P	0 - 37
2471326	Dieldrin	7.76	Spike	P	0 - 27
2471326	Endosulfan I	4.75	Spike	P	0 - 23
2471326	Endosulfan II	0.957	Spike	P	0 - 34
2471326	Endosulfan Sulfate	16.5	Spike	P	0 - 36
2471326	Endrin	12.1	Spike	P	0 - 45
2471326	Endrin Aldehyde	31.3	Spike	P	0 - 76
2471326	Endrin Ketone	55.8	Spike	F	0 - 43
2471326	Esfenvalerate	16.8	Spike	P	0 - 51
2471326	Ethalfuralin	17.5	Spike	P	0 - 22
2471326	Fenpropathrin	6.51	Spike	P	0 - 49
2471326	Gamma-BHC	7.00	Spike	P	0 - 28

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P441976

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471326	Gamma-Chlordane	7.41	Spike	P	0 - 40
2471326	Heptachlor	14.0	Spike	P	0 - 29
2471326	Heptachlor Epoxide	9.79	Spike	P	0 - 33
2471326	Hexachlorobenzene	15.6	Spike	P	0 - 36
2471326	Kepone	11.7	Spike	P	0 - 85
2471326	Lambda-Cyhalothrin	6.86	Spike	P	0 - 55
2471326	Methoprene	3.97	Spike	P	0 - 53
2471326	Methoxychlor	4.51	Spike	P	0 - 50
2471326	MGK-264	9.54	Spike	P	0 - 43
2471326	Mirex	19.2	Spike	P	0 - 40
2471326	Oxychlordane	13.1	Spike	P	0 - 31
2471326	Permethrin	11.8	Spike	P	0 - 50
2471326	Phenothrin	22.4	Spike	P	0 - 58
2471326	Piperonyl Butoxide	11.0	Spike	P	0 - 100
2471326	Prallethrin	10.3	Spike	P	0 - 39
2471326	Tau-Fluvalinate	19.6	Spike	P	0 - 54
2471326	Tetramethrin	10.4	Spike	P	0 - 51
2471326	Trans-Nonachlor	9.09	Spike	P	0 - 39
2471326	Triclosan Methyl	6.54	Spike	P	0 - 31
2471326	Trifluralin	5.53	Spike	P	0 - 22

Reference Method: EPA 8276
Batch ID: P441976

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471107	Chlordane	12.3	Spike	P	0 - 28
2471107	Toxaphene	8.11	Spike	P	0 - 27

Reference Method: SM 2320 B-2011
Batch ID: P442291

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471438	Total Alkalinity	4.41	Sample	F	0 - 3.9

Reference Method: SM 2320 B-2011
Batch ID: P442360

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472557	Total Alkalinity	0.494	Sample	P	0 - 3.9

Reference Method: SM 2540 C-2015
Batch ID: P442318

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471318	TDS	1.76	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500-F- C-2011
Batch ID: P442292

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471438	Fluoride	1.92	Spike	F	0 - 1.9

Reference Method: SM 4500-F- C-2011
Batch ID: P442363

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472557	Fluoride	1.48	Spike	P	0 - 1.9

Reference Method: SM 5310 B-2014
Batch ID: P442047

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471289	Organic Carbon	1.59	Spike	P	0 - 15

Reference Method: SM 5310 B-2014
Batch ID: P442146

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471005	Organic Carbon	0.540	Spike	P	0 - 15

Reference Method: SM 5310 B-2014
Batch ID: P442147

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2471443	Organic Carbon	0.758	Spike	P	0 - 15

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report
Surrogates

Lab Sample ID: 2471453
Field Sample ID: 20020052

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Decachlorobiphenyl	79.3	P	37 - 129
EPA 8270E	Decachlorobiphenyl	41.7	P	26 - 115
EPA 8270E	Tetrachloro-m-xylene	64.4	P	30 - 101
EPA 8270E	Tetrachloro-m-xylene	65.7	P	29 - 95.0
EPA 8276	Decachlorobiphenyl	59.9	P	23 - 110
EPA 8276	PCNB	81.6	P	51 - 130

Quality Assurance Report Calibration Verification

Reference Method: DEP SOP: NU-094-1

Run ID: A124359

Included Lab Sample IDs: 2471434, 2471435, 2471438, 2471440, 2471441

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	102	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A124363

Included Lab Sample IDs: 2471434, 2471435, 2471438, 2471440, 2471441

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: SM 5310 B-2014

Run ID: A124437

Included Lab Sample IDs: 2471436, 2471437, 2471439

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.0	101	P/P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A124439

Included Lab Sample IDs: 2471434, 2471435, 2471438

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	103	P/P	90 - 110
Chloride	103	103	P/P	90 - 110
Sulfate	103	103	P/P	90 - 110
Sulfate	103	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A124442

Included Lab Sample IDs: 2471436, 2471437, 2471439, 2471442, 2471443

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.1	98.1	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A124467

Included Lab Sample IDs: 2471436, 2471443

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	104	P/P	90 - 110
Kjeldahl Nitrogen	106	99.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A124471

Included Lab Sample IDs: 2471437, 2471439, 2471442

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-2014

Run ID: A124472

Included Lab Sample IDs: 2471442, 2471443

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	120	98.1	P/P	70 - 130
Organic Carbon	98.1	99.6	P/P	85 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A124483

Included Lab Sample IDs: 2471436, 2471437, 2471439, 2471442, 2471443

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A124502

Included Lab Sample IDs: 2471443

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.9	99.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A124530

Included Lab Sample IDs: 2471437

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A124531

Included Lab Sample IDs: 2471434, 2471435, 2471438, 2471440

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	96.0	P/P	90 - 110
Total Alkalinity	96.0	98.3	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A124531

Included Lab Sample IDs: 2471434, 2471435, 2471438, 2471440

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110
Fluoride	100	98.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A124559

Included Lab Sample IDs: 2471439, 2471442

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	96.6	98.2	P/P	90 - 110
Total-P	98.2	99.3	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-2011
Run ID: A124561
Included Lab Sample IDs: 2471441

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	96.7	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Run ID: A124561
Included Lab Sample IDs: 2471441

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	102	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A124581
Included Lab Sample IDs: 2471440, 2471441

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.4	98.3	P/P	90 - 110
Sulfate	99.1	97.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A124601
Included Lab Sample IDs: 2471436

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	98.8	P/P	90 - 110

Reference Method: EPA 8270E
Run ID: A124676
Included Lab Sample IDs: 2471453

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
PCB-1016	106		P	80 - 120
PCB-1260	105		P	80 - 120

Reference Method: EPA 8276
Run ID: A124684
Included Lab Sample IDs: 2471453

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chlordane	97.6		P	80 - 120
Toxaphene	101		P	80 - 120

Reference Method: EPA 8270E
Run ID: A124688
Included Lab Sample IDs: 2471453

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aldrin	104		P	80 - 120
Alpha-BHC	100		P	80 - 120
Alpha-Chlordane	86.3		P	80 - 120
Beta-BHC	87.7		P	80 - 120
Beta-Cyfluthrin	96.4		P	80 - 120
Bifenthrin	108		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 8270E
 Run ID: A124688
 Included Lab Sample IDs: 2471453

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chlorothalonil	103		P	80 - 120
Cis-Nonachlor	88.3		P	80 - 120
Cypermethrin	103		P	80 - 120
Dacthal	91.1		P	80 - 120
DDD-p,p'	113		P	80 - 120
DDE-p,p'	111		P	80 - 120
DDT-p,p'	100		P	80 - 120
Delta-BHC	98.2		P	80 - 120
Deltamethrin	101		P	80 - 120
Dichlobenil	100		P	80 - 120
Dicofol	79.2*		F	80 - 120
Dieldrin	102		P	80 - 120
Endosulfan I	104		P	80 - 120
Endosulfan II	104		P	80 - 120
Endosulfan Sulfate	95.9		P	80 - 120
Endrin	102		P	80 - 120
Endrin Aldehyde	97.6		P	80 - 120
Endrin Ketone	101		P	80 - 120
Esfenvalerate	97.5		P	80 - 120
Ethalfuralin	113		P	80 - 120
Fenpropathrin	108		P	80 - 120
Gamma-BHC	97.9		P	80 - 120
Gamma-Chlordane	92.6		P	80 - 120
Heptachlor	85.9		P	80 - 120
Heptachlor Epoxide	88.0		P	80 - 120
Hexachlorobenzene	100		P	80 - 120
Kepone	98.4		P	80 - 120
Lambda-Cyhalothrin	102		P	80 - 120
Methoprene	98.3		P	80 - 120
Methoxychlor	100		P	80 - 120
MGK-264	99.2		P	80 - 120
Mirex	103		P	80 - 120
Oxychlordane	116		P	80 - 120
Permethrin	96.4		P	80 - 120
Phenothrin	103		P	80 - 120
Piperonyl Butoxide	114		P	80 - 120
Prallethrin	105		P	80 - 120
Tau-Fluvalinate	98.2		P	80 - 120
Tetramethrin	100		P	80 - 120
Trans-Nonachlor	89.6		P	80 - 120
Triclosan Methyl	91.1		P	80 - 120
Trifluralin	98.9		P	80 - 120

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision		
					LCS	SMP	MS
DEP SOP: NU-094-1	Color (true)	101					
EPA 180.1 Rev. 2.0	Turbidity	104				10.9	
EPA 300.0 Rev. 2.1	Chloride	104	103	104		0.136	
	Chloride	99.4	94.5	95.6		0.398	
	Sulfate	104	103	105		0.257	
	Sulfate	98.9	95.5	96.8		1.45	
EPA 350.1 Rev. 2.0	Ammonia-N	91.2	95.6	97.6			1.39
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	100	95.1	98.3			2.03
	Kjeldahl Nitrogen	98.8	98.0	103			3.45
EPA 353.2 Rev. 2.0	NO2NO3-N	100	100	101			0.995
EPA 365.1 Rev. 2.0	Total-P	98.2	94.3	92.2			1.10
	Total-P	94.8	104	100			3.51
EPA 8270E	Aldrin	62.1	42.7	52.2			20.0
	Alpha-BHC	85.6	90.8	87.8			3.42
	Alpha-Chlordane	95.9	77.8	78.5			0.834
	Beta-BHC	118	90.2	97.2			7.49
	Beta-Cyfluthrin	85.8	87.1	95.1			8.79
	Bifenthrin	91.9	66.3	89.2			29.5
	Chlorothalonil	34.8	32.2	52.6			48.2
	Cis-Nonachlor	71.9	48.3	62.7			26.0
	Cypermethrin	88.7	88.9	107			18.7
	Dacthal	69.6	52.6	57.7			9.23
	DDD-p,p'	92.2	42.6	63.4			33.2
	DDE-p,p'	88.7	57.2	65.3			13.3
	DDT-p,p'	71.2	65.6	70.3			6.84
	Delta-BHC	78.5	71.5	88.1			20.9
	Deltamethrin	93.9	70.4	113			46.9
	Dichlobenil	84.9	54.0	55.1			2.04
	Dicofol	55.2	53.6	61.8			14.1
	Dieldrin	79.0	56.7	61.2			7.76
	Endosulfan I	79.1	62.5	65.5			4.75
	Endosulfan II	87.2	73.2	72.5			0.957
	Endosulfan Sulfate	95.4	77.5	65.7			16.5
	Endrin	80.5	50.7	57.3			12.1
	Endrin Aldehyde	70.7	17.9	13.1			31.3
	Endrin Ketone	107	130	73.1			55.8
	Esfenvalerate	84.5	105	125			16.8
	Ethalfuralin	92.1	84.8	101			17.5
	Fenpropathrin	109	97.7	104			6.51
	Gamma-BHC	105	89.2	95.7			7.00
	Gamma-Chlordane	97.2	95.1	88.3			7.41
	Heptachlor	91.0	77.1	88.8			14.0
	Heptachlor Epoxide	65.7	45.9	50.6			9.79
	Hexachlorobenzene	48.1	39.5	46.2			15.6
	Kepone	99.0	81.0	91.0			11.7
	Lambda-Cyhalothrin	98.8	100	107			6.86
	Methoprene	106	97.1	93.3			3.97
	Methoxychlor	76.6	76.8	73.4			4.51
	MGK-264	111	106	96.6			9.54
	Mirex	67.6	46.8	56.8			19.2
	Oxychlordane	87.3	68.4	78.0			13.1
	PCB-1016	89.3	69.6	77.6			11.0
	PCB-1260	98.2	64.1	68.4			6.40
	Permethrin	107	97.8	86.9			11.8

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	SMP
EPA 8270E	Phenothrin	93.1	70.7	88.5		
	Piperonyl Butoxide	96.9	42.4	51.8		
	Prallethrin	87.8	68.6	76.1		
	Tau-Fluvalinate	101	124	151		
	Tetramethrin	91.0	84.1	93.3		
	Trans-Nonachlor	81.8	53.0	58.0		
	Triclosan Methyl	67.5	41.9	44.7		
	Trifluralin	95.0	77.4	81.8		
EPA 8276	Chlordane	122	94.2	83.3		
	Toxaphene	125	107	98.6		
SM 2320 B-2011	Total Alkalinity	98.9				4.41
	Total Alkalinity	98.5				0.494
SM 2540 C-2015	TDS	102				1.76
SM 2540 D-2015	TSS	96.0				
SM 4500-F- C-2011	Fluoride	100	94.9	98.2		
	Fluoride	100	97.6	96.0		
SM 5310 B-2014	Organic Carbon	100	91.0	92.9		
	Organic Carbon	98.2	92.2	92.9		
	Organic Carbon	96.4	99.2	100		

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2471434, 2471435, 2471438, 2471440, 2471441
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2471434, 2471435, 2471438, 2471440, 2471441
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2471434, 2471435, 2471438, 2471440, 2471441
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2471434, 2471435, 2471438, 2471440, 2471441
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2471436, 2471437, 2471439, 2471442, 2471443
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2471436, 2471437, 2471439, 2471442, 2471443
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2471436, 2471437, 2471439, 2471442, 2471443
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2471436, 2471437, 2471439, 2471442, 2471443
EPA 8270E	Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS	2471453
EPA 8270E	PCBs in water matrices by GC/MS/MS	2471453
EPA 8276	Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization	2471453
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2471434, 2471435, 2471438, 2471440, 2471441
SM 2540 C-2015	Total Dissolved Solids in aqueous matrices	2471434, 2471435, 2471438, 2471440, 2471441
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2471434, 2471435, 2471438, 2471440, 2471441
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2471434, 2471435, 2471438, 2471440, 2471441
SM 5310 B-2014	Nonpurgeable Organic Carbon in aqueous matrices	2471436, 2471437, 2471439, 2471442, 2471443

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	02/23/2024			02/23/2024 13:15	Jessica K Wilks	2471434
	02/23/2024			02/23/2024 13:16	Jessica K Wilks	2471435, 2471438
	02/23/2024			02/23/2024 13:17	Jessica K Wilks	2471440
	02/23/2024			02/23/2024 13:18	Jessica K Wilks	2471441
EPA 180.1 Rev. 2.0	02/23/2024			02/23/2024 12:52	Chandler E Cox	2471434
	02/23/2024			02/23/2024 12:54	Chandler E Cox	2471435
	02/23/2024			02/23/2024 12:58	Chandler E Cox	2471438
	02/23/2024			02/23/2024 12:59	Chandler E Cox	2471440
EPA 300.0 Rev. 2.1	02/23/2024			02/23/2024 13:00	Chandler E Cox	2471441
	02/23/2024			03/01/2024 04:15	James L Waggeberby	2471438
	02/23/2024			03/01/2024 09:02	James L Waggeberby	2471434
	02/23/2024			03/01/2024 09:17	James L Waggeberby	2471435
EPA 350.1 Rev. 2.0	02/23/2024			03/04/2024 19:05	James L Waggeberby	2471440
	02/23/2024			03/04/2024 19:20	James L Waggeberby	2471441
	02/23/2024			02/28/2024 12:53	Khloe J Berg	2471436
	02/23/2024			02/28/2024 12:57	Khloe J Berg	2471437
EPA 351.2 Rev. 2.0	02/23/2024			02/28/2024 12:58	Khloe J Berg	2471439
	02/23/2024			02/28/2024 12:59	Khloe J Berg	2471442
	02/23/2024			02/28/2024 13:01	Khloe J Berg	2471443
	02/23/2024	02/28/2024 07:55	Samantha L Bates	02/29/2024 10:52	Robyn Blevins	2471443
EPA 353.2 Rev. 2.0	02/23/2024	02/28/2024 07:55	Samantha L Bates	02/29/2024 11:33	Robyn Blevins	2471436
	02/23/2024	02/28/2024 07:55	Samantha L Bates	02/29/2024 13:40	Robyn Blevins	2471437
	02/23/2024	02/28/2024 07:55	Samantha L Bates	02/29/2024 13:42	Robyn Blevins	2471439
	02/23/2024	02/28/2024 07:55	Samantha L Bates	02/29/2024 13:43	Robyn Blevins	2471442
EPA 365.1 Rev. 2.0	02/23/2024			02/29/2024 13:07	Fadila Guebre	2471436
	02/23/2024			02/29/2024 13:08	Fadila Guebre	2471437
	02/23/2024			02/29/2024 13:09	Fadila Guebre	2471439
	02/23/2024			02/29/2024 13:10	Fadila Guebre	2471442
EPA 8270E	02/23/2024			02/29/2024 13:12	Fadila Guebre	2471443
	02/23/2024	02/28/2024 16:12	Josephine W Gitau	03/04/2024 14:49	Chandler E Cox	2471437
	02/23/2024	02/28/2024 16:12	Josephine W Gitau	03/06/2024 11:28	Simonne.V. Calhoun	2471439
	02/23/2024	02/28/2024 16:12	Josephine W Gitau	03/06/2024 11:35	Simonne.V. Calhoun	2471442
EPA 8276	02/23/2024	02/28/2024 16:12	Josephine W Gitau	03/07/2024 14:17	Elise M. Gillis	2471436
	02/23/2024	02/29/2024 14:14	Josephine W Gitau	03/01/2024 09:24	Elise M. Gillis	2471443
	02/23/2024	02/28/2024 08:00	Rasheda Ghaffari	03/08/2024 05:22	Vandana T. Nagar	2471453
	02/23/2024	02/28/2024 08:00	Rasheda Ghaffari	03/09/2024 19:34	Julie Wi	2471453
SM 2320 B-2011	02/23/2024	02/28/2024 08:00	Rasheda Ghaffari	03/05/2024 17:52	Kenedi Mills	2471453
	02/23/2024			03/01/2024 18:01	Dale L. Simmons	2471438
	02/23/2024			03/01/2024 21:16	Dale L. Simmons	2471434
	02/23/2024			03/01/2024 21:28	Dale L. Simmons	2471435

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 2320 B-2011	02/23/2024			03/01/2024 21:40	Dale L. Simmons	2471440
	02/23/2024			03/05/2024 20:31	Adam P Silver	2471441
SM 2540 C-2015	02/23/2024			02/26/2024 15:21	Yijie Li	2471434, 2471435, 2471438, 2471440, 2471441
SM 2540 D-2015	02/23/2024			02/26/2024 15:21	Yijie Li	2471434, 2471435, 2471438, 2471440, 2471441
SM 4500-F- C-2011	02/23/2024			03/01/2024 17:53	Dale L. Simmons	2471438
	02/23/2024			03/01/2024 21:16	Dale L. Simmons	2471434
	02/23/2024			03/01/2024 21:28	Dale L. Simmons	2471435
	02/23/2024			03/01/2024 21:40	Dale L. Simmons	2471440
	02/23/2024			03/05/2024 20:31	Adam P Silver	2471441
SM 5310 B-2014	02/23/2024			02/27/2024 08:41	Khloe J Berg	2471436
	02/23/2024			02/27/2024 08:56	Khloe J Berg	2471437
	02/23/2024			02/27/2024 09:09	Khloe J Berg	2471439
	02/23/2024			02/29/2024 00:55	Kenneth H Lee	2471442
	02/23/2024			02/29/2024 02:12	Kenneth H Lee	2471443