

7/30/68

5280.17

R-95

Rwy	+	H1	Rad	Elev
T.M.	11.99'	18.87'		6.90'
0°			6.4'	12.5'
8°			7.5'	11.4'
20°			8.3'	10.6'
33°			8.5'	10.4'
50°			9.1'	9.8'
66°			7.9'	11.0'
85°			8.2'	10.7'
101°			8.2'	10.7'
117°			7.8'	11.1'
128°			6.8'	12.1'
133°			4.7'	14.2'
135°			5.1'	13.8'
145°			8.7'	10.2'
158°			11.3'	7.6'
167°			11.0'	7.9'
175°			12.0'	6.9'
180°			11.6'	7.3'

Obsc

SK R-95 R.C. 230' PT# 375

GIS C. new.



Toof

Top of Dune

1.4'

Slope

Toof

GIS



205/4

FR

"ALVID 29"

7/30/68

528017

Cont.

R-95

Run

+

H1

18.89'

-

R00

Elev.

200'

220'

230'

244'

263'

283'

303'

320'

335'

353'

TP.

371'

387'

397'

400'

414'

430'

2.62'

7.15'

1436'

54'

7.9'

9.3'

9.9'

10.3'

10.8'

453'

1.8'

-0.7'

-2.1'

-2.7'

-3.1'

-3.6'

G.B.

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

Obsc.

G.B.

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

SAND

↓

C.H.B.

Veg. Line

C.H.B.

205/5

FK

NOV 29

7/30/68

5280.17

Cont.

R. 95

Rva. +

H1

-

ROD

elev.

7.15"

450'

468'

486'

504'

518'

535'

553'

575'

593'

615'

TEAM

11.6"

12.6"

13.4"

14.1"

14.6"

15.2"

16.0"

16.9"

17.7"

18.4"

2.45"

-4.4

-5.4

-6.2

-6.9

-7.4

-8.0

-8.8

-9.7

-10.5

-11.2

4.70

DESC.

SAND



SH R 95 AUG. 235' PT. # 376 ELEV. 471'

* SAND 29'

JR

20576