



# Florida Department of Environmental Protection

Turn Towers Office Bldg., 2600 Blair Stone Road, Tallahassee, Florida 32399-2400

## Residuals Annual Summary

FLINT

### Part I-Facility Information

FACILITY NAME:

FACILITY ID: FLA014332

REFLECTIONS ON SILVER LAKE, INC.

MAILING ADDRESS:

MONITORING PERIOD- From: 1/1/2010 To: 12/31/2010

1850 US 27 South

AVON PARK, FL 33825

Total Quantity of Residuals Applied during the Period: 2.10 dry tons

Total Number of Residuals Land Application Sites Used during Reporting Period: 1 (Parts II and III should address all residuals land application sites used)

Update of Residuals Characteristics (arithmetic average of all samples taken pursuant to Rule 62-640.650(1), F.A.C., during the reporting period):

| Parameter        | Units* | Ceiling Limits For Class A and B | Concentration | Parameter (continued) | Units | Ceiling Limits For Class A and B | Concentration |
|------------------|--------|----------------------------------|---------------|-----------------------|-------|----------------------------------|---------------|
| Total Nitrogen   | %      | N/A                              | 7.48          | Copper                | mg/Kg | 4300                             | 222.00        |
| Total Phosphorus | %      | N/A                              | 2.53          | Lead                  | mg/Kg | 840                              | 104.00        |
| Total Potassium  | %      | N/A                              | 0.76          | Mercury               | mg/Kg | 57                               | 0.80          |
| Total Solids     | %      | N/A                              | 0.99          | Molybdenum            | mg/Kg | 75                               | 6.40          |
| pH               | s.u.   | N/A                              | 6.96          | Nickel                | mg/Kg | 420                              | 107.00        |
| Arsenic          | mg/Kg  | 75                               | 5.00          | Selenium              | mg/Kg | 100                              | 15.00         |
| Cadmium          | mg/Kg  | 85                               | 1.30          | Zinc                  | mg/Kg | 7500                             | 1,182.00      |

\*All units are in dry weight basis except for total solids and pH. All sampling and analysis shall be conducted pursuant to Title 40 Code of Federal Regulations, Section 503.3 and the POTW Sludge Sampling and Analysis Guidance Document.

N/A= Not Applicable

Pathogen Reduction Class (Rule 62-640.600(1), F.A.C.): ☐ A ☒ B (Rule 62-640.600(1), F.A.C.)

EPA Vector Attraction Reduction Option (Rule 62-640.600(2), F.A.C.):

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5  
☒ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10

### Certification

I certify under penalty of law that I have personally examined and am familiar with the information herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT (Type or Print)

TELEPHONE NO.

JAMES L. BROOKS, VICE PRES./GEN. MGR.

863-453-5766

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

DATE (YY/MM/DD)

3/3/11

DEP Form 62-640.2-01(2)(b), effective 12/1/97

Northwest District 180  
Governmental Center  
Pensacola FL 32501-5794

Northeast District  
7825 Baymeadows Way  
Jacksonville FL 32256-7577

Central District 3310  
Macquie Blvd, Suite 232  
Orlando FL 32833-3767

Southwest District  
3804 Coconut Palm Dr.,  
Tampa FL 33619-4218

South District 2195  
Victoria Ave., Suite 304 Fort  
Myers, FL 33921

Southeast District  
400 N. Congress Ave. West  
Palm Beach, FL

Part II. Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used only By This Facility (attach a separate sheet "other solids," if applicable):

Facility Name: REFLECTIONS ON SILVER LAKE, INC.

| Site Name           | Application Zone ID(s) | Crop(s) | Dry Tons Applied per Acre | Basis      | Max N allowed* | N    | P      | K         | As   | Cd   | Cu    | Pb   | Hg   | Ni   | Se   | Zn    |
|---------------------|------------------------|---------|---------------------------|------------|----------------|------|--------|-----------|------|------|-------|------|------|------|------|-------|
| Fruit Ranch Maratke | 4                      | Bahia   | 0.0270                    | annual     | 400            | 4.04 | 1.37   | 0.41      | 0.00 | 0.00 | 0.01  | 0.01 | 0.00 | 0.01 | 0.00 | 0.06  |
|                     |                        |         |                           | cumulative | N/A            | N/A  | 489.77 | 18,659.15 | 0.11 | 0.09 | 38.80 | 0.59 | 0.03 | 0.40 | 0.17 | 27.53 |
| Fruit Ranch Maratke | 5                      | Bahia   | 0.0293                    | annual     | 400            | 4.39 | 1.48   | 0.45      | 0.00 | 0.00 | 0.01  | 0.01 | 0.00 | 0.01 | 0.00 | 0.07  |
|                     |                        |         |                           | cumulative | N/A            | N/A  | 580.45 | 9,018.13  | 0.13 | 0.33 | 22.28 | 0.82 | 0.02 | 0.56 | 0.19 | 27.05 |
| Fruit Ranch Maratke | 6                      | Bahia   | 0.0307                    | annual     | 400            | 4.60 | 1.55   | 0.47      | 0.00 | 0.00 | 0.01  | 0.01 | 0.00 | 0.01 | 0.00 | 0.07  |
|                     |                        |         |                           | cumulative | N/A            | N/A  | 400.94 | 7,705.63  | 0.11 | 0.05 | 12.80 | 0.44 | 0.01 | 0.24 | 0.14 | 14.53 |

(Enter as nutrient and trace element quantities in Residue)

\* Based on two (2) growing seasons per year

Part III: Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used By Multiple Facilities (attach a separate sheet "other solids," if applicable):

Site Name: Elgin Ranch/Mantake

| Application Zone ID(s) | Crop(s) | Facility                             | Facility ID | Dry Tons Applied per Acre | Max N | N     | P      | K      | As     | Cd     | Cu     | Pb     | Hg     | Ni     | So     | Zn     |
|------------------------|---------|--------------------------------------|-------------|---------------------------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 4                      | Bahia   | SURGE LAMP WWTP                      | FL001150    | 0.0115                    | 400   | 2.57  | 0.5023 | 0.1009 | 0.0001 | 0.0001 | 0.0062 | 0.0005 | 0.0000 | 0.0004 | 0.0001 | 0.0429 |
| 4                      | Bahia   | OAKVIEW LAMP WWTP                    | FL001150    | 0.0236                    | 400   | 3.40  | 0.3688 | 0.2180 | 0.0001 | 0.0001 | 0.0085 | 0.0010 | 0.0000 | 0.0006 | 0.0002 | 0.0702 |
| 4                      | Bahia   | CROSS CREEK COLONY RESORT WWTP       | FL001155    | 0.0555                    | 400   | 11.89 | 2.5035 | 0.7524 | 0.0001 | 0.0001 | 0.0147 | 0.0005 | 0.0001 | 0.0008 | 0.0013 | 0.0805 |
| 4                      | Bahia   | DESOTO VILLAGE WWTP                  | FL001159    | 0.0089                    | 400   | 1.70  | 0.3843 | 0.0907 | 0.0001 | 0.0000 | 0.0029 | 0.0002 | 0.0000 | 0.0002 | 0.0002 | 0.0139 |
| 4                      | Bahia   | BIG TREE OF ARCADIA                  | FL001160    | 0.0267                    | 400   | 5.13  | 0.9277 | 0.2826 | 0.0002 | 0.0001 | 0.0091 | 0.0006 | 0.0000 | 0.0006 | 0.0009 | 0.0542 |
| 4                      | Bahia   | LITTLE VALLEY RV PARK                | FL001161    | 0.0087                    | 400   | 2.01  | 0.3833 | 0.0678 | 0.0001 | 0.0000 | 0.0033 | 0.0001 | 0.0000 | 0.0002 | 0.0004 | 0.0227 |
| 4                      | Bahia   | ARCADE VILLAGE PHASE 1 WWTP          | FL001162    | 0.0087                    | 400   | 14.21 | 3.4871 | 0.6331 | 0.0001 | 0.0002 | 0.0171 | 0.0011 | 0.0001 | 0.0015 | 0.0067 | 0.1590 |
| 4                      | Bahia   | LANE SUZY UTILITIES                  | FL001163    | 0.1029                    | 400   | 11.95 | 4.1277 | 1.1559 | 0.0000 | 0.0005 | 0.0564 | 0.0041 | 0.0000 | 0.0036 | 0.0020 | 0.2934 |
| 4                      | Bahia   | LME OAK RV RESORT                    | FL001164    | 0.0600                    | 400   | 12.61 | 2.6894 | 0.6724 | 0.0001 | 0.0001 | 0.0134 | 0.0006 | 0.0001 | 0.0012 | 0.0017 | 0.1077 |
| 4                      | Bahia   | Peace River Youth Academy            | FL001169    | 0.0149                    | 400   | 1.11  | 0.7975 | 0.4062 | 0.0002 | 0.0002 | 0.0105 | 0.0003 | 0.0000 | 0.0009 | 0.0004 | 0.0173 |
| 4                      | Bahia   | HOLIDAY PALMS RVP                    | FL001169    | 0.0053                    | 400   | 0.65  | 0.1555 | 0.0349 | 0.0000 | 0.0000 | 0.0042 | 0.0002 | 0.0000 | 0.0002 | 0.0001 | 0.0033 |
| 4                      | Bahia   | MAGUIRE RVP                          | FL001213    | 0.0053                    | 400   | 0.57  | 0.1109 | 0.0836 | 0.0000 | 0.0000 | 0.0020 | 0.0002 | 0.0000 | 0.0001 | 0.0002 | 0.0076 |
| 4                      | Bahia   | MILSBOROUGH CORRECTIONAL             | FL001214    | 0.0704                    | 400   | 7.37  | 1.6965 | 0.5280 | 0.0001 | 0.0001 | 0.0443 | 0.0012 | 0.0002 | 0.0013 | 0.0008 | 0.0643 |
| 4                      | Bahia   | BOUNTY STORE COLONY MOBILE HOME PARK | FL001268    | 0.0526                    | 400   | 2.00  | 1.7253 | 0.1757 | 0.0002 | 0.0001 | 0.0109 | 0.0009 | 0.0002 | 0.0010 | 0.0008 | 0.0845 |
| 4                      | Bahia   | San N Shave Campground WWTP          | FL001408    | 0.0248                    | 400   | 2.83  | 1.1914 | 0.1986 | 0.0003 | 0.0001 | 0.0079 | 0.0007 | 0.0000 | 0.0008 | 0.0007 | 0.0408 |

(Enter all nutrient and trace element quantities in lbs/acre)

\* Based on two (2) growing seasons per year

Part III. Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used By Multiple Facilities (attach a separate sheet "other solids," if applicable):

|                  |       |                                  |        |     |        |         |         |        |        |        |        |        |        |        |        |
|------------------|-------|----------------------------------|--------|-----|--------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|
| 4                | Bahia | REFLECTIONS ON SILVER LAKE, INC. | 0.0270 | 400 | 4.04   | 1.3677  | 0.4109  | 0.0003 | 0.0001 | 0.0120 | 0.0058 | 0.0000 | 0.0058 | 0.0008 | 0.0539 |
|                  |       | FLA01432                         |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 4                | Bahia | IDAHOON UTILITIES INC            | 0.0163 | 400 | 2.16   | 0.8568  | 0.2179  | 0.0001 | 0.0000 | 0.0189 | 0.0004 | 0.0001 | 0.0026 | 0.0004 | 0.0283 |
|                  |       | ALEX CARA DEL LAGO               |        |     |        |         |         |        |        |        |        |        |        |        |        |
|                  |       | FLA01434                         |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 4                | Bahia | BUTTERNOCOD BAY UTILITIES, INC.  | 0.0571 | 400 | 9.57   | 2.3061  | 1.1074  | 0.0001 | 0.0002 | 0.0169 | 0.0011 | 0.0001 | 0.0007 | 0.0013 | 0.0855 |
|                  |       | FLA01436                         |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 4                | Bahia | Adelaide Shores                  | 0.0260 | 400 | 5.89   | 0.7929  | 0.1798  | 0.0002 | 0.0001 | 0.0078 | 0.0026 | 0.0000 | 0.0004 | 0.0008 | 0.0522 |
|                  |       | FLA01438                         |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 4                | Bahia | TRICORAL HARBOR WWP              | 0.0203 | 400 | 3.17   | 0.9722  | 0.3848  | 0.0001 | 0.0001 | 0.0052 | 0.0006 | 0.0000 | 0.0003 | 0.0005 | 0.0301 |
|                  |       | WWTP                             |        |     |        |         |         |        |        |        |        |        |        |        |        |
|                  |       | FLA014371                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 4                | Bahia | Blue Scope Test Service          | 3.8308 | 400 | 246.12 | 66.5121 | 32.9104 | 0.0000 | 0.0110 | 3.6544 | 0.1206 | 0.0152 | 0.0629 | 0.6557 | 6.0485 |
|                  |       | MAP                              |        |     |        |         |         |        |        |        |        |        |        |        |        |
|                  |       | FLA016189                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 4                | Bahia | TOWN OF LAKE PLACID              | 0.2166 | 400 | 46.57  | 9.4876  | 1.6046  | 0.0006 | 0.0006 | 0.1609 | 0.0100 | 0.0015 | 0.0074 | 0.0056 | 0.7217 |
|                  |       | FLA21494                         |        |     |        |         |         |        |        |        |        |        |        |        |        |
| Annual Total     |       | N/A                              | 4.76   | 400 | 399.52 | 123.86  | 42.27   | 0.02   | 0.01   | 4.09   | 0.15   | 0.02   | 0.11   | 0.08   | 8.10   |
| Cumulative Total |       |                                  | 31.526 | N/A | N/A    | N/A     | N/A     | 0.71   | 0.05   | 38.80  | 0.59   | 0.03   | 0.40   | 0.17   | 27.53  |
| 5                | Bahia | OAK VIEW WWP WWP                 | 0.0148 | 400 | 2.77   | 0.4519  | 0.1152  | 0.0001 | 0.0000 | 0.0048 | 0.0002 | 0.0000 | 0.0003 | 0.0003 | 0.0246 |
|                  |       | FLA011938                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | CROSS CREEK CCRV RESORT WWP      | 0.0338 | 400 | 12.48  | 2.3793  | 0.7106  | 0.0002 | 0.0001 | 0.0140 | 0.0008 | 0.0001 | 0.0008 | 0.0013 | 0.0792 |
|                  |       | FLA011939                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | DESOTO VILLAGE WWP               | 0.0220 | 400 | 4.20   | 0.9406  | 0.2242  | 0.0001 | 0.0001 | 0.0071 | 0.0004 | 0.0000 | 0.0006 | 0.0006 | 0.0342 |
|                  |       | FLA011980                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | BIG TREE OF ARCADIA              | 0.0154 | 400 | 2.96   | 0.5348  | 0.1629  | 0.0001 | 0.0001 | 0.0052 | 0.0003 | 0.0000 | 0.0003 | 0.0005 | 0.0313 |
|                  |       | FLA011981                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | LITTLE WILLES RIVER PARK         | 0.0234 | 400 | 4.86   | 0.9260  | 0.1637  | 0.0001 | 0.0001 | 0.0080 | 0.0003 | 0.0000 | 0.0004 | 0.0009 | 0.0547 |
|                  |       | FLA011982                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | ARCADIA VILLAGE PHASE 1 WWP      | 0.0109 | 400 | 2.16   | 0.5168  | 0.1003  | 0.0001 | 0.0000 | 0.0025 | 0.0002 | 0.0000 | 0.0002 | 0.0003 | 0.0182 |
|                  |       | FLA011983                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | LIVE OAK R.V. RESORT             | 0.0828 | 400 | 19.48  | 4.1572  | 1.0390  | 0.0001 | 0.0002 | 0.0208 | 0.0010 | 0.0001 | 0.0019 | 0.0026 | 0.1665 |
|                  |       | FLA011989                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | HOLIDAY PALMS RV?                | 0.0065 | 400 | 0.79   | 0.1894  | 0.1156  | 0.0000 | 0.0000 | 0.0051 | 0.0002 | 0.0000 | 0.0002 | 0.0001 | 0.0040 |
|                  |       | FLA011143                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
| 5                | Bahia | MAYNABEE RVP                     | 0.0045 | 400 | 0.49   | 0.0942  | 0.0710  | 0.0000 | 0.0000 | 0.0017 | 0.0001 | 0.0000 | 0.0001 | 0.0002 | 0.0065 |
|                  |       | FLA011144                        |        |     |        |         |         |        |        |        |        |        |        |        |        |

(Enter all nutrient and trace element quantities in Bahra)

\* Based on live (2) growing seasons per year

Part III. Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used By Multiple Facilities (attach a separate sheet "other solids," if applicable):

|                  |       |                                                     |        |     |        |         |         |        |        |        |        |        |        |        |        |
|------------------|-------|-----------------------------------------------------|--------|-----|--------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|
| 5                | Bahia | HILSONKROGH POWER PLANT                             | 0.0122 | 400 | 1.47   | 0.4399  | 0.1540  | 0.0001 | 0.0000 | 0.0056 | 0.0001 | 0.0001 | 0.0002 | 0.0002 | 0.0108 |
| 5                | Bahia | FLM1200<br>BLUNT STONE CO. CIV. MOBILE HOME PARK    | 0.0205 | 400 | 0.78   | 0.6730  | 0.0685  | 0.0002 | 0.0000 | 0.0043 | 0.0003 | 0.0001 | 0.0004 | 0.0003 | 0.0330 |
| 5                | Bahia | FLM1188<br>REFLECTIONS ON SILVER LAKE, INC.         | 0.0293 | 400 | 4.39   | 1.4848  | 0.4460  | 0.0003 | 0.0001 | 0.0130 | 0.0061 | 0.0000 | 0.0053 | 0.0009 | 0.0694 |
| 5                | Bahia | FLM1432<br>DANCON UTILITIES INC. LAKE CASA DEL LAGO | 0.0152 | 400 | 2.01   | 0.8135  | 0.2003  | 0.0019 | 0.0000 | 0.0162 | 0.0004 | 0.0001 | 0.0031 | 0.0004 | 0.0246 |
| 5                | Bahia | FLM1434<br>BUTTMANWOOD BAY UTILITIES, INC.          | 0.0405 | 400 | 6.79   | 1.6371  | 0.7861  | 0.0004 | 0.0001 | 0.0120 | 0.0006 | 0.0001 | 0.0005 | 0.0008 | 0.0607 |
| 5                | Bahia | FLM1448<br>Atlantic Shores                          | 0.0087 | 400 | 1.26   | 0.3361  | 0.1289  | 0.0001 | 0.0000 | 0.0018 | 0.0034 | 0.0000 | 0.0001 | 0.0002 | 0.0156 |
| 5                | Bahia | FLM1438<br>TROPICAL HARBOR WPT                      | 0.0168 | 400 | 2.63   | 0.8053  | 0.3188  | 0.0002 | 0.0001 | 0.0043 | 0.0005 | 0.0000 | 0.0003 | 0.0004 | 0.0249 |
| 5                | Bahia | FLM1437<br>Blue Spring Lake Service R/W             | 2.3117 | 400 | 220.85 | 72.3813 | 15.4106 | 0.0000 | 0.0052 | 1.4692 | 0.0500 | 0.0066 | 0.0356 | 0.0187 | 3.1864 |
| 5                | Bahia | FLM16188                                            |        |     |        |         |         |        |        |        |        |        |        |        |        |
| Annual Total     |       | N/A                                                 | 2.70   | 400 | 290.39 | 88.77   | 20.22   | 0.01   | 0.01   | 1.60   | 0.06   | 0.01   | 0.05   | 0.03   | 3.84   |
| Cumulative Total |       |                                                     | 275.82 |     | N/A    | N/A     | N/A     | 0.13   | 0.33   | 22.28  | 0.82   | 0.02   | 0.56   | 0.19   | 27.05  |
| 6                | Bahia | CROSS CREEK CORV RESORT WPT                         | 0.0212 | 400 | 4.93   | 0.9390  | 0.2804  | 0.0001 | 0.0000 | 0.0055 | 0.0002 | 0.0000 | 0.0003 | 0.0005 | 0.0313 |
| 6                | Bahia | FLM1186<br>ARCHON VILLAGE PHASE WPT                 | 0.0183 | 400 | 3.62   | 0.8682  | 0.1685  | 0.0001 | 0.0000 | 0.0042 | 0.0003 | 0.0000 | 0.0004 | 0.0005 | 0.0306 |
| 6                | Bahia | FLM1163<br>LIVE OAK RV RESORT                       | 0.0105 | 400 | 1.78   | 0.5360  | 0.1361  | 0.0001 | 0.0000 | 0.0021 | 0.0000 | 0.0000 | 0.0002 | 0.0002 | 0.0188 |
| 6                | Bahia | FLM1198<br>Paces Pines Youth Academy                | 0.0113 | 400 | 0.84   | 0.6044  | 0.3079  | 0.0001 | 0.0001 | 0.0080 | 0.0003 | 0.0000 | 0.0007 | 0.0003 | 0.0131 |
| 6                | Bahia | FLM1196<br>HOLIDAY PALMS R/P                        | 0.0021 | 400 | 0.26   | 0.0814  | 0.0375  | 0.0000 | 0.0000 | 0.0017 | 0.0001 | 0.0000 | 0.0001 | 0.0000 | 0.0013 |
| 6                | Bahia | FLM12143<br>MANATEE R/W                             | 0.0016 | 400 | 0.17   | 0.0328  | 0.0247  | 0.0000 | 0.0000 | 0.0006 | 0.0000 | 0.0000 | 0.0000 | 0.0001 | 0.0023 |
| 5                | Bahia | FLM1244<br>HILSONKROGH CORRECTIONAL                 | 0.0245 | 400 | 2.59   | 0.6007  | 0.1906  | 0.0001 | 0.0000 | 0.0152 | 0.0004 | 0.0001 | 0.0004 | 0.0003 | 0.0224 |
| 6                | Bahia | FLM1268<br>Sun N' Sticks Campground WPT             | 0.0282 | 400 | 3.22   | 1.3545  | 0.2257  | 0.0003 | 0.0001 | 0.0090 | 0.0008 | 0.0000 | 0.0009 | 0.0008 | 0.0464 |
|                  |       | FLM11120                                            |        |     |        |         |         |        |        |        |        |        |        |        |        |

(Enter all nutrient and trace element quantities in lbs/acre)

\*Based on two (2) growing seasons per year

Part III. Total Application of Residuals or Septage, Nutrients, and Traco Elements for Application Zones Used By Multiple Facilities (attach a separate sheet "other solids," if applicable):

|                  |       |                                                        |        |     |        |         |         |        |        |        |        |        |        |        |        |
|------------------|-------|--------------------------------------------------------|--------|-----|--------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|
| 6                | Bahia | RELECTIONS ON SILVER LAKE, INC.<br>FLA014331           | 0.0307 | 400 | 4.60   | 1.5549  | 0.4671  | 0.0003 | 0.0001 | 0.0136 | 0.0064 | 0.0000 | 0.0066 | 0.0006 | 0.0726 |
| 6                | Bahia | OMACH UTILITIES INC.<br>JMS CMAA DEL LAGO<br>FLA011311 | 0.0109 | 400 | 1.44   | 0.5823  | 0.1434  | 0.0014 | 0.0000 | 0.0116 | 0.0003 | 0.0001 | 0.0022 | 0.0003 | 0.0176 |
| 6                | Bahia | BUTTOWOOD BAY UTILITIES, INC.<br>FLA014341             | 0.0063 | 400 | 1.36   | 0.3364  | 0.1601  | 0.0001 | 0.0000 | 0.0024 | 0.0002 | 0.0000 | 0.0001 | 0.0002 | 0.0124 |
| 6                | Bahia | HOSPITAL HARBOR MHP<br>NWTF<br>FLA014371               | 0.0063 | 400 | 0.99   | 0.3034  | 0.1201  | 0.0001 | 0.0000 | 0.0016 | 0.0002 | 0.0000 | 0.0001 | 0.0002 | 0.0094 |
| 6                | Bahia | Sub Septic Tank Service<br>RNF<br>FLA016189            | 1.9975 | 400 | 188.54 | 61.5067 | 14.1197 | 0.0001 | 0.0041 | 0.9671 | 0.0480 | 0.0033 | 0.0242 | 0.0240 | 2.3784 |
| 6                | Bahia | DOWN OF LAKE PLACD<br>FLA281481                        | 0.1321 | 400 | 29.58  | 6.7842  | 0.9772  | 0.0007 | 0.0004 | 0.0980 | 0.0061 | 0.0009 | 0.0045 | 0.0034 | 0.4432 |
| Annual Total     |       |                                                        | 2.30   | 400 | 243.93 | 75.07   | 17.36   | 0.01   | 0.00   | 1.16   | 0.06   | 0.00   | 0.04   | 0.03   | 3.10   |
| Cumulative Total |       |                                                        | 216.64 | N/A | N/A    | N/A     | N/A     | 0.11   | 0.05   | 12.90  | 0.44   | 0.01   | 0.24   | 0.14   | 14.53  |

(Enter all nutrient and trace element quantities in lbs/acre)

\* Based on Two (2) growing seasons per year