

(352) 795-1554
PHONE



(352) 795-5423
FAX

March 14, 2011

RECEIVED

Citrus County Utilities
Gary Loggins
1300 S Lecanto Hwy
Lecanto FL 34461

MAR 17 2011

UTILITIES DIVISION

Mr. Loggins,

Following are revised copies of the "Residuals Annual Summary" for Citrus Springs, Canterbury Lake Estates, and Sugarmill Woods. If you will notice the only difference is to the concentration of Molybdenum in the samples. Please submit the revised copies to DEP.

Please contact Rick Leon on his cell phone should you have any questions (813) 494-1735.

Sincerely,

A handwritten signature in black ink, appearing to read "Ginger Huerta", is written over a series of horizontal lines.

Ginger Huerta
A-Able Septic Sewer Service, Inc.

Enclosures: Residuals Annual Summary: Citrus Springs
 Residuals Annual Summary: Canterbury Lake Estates
 Residuals Annual Summary: Sugarmill Woods



Florida Department of Environmental Protection

Twin Towers Office Bldg., 2600 Blair Stone Road, Tallahassee, Florida 32399-2400

Residuals Annual Summary

Part I-Facility Information

FACILITY NAME:

FACILITY ID: **FLA011877**

CITRUS SPRINGS UTILITIES

MAILING ADDRESS:

MONITORING PERIOD-- From: **1/1/2010** To: **12/31/2010**

ALHAMBRA RD AT BISCAYNE AVE

CITRUS SPRINGS, FL

Total Quantity of Residuals Applied during the Period: **1.57** dry tons

Total Number of Residuals Land Application Sites Used during Reporting Period: **1** (Parts II and III should address all residuals land application sites used)

Update of Residuals Characteristics (arithmetic average of all samples taken pursuant to Rule 62-640.650(1), F.A.C., during the reporting period):

Parameter	Units*	Ceiling Limits For Class A and B	Concentration	Parameter (continued)	Units*	Ceiling Limits For Class A and B	Concentration
Total Nitrogen	%	N/A	18.42	Copper	mg/Kg	4300	798.50
Total Phosphorus	%	N/A	1.72	Lead	mg/Kg	840	25.65
Total Potassium	%	N/A	0.73	Mercury	mg/Kg	57	1.82
Total Solids	%	N/A	1.05	Molybdenum	mg/Kg	75	16.75
pH	s.u.	N/A	6.68	Nickel	mg/Kg	420	15.10
Arsenic	mg/Kg	75	36.20	Selenium	mg/Kg	100	27.25
Cadmium	mg/Kg	85	3.33	Zinc	mg/Kg	7500	1,213.50

*All units are in dry weight basis except for total solids and pH. All sampling and analysis shall be conducted pursuant to Title 40 Code of Federal Regulations, Section 503.8 and the POTW Sludge Sampling and Analysis Guidance Document.

N/A=Not Applicable

Pathogen Reduction Class (Rule 62-640.600(1), F.A.C.): ☐ A ☒ B (Rule 62-640.600(1), F.A.C.)

EPA Vector Attraction Reduction Option (Rule 62-640.600(2), F.A.C.):

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
☒ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10

Certification

I certify under penalty of law that I have personally examined and am familiar with the information herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT (Type or Print)	TELEPHONE NO.
<i>Gary Loggins Plant Manager</i>	352-527-7650
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	DATE (YY/MM/DD)
<i>Gary Loggins</i>	3-24-11

Revised

Part III. Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used By Multiple Facilities (attach a separate sheet "other solids," if applicable):

Site Name: HCR

Site Address: P.O. Box 1350, Crystal River, FL 34423

Application Zone ID(s)	Crop(s)	Facility	Dry Tons Applied per Acre	N	P	K	As	Cd	Cu	Pb	Hg	Ni	Se	Zn
4	Bahia	Beverly Hills WWTF (AKA Rolling Oaks)	0.1018	10.58	4.4782	0.0244	0.0000	0.0000	0.0016	0.0000	0.0000	0.0000	0.0000	0.0011
4	Bahia	CITRUS SPRINGS UTILITIES	0.0133	0.68	0.4775	0.2265	0.0011	0.0001	0.0293	0.0008	0.0001	0.0007	0.0008	0.0435
4	Bahia	A-Able Septic Sewer R/WF	0.5724	98.83	15.2743	15.7351	0.0061	0.0051	0.2138	0.0194	0.0009	0.0108	0.0063	0.4388
Annual Total			0.69	110.09	20.23	15.99	0.0072	0.0052	0.2448	0.0202	0.0010	0.0115	0.0071	0.4834
Cumulative Total							0.04	0.08	7.49	0.40	0.10	0.27	0.03	7.33

(Enter all nutrient and trace element quantities in lbs/acre)

* Based on two (2) growing seasons per year

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042
"A Laboratory Management Partner"

3/11/2010

Citrus County Utilities
Mr. Gary Loggins
1300 S. Lecanto Hwy
Lecanto, FL, 34461

Ref: Analytical Testing
Report Number: 10-055-0240
Project Description: Citrus Springs WWTF

Florida Analytical, Inc. received 1 sample(s) on 2/24/2010 for the analyses presented in the following report. Samples collected by Florida Analytical, Inc. are in accordance with DEP-SOP-001/01 (Revised February 1, 2004).

The above referenced project has been analyzed per your instructions. The analyses were performed in our laboratory in accordance with Standard Methods, The Solid Waste Manual SW-846, EPA Methods for Chemical Analysis of Water and Wastes and /or 40 CFR part 136.

The EPA requires that water samples analyzed for pH, dissolved oxygen and total residual chlorine be analyzed in the field. Analyses and results reported which do not indicate "Field" for these parameters were analyzed outside the holding time as specified in Table II of 40 CFR Part 136.3.

The analytical data has been validated using standard quality control measures performed as required by the analytical method. Test results meet all requirements of USEPA and NELAC, unless otherwise noted in this report. Uncertainties in test results are available upon request. This report may not be reproduced in part and results relate only to the samples tested. Qualifiers shown on the data report are defined as follows:

- B Result based on colony counts outside the acceptable range, (microbiology).
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J Estimated value, value is not accurate: to be used when:
 - 1. Surrogate recovery limits have been exceeded.
 - 2. No known quality control criterion exists.
 - 3. Report value failed to meet established QC criteria.
 - 4. Sample matrix interference precludes accurate determination.
 - 5. Data is questionable due to improper lab or field protocols.
- Q Sample held beyond the accepted holding time.
- U Compound was analyzed for but not detected.
- Y Laboratory analysis was from an unpreserved or improperly preserved sample.
The data may not be accurate.
- Z Too many colonies were present (TNTC), the numeric value represents the filtration volume.

Please do not hesitate to contact me or client services if you have any questions or need additional information.

Sincerely,



Stephanie Richards
Laboratory Manager

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042
"A Laboratory Management Partner"

00513

Citrus County Utilities

Mr. Gary Loggins

1300 S. Lecanto Hwy

Lecanto , FL 34461

Project Citrus Springs WWTF

Information :

Report Date : 3/11/2010

Report Number : **10-055-0240**

REPORT OF ANALYSIS

Received : 2/24/2010

Lab No : **94782**

Matrix: **Solids**

Sample ID : **At Digester Grab Samples**

Sampled: **2/24/2010 9:15**

Test	Results	Units	MDL	MQL	DF	Date / Time Analyzed	By	Analytical Method
Total Phosphorus as P	1.65	%-dry	0.0858	0.430	1	03/05/10 08:45	SS	EPA-1688-P
pH	6.61 Q	s.u.	0.01	0.01	1	02/25/10 16:15	CVS	SM-4500H+B
Total Solids	1.07	%	0.01	0.01	1	03/01/10 15:29	CVS	SM-2540G
Total Kjeldahl Nitrogen	34.2	%-dry	0.0412	0.430	1	03/05/10 08:45	SS	EPA-1688
Nitrate + Nitrite as N	0.11 I	%-dry	0.0108	0.430	1	03/08/10 14:00	SS	EPA-1685
Total Nitrogen	34.3	%-dry	0.0108	0.430	1	03/05/10 08:45		CALCULATION

Qualifiers/ Definitions

MDL

Method Detection Limit

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042

"A Laboratory Management Partner"

Citrus County Utilities

1300 S. Lecanto Hwy

Project Citrus Springs WWTF
Description

Lecanto, FL 34461

Lab Order Number 10-055-0240
Lab ID 1002451-001
Field ID At Digester Grab Samples
Sample Number 94782

Received 02/26/10

Matrix Sludge

Sampled 02/24/10

Report of Analysis

Inorganics							Date/Time		Analytical	Batch
Compound	CAS	Result	Units	MDL	PQL	DF	Analyzed	By	Method	ID
Percent Moisture	MOIST	98.8	wt%	1.0	1.0	1	03/05/10 8:15	EV	2540B	43633

Analyses performed by ETC, Inc. FDOH ID E87943

- * Surrogate Recovery outside accepted limits
- L Concentration exceeds the est. method calibration range
- PQL Practical Quantitation Limit (factored).
- U Analyzed for but not detected.
- I Estimated Value. Presence was confirmed but < PQL
- MDL Method Detection Limit (factored).
- Q Sample analyzed beyond recommended holding time
- V Analyte detected in the associated Method Blank

03/05/10

513 CITRUS_UTIL_FAI

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042

"A Laboratory Management Partner"

Citrus County Utilities
1300 S. Lecanto Hwy

Project **Citrus Springs WWTF**
Description

Lecanto, FL 34461

Lab Order Number **10-055-0240**
Lab ID **1002451-001A**
Field ID **At Digester Grab Samples**
Sample Number **94782**

Received **02/26/10**
Matrix **Sludge**
Sampled **02/24/10**
Report of Analysis

ICP Metals

Prep Method	3050B	Prep Batch	28433	Date/Time	Prepped	03/01/10 10:38	Analytical Batch	43589	
		Final Volume	50 mL						
Compound	CAS	Result	Units	MDL	PQL	DF	Date/Time Analyzed	By	Analytical Method
Arsenic	7440-38-2	32.8 U	mg/Kg-dry	32.8	86.2	1	03/03/10 7:11	KN	6010B
Cadmium	7440-43-9	3.01 U	mg/Kg-dry	3.01	17.2	1	03/03/10 7:11	KN	6010B
Chromium	7440-47-3	14.3 I	mg/Kg-dry	9.48	43.1	1	03/03/10 7:11	KN	6010B
Copper	7440-50-8	497	mg/Kg-dry	4.85	43.1	1	03/03/10 7:11	KN	6010B
Potassium	7440-09-7	0.604	%-dry	0.0345	0.0862	1	03/03/10 7:11	KN	6010B
Molybdenum	7439-98-7	12.0 U	mg/Kg-dry	12.0	43.1	1	03/03/10 7:11	KN	6010B
Nickel	7440-02-0	5.80 I	mg/Kg-dry	4.77	43.1	1	03/03/10 16:30	KN	6010B
Lead	7439-92-1	22.4 U	mg/Kg-dry	22.4	51.7	1	03/03/10 7:11	KN	6010B
Selenium	7782-49-2	24.7 U	mg/Kg-dry	24.7	86.2	1	03/03/10 7:11	KN	6010B
Zinc	7440-66-6	797	mg/Kg-dry	14.2	86.2	1	03/03/10 7:11	KN	6010B

Mercury

Prep Method	7471A	Prep Batch	28449	Date/Time	Prepped	03/02/10 10:54	Analytical Batch	43575	
		Final Volume	20 mL						
Compound	CAS	Result	Units	MDL	PQL	DF	Date/Time Analyzed	By	Analytical Method
Mercury	7439-97-6	0.556 I	mg/Kg-dry	0.310	1.72	1	03/02/10 15:02	TJ	7471A

Analyses performed by ETC, Inc. FDOH ID E87943

*	Surrogate Recovery outside accepted limits	I	Estimated Value. Presence was confirmed but < PQL
L	Concentration exceeds the est. method calibration range	MDL	Method Detection Limit (factored).
PQL	Practical Quantitation Limit (factored).	Q	Sample analyzed beyond recommended holding time
U	Analyzed for but not detected.	V	Analyte detected in the associated Method Blank

03/05/10 513 CITRUS_UTIL_FAI

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042
"A Laboratory Management Partner"

Cooler Receipt Form

Customer Number: **00513**

Customer Name: **Citrus County Utilities**

Report Number: **10-055-0240**

Shipping Method

☐ FedEx ☐ UPS ☐ US Postal ☐ Client ☒ LMP ☐ Courier ☐ Other:

Shipping container/cooler uncompromised?	☒ Yes	☐ No	☐ Not Present
Custody seals intact on shipping container/cooler?	☐ Yes	☐ No	☒ Not Required
Custody seals intact on sample bottles?	☐ Yes	☐ No	☒ Not Required
Chain of Custody present?	☒ Yes	☐ No	
COC agrees with sample labels?	☒ Yes	☐ No	
Samples in proper containers?	☒ Yes	☐ No	
Sample containers intact?	☒ Yes	☐ No	
Sufficient sample volume for indicated tests?	☒ Yes	☐ No	
All samples received within holding time?	☒ Yes	☐ No	
Container temperature in compliance?	☒ Yes	☐ No	
Water - VOA vials free of headspace?	☐ Yes	☐ No	☒ N/A
Water - Preservation acceptable upon receipt?	☒ Yes	☐ No	☐ N/A
Samples screened for radioactivity (COE only)?	☐ Yes	☐ No	☒ N/A
Special precautions or instructions included?	☐ Yes	☒ No	

Comments:

Any regulatory non-compliance issues will be recorded on non-compliance report.

Signature:

Date & Time:



Citrus County Utilities
Citrus Springs WWTF

[illegible]

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042

"A Laboratory Management Partner"

9/2/2010

Citrus County Utilities
Mr. Gary Loggins
1300 S. Lecanto Hwy
Lecanto, FL, 34461

Ref: Analytical Testing
Report Number: 10-215-0219
Project Description: Citrus County WWTP

Florida Analytical, Inc. received 1 sample(s) on 8/3/2010 for the analyses presented in the following report. Samples collected by Florida Analytical, Inc. are in accordance with DEP-SOP-001/01 (Revised February 1, 2004).

The above referenced project has been analyzed per your instructions. The analyses were performed in our laboratory in accordance with applicable analytical methods. The analytical testing for some methods were performed by Environmental Testing & Consulting Inc. under Florida certification number E87943 as indicated on the result form(s).


The EPA requires that certain parameters be analyzed in the field. Analyses and results reported which do not indicate "Field" for these parameters may have been analyzed outside the holding time as specified in Table II of 40 CFR Part 136.3 and will be flagged appropriately.

The analytical data has been validated using standard quality control measures performed as required by the analytical method. Test results conform to the most current NELAC standard unless otherwise noted in this report. This report may not be reproduced in part and results relate only to the samples tested. Qualifiers shown on the data report are defined as follows:

B	Results based on colony counts outside the acceptable range.
H	Value based on field kit determination; results may not be accurate.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
J	Estimated value. Refer to the Case Narrative for further details.
Q	Sample held beyond the accepted holding time.
U	Compound was analyzed for but not detected.
Y	Laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
Z	Too many colonies were present (TNTC), the numeric value represents the filtration volume.
V	Indicates that analyte was detected at or above MDL in the project samples and associate method blank.

Please do not hesitate to contact me or client services if you have any questions or need additional information.

Sincerely,



Karen Mort
Project Manager

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042
"A Laboratory Management Partner"

00513

Citrus County Utilities

Mr. Gary Loggins

1300 S. Lecanto Hwy

Lecanto, FL 34461

Project Citrus County WWTP

Information :

Report Date : 9/2/2010

Report Number : 10-215-0219

REPORT OF ANALYSIS

Received : 8/3/2010

Lab No : 56223

Matrix: Solids

Sample ID : Digester #2- 7/19/10-7/31/10

Sampled: 7/31/2010 12:34

Test	Results	Units	MDL	MQL	DF	Date / Time Analyzed	By	Analytical Method
Total Phosphorus as P	1.79	%-dry	0.0180	0.272	1	08/23/10 08:45	SVS	EPA-1688-P
pH	6.75 Q	s.u.	0.01	0.01	1	09/01/10 13:40	SVS	SM-4500H+B
Total Solids	1.02	%	0.01	0.01	1	08/13/10 14:30	DP	SM-2540G
Total Kjeldahl Nitrogen	2.31	%-dry	0.0432	0.272	1	08/23/10 08:45	SVS	EPA-1688
Nitrate + Nitrite as N	0.2377	%-dry	0.0114	0.114	1	08/24/10 11:35	SVS	EPA-1685
Total Nitrogen	2.55	%-dry		0.000	1	08/23/10 08:45		CALCULATION

Qualifiers/ Definitions

MDL Method Detection Limit

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042

"A Laboratory Management Partner"

CLIENT: Citrus County Utilities

Project: Citrus County WWTP

Lab Order Number: 10-215-0219

CASE NARRATIVE

Date: 08/12/10

PELA01

Metals by 6010B (Total)

The following analyte(s) were identified in the method blank associated with these samples. The value in parentheses () indicates the 10x value. Per laboratory protocol, any associated sample result within 10 times these levels (10x value) is flagged "V" to indicate that it was detected in the method blank.

Molybdenum 25.2I mg/Kg-dry (252 mg/Kg-dry)

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042

"A Laboratory Management Partner"

Citrus County Utilities

1300 S. Lecanto Hwy

Project Citrus County WWTP

Description

Lecanto, FL 34461

Lab Order Number 10-215-0219

Lab ID 1008109-001A

Field ID Digester #2- 7/19/10-7/31/10

Sample Number 56223

Received 08/04/10

Matrix Sludge

Sampled 07/31/10

Report of Analysis

ICP Metals

Prep Method	3050B	Prep Batch	30642	Date/Time	Prepped	08/05/10 8:00	Analytical Batch	46030
		Final Volume	50 mL					
Compound	CAS	Result	Units	MDL	PQL	DF	Date/Time Analyzed	By Analytical Method
Arsenic	7440-38-2	39.6 U	mg/Kg-dry	39.6	104	1	08/10/10 6:49	JTR 6010B
Cadmium	7440-43-9	3.64 U	mg/Kg-dry	3.64	20.8	1	08/10/10 6:49	JTR 6010B
Chromium	7440-47-3	33.2 I	mg/Kg-dry	11.5	52.1	1	08/10/10 6:49	JTR 6010B
Copper	7440-50-8	1,100	mg/Kg-dry	5.86	52.1	1	08/10/10 6:49	JTR 6010B
Potassium	7440-09-7	0.849	%-dry	0.0417	0.104	1	08/10/10 6:49	JTR 6010B
Molybdenum	7439-98-7	21.5 IV	mg/Kg-dry	14.5	52.1	1	08/10/10 6:49	JTR 6010B
Nickel	7440-02-0	24.4 I	mg/Kg-dry	5.76	52.1	1	08/10/10 6:49	JTR 6010B
Lead	7439-92-1	28.9 I	mg/Kg-dry	27.1	62.5	1	08/10/10 6:49	JTR 6010B
Selenium	7782-49-2	29.8 U	mg/Kg-dry	29.8	104	1	08/10/10 6:49	JTR 6010B
Zinc	7440-66-6	1,630	mg/Kg-dry	17.2	104	1	08/10/10 6:49	JTR 6010B

Mercury

Prep Method	7471A	Prep Batch	30699	Date/Time	Prepped	08/09/10 10:02	Analytical Batch	46043
		Final Volume	20 mL					
Compound	CAS	Result	Units	MDL	PQL	DF	Date/Time Analyzed	By Analytical Method
Mercury	7439-97-6	3.09	mg/Kg-dry	0.375	2.08	1	08/09/10 15:45	TJ 7471A

Analyses performed by ETC, Inc. FDOH ID E87943

* Surrogate Recovery outside accepted limits
L Concentration exceeds the est. method calibration range
PQL Practical Quantitation Limit (factored).
U Analyzed for but not detected.

I Estimated Value. Presence was confirmed but < PQL
MDL Method Detection Limit (factored).
Q Sample analyzed beyond recommended holding time
V Analyte detected in the associated Method Blank

08/12/10 513 CITRUS_UTIL_FAI

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042

"A Laboratory Management Partner"

Citrus County Utilities

1300 S. Lecanto Hwy

Project Citrus County WWTP
Description

Lecanto, FL 34461

Lab Order Number 10-215-0219

Lab ID 1008109-001

Field ID Digester #2- 7/19/10-7/31/10

Sample Number 56223

Received 08/04/10

Matrix Sludge

Sampled 07/31/10

Report of Analysis

Inorganics							Date/Time		Analytical	Batch
Compound	CAS	Result	Units	MDL	PQL	DF	Analyzed	By	Method	ID
Percent Moisture	MOIST	99.04	wt%	1.00	1.00	1	08/11/10 16:30	EV	2540B	46083

Analyses performed by ETC, Inc. FDOH ID E87943

- | | |
|---|---|
| * Surrogate Recovery outside accepted limits | I Estimated Value. Presence was confirmed but < PQL |
| L Concentration exceeds the est. method calibration range | MDL Method Detection Limit (factored). |
| PQL Practical Quantitation Limit (factored). | Q Sample analyzed beyond recommended holding time |
| U Analyzed for but not detected. | V Analyte detected in the associated Method Blank |

08/12/10

513 CITRUS_UTIL_FAI

Florida Analytical, Inc.

4320 Old Hwy. 37 Lakeland, FL 33813 (863) 646-8526 Fax: (863) 646-1042
"A Laboratory Management Partner"

Cooler Receipt Form

Customer Number: **00513**

Customer Name: **Citrus County Utilities**

Report Number: **10-215-0219**

Shipping Method

☐ FedEx ☐ UPS ☐ US Postal ☐ Client ☒ LMP ☐ Courier ☐ Other:

Shipping container/cooler uncompromised?	☒ Yes	☐ No	☐ Not Present
Custody seals intact on shipping container/cooler?	☐ Yes	☐ No	☒ Not Required
Custody seals intact on sample bottles?	☐ Yes	☐ No	☒ Not Required
Chain of Custody present?	☒ Yes	☐ No	
COC agrees with sample labels?	☒ Yes	☐ No	
Samples in proper containers?	☒ Yes	☐ No	
Sample containers intact?	☒ Yes	☐ No	
Sufficient sample volume for indicated tests?	☒ Yes	☐ No	
All samples received within holding time?	☒ Yes	☐ No	
Container temperature in compliance?	☒ Yes	☐ No	
Water - VOA vials free of headspace?	☐ Yes	☐ No	☒ N/A
Water - Preservation acceptable upon receipt?	☒ Yes	☐ No	☐ N/A
Samples screened for radioactivity (COE only)?	☐ Yes	☐ No	☒ N/A
Special precautions or instructions included?	☐ Yes	☒ No	

Comments:

Any regulatory non-compliance issues will be recorded on non-compliance report.

Signature:

Date & Time:

10-215-0219
00513
2010-08-03
13:27:30



Citrus County Utilities
Citrus County WWTP

Project Client Name: Citrus County	Project Site Location: WWTP	Client Contact Name: Gary Lyons	Matrix Key: GW Ground Water SW Surface Water DW Drinking Water VW Wastewater SL Soil SD Solid ST Sediment NL Nonaqueous Liquid SG Sludge Other:
PWS Number: FLA 011877	Project Manager: Citrus Springs	Phone Number: (352) 527-7650	
Report Mailing Address:	Invoice Address:	Fax Number:	
Report Mailing City, State, ZIP:	Invoice City, State, ZIP:	e-mail Address:	

Purchase Order Number:		Required Analysis:		Field Parameters:		Laboratory Sample Identification Number (for laboratory use only)									
Florida Analytical, Inc. 4320 Old Highway 37 Lakeland, Florida 33183 (863) 646-8526 (phone) (863) 646-1042 (fax) www.floridanalytical.com		(I) # of Containers, (II) Container Size/Container Type, (III) Sample Preservative (See keys upper right)		Specific Conductance (microhm/cm) pH (SU) Temperature (°C) Dissolved Oxygen (mg/L) Total Chlorine Residual (mg/L) Turbidity (NTU)											
Date:	Time:	Sample Identification:	Matrix	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
7/19	10:15	Digester #1	62-640												
7/21	12:17	Digester #2													
7/23	11:40	Digester #2													
7/27	12:37	Digester #2													
7/27	10:33	Digester #2													
7/29	12:41	Digester #2													
7/31	10:39	Digester #2													

For Laboratory Use Only:		Supplied by (PWS): Nonpoint Water		Supplied by (SIGNATURE): <i>[Signature]</i>		Date: 7/31/10		Time: 11:00		Received by (SIGNATURE): <i>[Signature]</i>		Date: 8/3/10		Time: 0300	
Sample Not Returned by:	FA Contact No.	Client Code:	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>	Relinquished by (SIGNATURE): <i>[Signature]</i>
Date:	Time:	Date:	Date:	Date:	Date:	Date:	Date:	Date:	Date:	Date:	Date:	Date:	Date:	Date:	Date:
7/29	12:41	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10	8/3/10