



Florida Department of Environmental Protection

Twin Towers Office Bldg., 2600 Blair Stone Road, Tallahassee, Florida 32399-2400

RECEIVED

Residuals Annual Summary

FEB 16 2011

Part I-Facility Information

FACILITY NAME:

HILLSBOROUGH CORRECTIONAL INSTITUTE

MAILING ADDRESS:

SR 672 1 MI EAST OF US 301

RIVERVIEW, FL 33569

RECEIVED

FEB 22 2011

Dept. of Environmental Protection
Domestic Waste Section

FACILITY ID: FLA012608

Facilities Services

MONITORING PERIOD-- From: 1/1/2010 To: 12/31/2010

Total Quantity of Residuals Applied during the Period: 3.20 dry tons

Total Number of Residuals Land Application Sites Used during Reporting Period: 2
(Parts II and III should address all residuals land application sites used)

Update of Residuals Characteristics (arithmetic average of all samples taken pursuant to Rule 62-640.650(1), F.A.C., during the reporting period):

Parameter	Units*	Ceiling Limits For Class A and B	Concentration	Parameter (continued)	Units	Ceiling Limits For Class A and B	Concentration
Total Nitrogen	%	N/A	5.10	Copper	mg/Kg	4300	330.00
Total Phosphorus	%	N/A	1.10	Lead	mg/Kg	840	9.20
Total Potassium	%	N/A	0.33	Mercury	mg/Kg	57	1.30
Total Solids	%	N/A	2.10	Molybdenum	mg/Kg	75	8.10
pH	s.u.	N/A	6.60	Nickel	mg/Kg	420	9.10
Arsenic	mg/Kg	75	1.80	Selenium	mg/Kg	100	5.40
Cadmium	mg/Kg	85	0.93	Zinc	mg/Kg	7500	460.00

*All units are in dry weight basis except for total solids and pH. All sampling and analysis shall be conducted pursuant to Title 40 Code of Federal Regulations, Section 503.8 and the POTW Sludge Sampling and Analysis Guidance Document.

N/A=Not Applicable

Pathogen Reduction Class (Rule 62-640.600(1), F.A.C.): ☐ A ☒ B (Rule 62-640.600(1), F.A.C.)

EPA Vector Attraction Reduction Option (Rule 62-640.600(2), F.A.C.):

- ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
☒ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10

Certification

I certify under penalty of law that I have personally examined and am familiar with the information herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT (Type or Print)	TELEPHONE NO.
Barley Barefoot, Environmental Administrator	850-410-4093
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	DATE (YY/MM/DD)
	11/02/16

Part II. Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used only By This Facility (attach a separate sheet "other solids," if applicable):

Facility Name: HILLSBOROUGH CORRECTIONAL INSTITUTE

Site Name	Application Zone ID(s)	Crop(s)	Dry Tons Applied per Acre	Basis	Max N allowed*	N	P	K	As	Cd	Cu	Pb	Hg	Ni	Se	Zn
Flint Ranch/ Manatee	4	Bahia	0.0704	annual	400	7.37	1.70	0.53	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.06
				cumulative	N/A	N/A	489.77	19,659.15	0.11	0.09	38.80	0.59	0.03	0.40	0.17	27.53
Flint Ranch/ Manatee	5	Bahia	0.0122	annual	400	1.47	0.44	0.15	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01
				cumulative	N/A	N/A	580.45	9,018.13	0.13	0.33	22.28	0.82	0.02	0.56	0.19	27.05
Flint Ranch/ Manatee	6	Bahia	0.0245	annual	400	2.59	0.61	0.19	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.02
				cumulative	N/A	N/A	400.94	7,705.63	0.11	0.05	12.80	0.44	0.01	0.24	0.14	14.53
Blue Septic Tank Service RMF	N/A		0.0000	annual	400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				cumulative	N/A	N/A	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

(Enter all nutrient and trace element quantities in lbs/acre)

* Based on two (2) growing seasons per year

Part III. Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used By Multiple Facilities (attach a separate sheet "other solids," if applicable):

Site Name: Elint Ranch/ Manatee

Application Zone ID(s)	Crop(s)	Facility	Dry Tons Applied per Acre	Max N allowed*	N	P	K	As	Cd	Cu	Pb	Hg	Ni	Se	Zn
		Facility ID													
4	Bahia	SUNRISE MHP WWTP	0.0115	400	2.57	0.5023	0.1009	0.0001	0.0001	0.0062	0.0005	0.0000	0.0004	0.0001	0.0429
		FLA011933													
4	Bahia	OAK VIEW MHP WWTP	0.0235	400	3.40	0.8688	0.2160	0.0001	0.0001	0.0085	0.0010	0.0000	0.0006	0.0002	0.0702
		FLA011936													
4	Bahia	CROSS CREEK CC/RY RESORT WWTP	0.0555	400	11.89	2.5035	0.7524	0.0001	0.0001	0.0147	0.0005	0.0001	0.0008	0.0013	0.0805
		FLA011939													
4	Bahia	DESOTO VILLAGE WWTP	0.0089	400	1.70	0.3643	0.0907	0.0001	0.0000	0.0029	0.0002	0.0000	0.0002	0.0002	0.0139
		FLA011960													
4	Bahia	BIG TREE OF ARCADIA	0.0267	400	5.13	0.9277	0.2826	0.0002	0.0001	0.0091	0.0006	0.0000	0.0006	0.0009	0.0542
		FLA011961													
4	Bahia	LITTLE WILLES RV PARK	0.0097	400	2.01	0.3833	0.0678	0.0001	0.0000	0.0033	0.0001	0.0000	0.0002	0.0004	0.0227
		FLA011962													
4	Bahia	ARCADIA VILLAGE PHASE I WWTP	0.0887	400	14.21	3.4671	0.6331	0.0001	0.0002	0.0171	0.0011	0.0001	0.0015	0.0087	0.1590
		FLA011963													
4	Bahia	LAKE SUZY UTILITIES	0.1029	400	11.95	4.1277	1.1559	0.0000	0.0005	0.0564	0.0041	0.0000	0.0036	0.0020	0.2934
		FLA011964													
4	Bahia	LIME OAK R.V. RESORT	0.0600	400	12.61	2.6694	0.6724	0.0001	0.0001	0.0134	0.0006	0.0001	0.0012	0.0017	0.1077
		FLA011989													
4	Bahia	Peace River Youth Academy	0.0149	400	1.11	0.7975	0.4062	0.0002	0.0002	0.0105	0.0003	0.0000	0.0009	0.0004	0.0173
		FLA011986													
4	Bahia	HOLIDAY PALMS RVP	0.0053	400	0.65	0.1555	0.0949	0.0000	0.0000	0.0042	0.0002	0.0000	0.0002	0.0001	0.0033
		FLA012143													
4	Bahia	MANATEE RVP	0.0053	400	0.57	0.1109	0.0836	0.0000	0.0000	0.0020	0.0002	0.0000	0.0001	0.0002	0.0076
		FLA012144													
4	Bahia	HELSBOROUGH CORRECTIONAL	0.0704	400	7.37	1.6865	0.5280	0.0001	0.0001	0.0443	0.0012	0.0002	0.0013	0.0008	0.0643
		FLA012808													
4	Bahia	BURN STORE COLONY MOBILE HOME PARK	0.0526	400	2.00	1.7253	0.1757	0.0002	0.0001	0.0109	0.0009	0.0002	0.0010	0.0006	0.0845
		FLA014086													
4	Bahia	Sun N Shade Campground WWTP	0.0248	400	2.83	1.1914	0.1986	0.0003	0.0001	0.0079	0.0007	0.0000	0.0008	0.0007	0.0408
		FLA014120													

(Enter all nutrient and trace element quantities in lbs/acre)

* Based on two (2) growing seasons per year

Part III. Total Application of Residuals or Septage, Nutrients, and Trace Elements for Application Zones Used By Multiple Facilities (attach a separate sheet "other solids," if applicable):

6	Bahia	REFLECTIONS ON SILVER LAKE, INC.	0.0307	400	4.60	1.5549	0.4671	0.0003	0.0001	0.0136	0.0064	0.0000	0.0066	0.0009	0.0726
		FLA01432													
6	Bahia	DAMON UTILITIES INC. AKK. CASA DEL LAGO	0.0109	400	1.44	0.5823	0.1434	0.0014	0.0000	0.0116	0.0003	0.0001	0.0022	0.0003	0.0176
		FLA01433													
6	Bahia	BUTTONWOOD BAY UTILITIES, INC.	0.0083	400	1.38	0.3334	0.1601	0.0001	0.0000	0.0024	0.0002	0.0000	0.0001	0.0002	0.0124
		FLA01434													
6	Bahia	TROPICAL HARBOR WWP	0.0063	400	0.99	0.3034	0.1201	0.0001	0.0000	0.0016	0.0002	0.0000	0.0001	0.0002	0.0094
		FLA01437													
6	Bahia	Blue Septic Tank Service RME	1.9975	400	188.54	61.5067	14.1197	0.0001	0.0041	0.9871	0.0480	0.0033	0.0242	0.0240	2.3784
		FLA016189													
6	Bahia	LAKE PLACID NORTH	0.1321	400	29.58	5.7842	0.9772	0.0007	0.0004	0.0980	0.0061	0.0009	0.0045	0.0034	0.4432
		FLA281484													
Annual Total		N/A	2.30	400	243.93	75.07	17.36	0.01	0.00	1.16	0.06	0.00	0.04	0.03	3.10
Cumulative Total			216.44		N/A	N/A	N/A	0.11	0.05	12.80	0.44	0.01	0.24	0.14	14.53

(Enter all nutrient and trace element quantities in lbs/acre)

* Based on two (2) growing seasons per year